

BAKER SEALANTS AND COATINGS CO -- CORROSION PREVENTIVE COMPOUND --
8030-01-041-1596

=====
===== Product Identification =====

Product ID:CORROSION PREVENTIVE COMPOUND

MSDS Date:05/09/1990

FSC:8030

NIIN:01-041-1596

MSDS Number: BMQLM

=== Responsible Party ===

Company Name:BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE

Box:B

City:JERSEY CITY

State:NJ

ZIP:07304-3306

Country:US

Info Phone Num:201-333-

6986 / FAX 201-333-6955

Emergency Phone Num:201-333-6986

Preparer's Name:CHARLES FRIEDMAN

CAGE:34094

=== Contractor Identification ===

Company Name:BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE

Box:City:JERSEY CITY

State:NJ

ZIP:07304-3306

Country:US

Phone:201-333-6986

CAGE:34094

=====
===== Composition/Information on Ingredients =====

Ingred Name:AROMATIC

CAS:75-69-4

RTECS #:PB6125000

Other REC Limits:100 PPM

OSHA PEL:1000 PPM

ACGIH TLV:C, 1000 PPM; 9293

EPA Rpt Qty:5000 LB

S
DOT Rpt Qty:5000 LBS
Ozone Depleting Chemical:1

Ingred Name:TRICHLOROTRIFLUOROETHANE
CAS:76-13-1
RTECS #:KJ4000000
Fraction by Wt: 19%
Other REC Limits:1000 PPM
Ozone Depleting Chemical:1

Ingred Name:BARIUM DULFONATE
CAS:21109-95-5
Fraction by Wt: 3%
Other REC Limits:NONE SPECIFIED

Ingred Name:POLYMETHYLSILOXINE
Fraction by Wt: 7%
Other REC Limits:NONE SPECIFIED

Ingred Name:SILICONE ALKYD
Fraction by Wt: 20%
Other REC Limits:NONE SPECIFIED

Ingred Name:PROPELLENT FREON 12
CAS:75-71-8
RTECS
#:PA8200000
Fraction by Wt: 32%
Other REC Limits:1000 PPM
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS
Ozone Depleting Chemical:1

=====
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES/SKIN: CAN CAUSE IRRITATION.
INHALE: CAN CAUSE EXCESSIVE HEADACHE, DIZZINESS, NAUSEA AND UPPER
RESPIRATORY INFLAMATION.

=====
===== Fi

rst Aid Measures =====

First Aid:EYES: FLUSH WITH WATER. SKIN: WASH WITH SOAP AND WATER AND APPLY CREAM. INHALE: REMOVE TO FRESH AIR, APPLY ARTIFICIAL RESPIRATION IF NECESSARY. INGEST: CALL A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:NR

Lower Limits:0.5

Upper Limits:6

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS

Unusual Fire/Explosion Hazard:CONTAINER UNDER PRESSURE, KEEP AWAY FROM

SPARKS, FIRE AND OPEN FLAME.

===== Accidental Release Measures =====

Spill Release Procedures:LARGE SPILLS: FLUSH WITH WATER INTO RETAINING AREA. AVOID SPARKS, FIRE OR HOT METAL SURFACES. SMALL SPILLS: ABSORB ONTO AN APPROPRIATE ABSORBENT.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP COOL AND AWAY FROM SOURCES OF IGNITION. USE WITH ADEQUATE VENTILATION. AVOID PROLONGED OR REPE

ATED PERSONAL CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WHEN CONCENTRATION IS ABOVE TIME WEIGHTED TLV USE CARTRIDGE RESPIRATOR OR GAS MASK.

Ventilation:LOCAL EXHAUST: SUFFICIENT TO KEEP TLV DOWN

Protective Gloves:IMPERMEABLE

Eye Protection:CHEMICAL GOGGLES

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V2

Boiling Pt:B.P. Text:360 TO 410F

Vapor Pres:0.5 DEG.F

Vapor Density:4.

6
Spec Gravity:1.044
Evaporation Rate & Reference:0.1
Solubility in Water:NEGLIGIBLE
Appearance and Odor:LIGHT BLUE COLOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS
Stability Condition to Avoid:AVOID HEAT, SPARKS, OPEN FLAME OR FIRE
Hazardous Decomposition Products:THEMAL DECOMPOSITION MAY YIELD
MONOXIDE AND CARBON DIOXIDE.

===== Disposal Considerations =====

Wa
ste Disposal Methods:INCINERATE UNDER SAFE CONDITIONS OR DISPOSE OF
IN ACCORDANCE WITH APPLICABLE FEDERAL, STATE & LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should s
eek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.