View NSN Online: https://aerobasegroup.ae/nsn/6750-00-264-5866

Product ID:SODIUM CARBONATE MONOHYDRATE GRANULAR PHOTO MSDS Date:03/01/1992 FSC:6750 NIIN:00-264-5866 MSDS Number: BMSWF === Responsible Party === Company Name:NATIONAL RESEARCH AND CHEMICAL CO Address:15600 NEW CENTURY DRIVE **City:GARDENA** State:CA ZIP:90248-2140 С ountry:US Info Phone Num:213-515-1700 Emergency Phone Num:213-515-1700 CAGE:20385 === Contractor Identification === Company Name:NATIONAL RESEARCH AND CHEMICAL CO Address:15600 NEW CENTURY DRIVE Box:City:GARDENA State:CA ZIP:90248-2140 Country:US Phone:213-515-1700 CAGE:20385

======= Composition/Information on Ingredients ==========

Ingred Name:SODIUM CARBONATE CAS:497-19-8 RTECS #:VZ4050000 Fraction by Wt: >60% Other REC Limits:NONE SPECIFIED

============= Hazards Identif

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:INHALE-SEVERE IRRITATION, DELAYED PULMONARY EDEMA, NASAL SEPTUM DEVIATION. EYE/SKIN-SEVERE BURNS, CONJUNCTIVAL EDEMA, CORNEAL DESTRUCTION & BLURRED VISION. INGEST-SEVERE PAIN, VOMITUS MAY CONTAIN BLOO D AND MUCOUS. CORRISIVE DAMAGE TO GI TRACT.

Explanation of Carcinogenicity: THIS COMPOUND CONTAINS NO INGREDI ENTS AT

CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT CARCINOGENS.

Effects of Overexposure:INGEST-VOMITING, DIARRHEA, COLLAPSE; 2-4 DAY LATENT ONSET OF ABDOMINAL PAIN, BOARDLIKE RIGIDITY AND HYPERTENSION INDICATING DELAYED PERFORATION OF GI TRACT.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:EYES-FLUSH WITH WATER. IF BURNED, COVER WITH STERILE BAANDAGE.

SKIN-WASH WITH SOAP AND WATER. IF BURNED, COVER ITH BANDAGE. INHALED-REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION IF NECESSARY. MAINT AIN AIRWAY. SWALLOWED-ADMINISTER LARGE QUANTITIES OF WATER. DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION IN ALL CASES.

Flash Point:NON-COMBUSTIBLE

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, ALCOHOL FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures: AVOID INHALATION,

SKIN, EYE CONTACT WITH

IRRITATING DUSTS THROUGH USE OF APPROPIATE FULL COVER AND SIR PURIFYING RESPIRATOR.

Unusual Fire/Explosion Hazard:NONE KNOWN.

Spill Release Procedures: SCOOP UP INTO DRY CLEAN CONTAINERS OR NEUTRALIZE WITH HYDROCHLORIC ACID AND SEWER. AVOID CONTACT OR IRRITATING DUST WITH EYES, SKIN OR RESPIRATOR SYSTEM.

Handling and Sto

rage Precautions:NONE SPECIFIED BY MANUFACTURER. Other Precautions:NONE

Respiratory Protection: CHEMICAL CARTRIDGE RESPIRATOR WHEN DUST LEVELS ARE OVER 10 MG/M3.

Ventilation:LOCAL AND MECHANICAL(GENERAL) EXHAUST SUFFICIENT TO MAINTAIN DUST LEVELS BELOW 10 MG/M3.

Protective Gloves: WORK GLOVES AND/OR IMPERVIOUS GLOVES.

Eye Protection:CHEMICAL GOGGLES.

Other Protective Equipment: EYE WASH AND SAFETY SHOWER IN WORK PLACE. Wo

rk Hygienic Practices:CLOTHING SHOULD BE WASHED AFTER EACH USE. Supplemental Safety and Health

HCC:B3 Melt/Freeze Pt:M.P/F.P Text:DEC @ 854C Spec Gravity:2.25 Evaporation Rate & amp; Reference: