View NSN Online: https://aerobasegroup.ae/nsn/6830-00-935-9896

ALLIED CHEMICAL INDUSTRIAL CHEM DIV -- GENETRON 22 CHLORODIFLUOROMETHANE · 6830-00-935-9896

Product ID:GENETRON 22 CHLORODIFLUOROMETHANE MSDS Date:03/01/1982 FSC:6830 NIIN:00-935-9896 MSDS Number: BMTXY === Responsible Party === Company Name: ALLIED CHEMICAL INDUSTRIAL CHEM DIV Address:COLUMBIA RD & PARK AVE Box:1139R City:MORRISTOWN State:NJ ZIP:07960 Country:US Info Phone Num:201-455-2000 Emergency Phone Num:201-455-2000 CAGE:72658 === Contractor Identification === Company Name: ALLIED CHEMICAL INDUSTRIAL CHEM DIV Address:COLUMBIA RD & PARK AVE Box:City:MORRISTOWN State:NJ ZIP:07960 Country:US Phone:201-455-2145 CAGE:72658 Company Name: REFRIGERATION SALES CO INC Address:38-18 33RD ST Box:City:LONG ISLAND CITY State:NY ZIP:11101-2211 Country:US Phone:800-221-0603 CAGE:3A676

Ingred Na

me:CHLORODIFLUOROMETHANE CAS:75-45-6 RTECS #:PA6390000 Fraction by Wt: 100% Other REC Limits:NONE SPECIFIED OSHA PEL:1000 PPM ACGIH TLV:1000PPM; 9192 Ozone Depleting Chemical:2

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE-EYES/SKIN:MAY CAUSE FROSTBITE. INHALATION: BREATHING HIGHER CONCENTRATIONS MAY CAUSE ASPHYXIATION,

UNCONSCIOUSNESS, NARCOSIS, IRREGULAR HEARTBEAT OR CARDIAC ARREST. CHRONIC-NONE.

Explanation of Carcinogenicity:NONE OF THE CHEMICALS IN THIS PRODUCT IS LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN.

Effects of Overexposure:LIGHTHEADEDNESS, GIDDINESS, LOSS OF COORDINATION, SHORTNESS OF BREATH, UNCONSCIOUSNESS & DEATH. Medical Cond Aggravated by Exposure:HEART CONDITIONS.

First Aid:EYE/SKIN:IMMEDIATELY FLUSH WITH L

UKEWARM WATER FOR 20 MINUTES. SEE DOCTOR. INHALATION:REMOVE TO FRESH AIR. IF NOT BREATHING GIVE CPR. IF BREATHING IS DIFFICULT, GIVE OXYGEN. SEE DOCTOR IMMEDIATELY.

Flash Point:NONE

Extinguishing Media:USE EXTINGUISHING AGENTS APPROPRIATE FOR SOURCE OF FIRE.

Fire Fighting Procedures: FIRE FIGHTERS MUST WEAR SPECIAL PERSONAL PROTECTIVE SUITS FOR FIRE/CHEMICAL & POSITIVE PRESSURE SCBA. FIREFIGHTERS' TURNO UT GEAR IS INADEQUATE. Unusual Fire/Explosion Hazard:CYLINDERS EXPOSED TO FIRE MAY RUPTURE WITH VIOLENT FORCE. EXTINGUISH SURROUNDING FIRE. COOL CYLINDERS WITH WATER SPRAY APPLIED FROM THE MAXIMUM DISTANCE.

Spill Release Procedures:RESTRICT ACCESS TO AREA. WEAR PERSONAL PROTECTIVE EQUIPMENT. VENTILATE AREA. ALLOW GAS TO DISSIPATE INTO THE ATMOSPHERE.

Handling and Storage Precautions:STORE BELOW 120F IN A DRY, WELL VENTILATED AREA AWAY FROM SOURCES OF IGNITION/HEAT. Other Precautions:NONE

Respiratory Protection: IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL (TLV), USE NIOSH APPROVED RESPIRATOR AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS AND NIOSH-RESPIRATOR SELECTION. Ventilation: MECHANICAL (GENERAL) VENTILATION IS USUALLY

ADEQUATE.

Protective Gloves:NONE

Eye Protection:SAFETY GLASSES

Other Protective Equipment:EYE BATH., INDUSTRIAL TYPE WORK CLOTHING AND APRON AS REQUIRED TO AVOID PROLONGED OR REPEATED CONTACT. Work Hygienic Practices:DO NOT SMOKE WHILE USING/WORKING WITH THIS

MATÉRIAL.

Supplemental Safety and Health

HCC:G3 Boiling Pt:B.P. Text:-41F,-41C Melt/Freeze Pt:M.P/F.P Text:-256F,-160C Vapor Pres:121.4 PSIG Vapor Density:3.11 Spec Gravity:1.21 Evaporation Rate & amp; Reference:GAS Solubility in Water:0.30% BY WEIGHT Appearance and Odor:COLORLESS, LIQUIFIED GAS, ETHEREAL ODOR. Percent Volatiles by Volume:100

Stability Indicator/Materials to Avoid:YES
SODIUM, POTASSIUM, BARIUM, POWDERED MAGNESIUM, POWDERED ALUMINUM AND ORGANOMETALLICS.
Stability Condition to Avoid:HIGH TEMPERATURES, SPARKS, AND OPEN FLAMES
Hazardous Decomposition Products:HYDROGEN
CHLORIDE, HYDROGEN FLUORIDE, CARBONYL FLUORIDE & PHOSGENE.

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH ALL APPLICABLE FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this informat ion to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.