

CLOROX CO -- REGULAR CLOROX BLEACH -- 6810-00-944-4129

=====  
Product Identification  
=====

Product ID:REGULAR CLOROX BLEACH

MSDS Date:08/01/1989

FSC:6810

NIIN:00-944-4129

MSDS Number: BMWJQ

=== Responsible Party ===

Company Name:CLOROX CO

Address:1221 BROADWAY

City:OAKLAND

State:CA

ZIP:94612

Country:US

Info Phone Num:415-847-6100

Emergency Phone Num:303-573-1014

CAGE:HO904

=== Contractor Identific

ation ===

Company Name:CLOROX CO

Address:7200 JOHNSON DR

City:PLEASANTON

State:CA

ZIP:94588

Country:US

Phone:415-847-6100

CAGE:HO904

Company Name:CLOROX CO THE HEADQUARTERS

Address:1221 BROADWAY

Box:24305

City:OAKLAND

State:CA

ZIP:94612-1305

Country:US

Phone:510-271-7000

CAGE:93098

=====  
Composition/Information on Ingredients  
=====

Ingred Name:HYPOCHLOROUS ACID, SODIUM SALT; (SODIUM HYPOCHLORITE)

(SARA III)

CAS:7681-52-9

RTECS #:NH3486300

Fraction by Wt: 5.25%

EPA Rpt Q

ty:100 LBS  
DOT Rpt Qty:100 LBS

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:CAUSES SEVERE BUT TEMPORARY EYE  
INJURY. MAY IRRITATE SKIN. MAY CAUSE NAUSEA & VOMITING IF INGESTED.  
EXPOSURE TO VAPOR/MIST MAY IRRITATE NOSE, THROAT & LUNGS. UNDER  
NORMAL CONSUMER USE CNDTNS THE  
LIKELIHOOD OR ANY ADVERSE HEALTH  
EFFECTS ARE LOW.  
Explanation of Carcinogenicity:NOT RELEVANT  
Effects of Overexposure:SEE HEALTH HAZARD.  
Medical Condition Aggravated by Exposure:FOLLOWING MEDICAL CONDITIONS MAY BE  
AGGRAVATED BY EXPOSURE TO HIGH CONCENTRATIONS OF VAPOR/MIST: HEART CONDITIONS/CHRONIC  
RESPIRATORY PROBLEMS SUCH AS ASTHMA, CHRONIC BRONCHITIS/OBSTRUCTIVE  
LUNG DISEASE.

=====  
===== First Aid Measures =====

First Aid:EYES: IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR  
AT  
LEAST 15 MINUTES. IF IRRITATION PERSISTS, SEE MD. SKIN: REMOVE  
CONTAMINATED CLOTHING. WASH AREA WITH WATER. INGEST: DRINK A  
GLASSFUL OF WATER AND CALL MD. INHALATION: IF BREATHING PROBLEMS  
DEVELOP REMOVE TO FRESH AIR.

=====  
===== Fire Fighting Measures =====

Extinguishing Media:USE MEDIA SUITABLE FOR SURROUNDING FIRE .  
Fire Fighting Procedures:WEAR NIOSH/MSHA APPROVED SCBA AND FULL  
PROTECTIVE EQUIPMENT . NOT FLAMMABLE. IN A FIRE, COOL CONTAINERS TO  
PREVENT RUPTURE AND RELEASE OF SODIUM CHLORATE.  
Unusual Fire/Explosion Hazard:NOT EXPLOSIVE.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:SMALL QUANTITIES OF LESS THAN 5 GALLONS MAY BE  
FLUSHED DOWN DRAIN. FOR LARGER QUANTITIES WIPE UP WITH AN ABSORBENT MATERIAL OR MOP  
& DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.  
DILUTE WITH WATER TO MINIMIZE OXIDIZING EFFECT ON SPILLED SURFACE.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER



D BY MANUFACTURER.

Hazardous Decomposition Products:STRONG OXIDIZING AGENT. REACTS  
W/HOUSEHOLD CHEM (E.G.,TOILET BOWL CLEANERS, RUST REMOVERS,  
VINEGAR, ACIDS/(SUPP DATA)

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND  
LOCAL REGULATIONS .

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense.

The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.