

ANCHOR PAINT MANUFACTURING CO. INC. -- 1170 -- 8010-00-515-9843

=====  
Product Identification  
=====

Product ID:1170

MSDS Date:05/01/1989

FSC:8010

NIIN:00-515-9843

MSDS Number: BMWTG

=== Responsible Party ===

Company Name:ANCHOR PAINT MANUFACTURING CO. INC.

Address:6707 E. 14TH ST.

Box:1305

City:TULSA

State:OK

ZIP:74101

Country:US

Info Phone Num:918-836-4626

Emergency Phone Num:918-836-4626

CAGE:0E

2V8

=== Contractor Identification ===

Company Name:ANCHOR PAINT MANUFACTURING CO INC

Address:6707 E 14TH STREET

Box:City:TULSA

State:OK

ZIP:74101

Country:US

Phone:918-836-4626

CAGE:0E2V8

=====  
Composition/Information on Ingredients  
=====

Ingred Name:STODDARD SOLVENT

CAS:8052-41-3

RTECS #:WJ8925000

Fraction by Wt: >52%

Other REC Limits:NONE SPECIFIED

OSHA PEL:500 PPM

ACGIH TLV:100 PPM; 9293

=====  
Hazards Identification  
=====

Routes of Entry:

Inhalation: YES Skin: YES Ingestion: YES

Health Hazards Acute and Chronic: INHALATION; CAN CAUSE NASAL OR RESPIRATORY IRRITATION, DIZZINESS, WEAKNESS, FATIGUE, NAUSEA, HEADACH AND POSSIBLE UNCONSCIOUSNESS AND EVEN ASPHYXIATION. EYES; SEVERE IRRITATION, REDDNESS, TEARING, BLURRED VISION AND SEEING HALO AROUND LIGHTS. INGESTION; GASTROINTESTINAL IRRITATION NAUSEA VOMITING, ASPIRATION INTO LUNGS/FATAL

Effects of Overexposure: NARCOTIC, DIZZINESS, NAUSEA,

Medical Cond Aggravated by Exposure

: PERSONS WITH SEVERE

SKIN, LIVE, HEART, OR KIDNEY PROBLEMS SHOULD AVOID USE.

=====  
===== First Aid Measures =====

First Aid: INHALATION; REMOVE TO FRESH AIR, GIVE CPR IF NECESSARY. SKIN; WASH WITH SOAP AND WATER. EYES; FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES, CONTACT A PHYSICIAN. INGESTION; DRINK 1-2 GLASSES OF WATER TO DILUTE, DO NOT INDUCE VOMITING, CONSULT PHYSICIAN OR POISON CONTROL IMMEDIATELY. TREAT SYMPTOMATICALLY.

=====

=====  
===== Fire Fighting Measures =====

Flash Point Method: TCC

Flash Point: 103F, 39C

Lower Limits: 0.9

Upper Limits: 6.0

Extinguishing Media: CARBON DIOXIDE, FOAM, DRY CHEMICALS

Fire Fighting Procedures: WATER MAY BE INEFFECTIVE, WATER SHOULD BE USED TO COOL CONTAINER EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard: FORMS COMBUSTIBLE AND OR EXPLOSIVE MIXTURES WITH AIR OR OXYGEN.

=====  
===== Accidental Release Measures =====

Spill Release Procedures: PUM

P OR TRANSFER TO ANOTHER CONTAINER OR

ABSORB AND REMOVE FROM AREA, NO SPARKING TOOL SHOULD BE USED

Neutralizing Agent: NA

=====  
===== Handling and Storage =====

Handling and Storage Precautions: KEEP CONTAINERS CLOSED, DO NOT STORE OR USE NEAR SPARKS, FLAMES OR IGNITION SOURCES.

Other Precautions: GROUND ALL CONTAINERS WHEN TRANSFERRING LIQUIDS, AVOID PROLONG CONTACT WITH SKIN, AVOID FREE FALL OF LIQUID, DO NOT FLAME CUT, SAW, DRILL BRAZE OR WELD EMPTY C

CONTAINER OR DRUMS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IN CONFINED AREA USE NIOSH/MSHA RESPIRATOR  
Ventilation:REQUIRED TO KEEP VAPOR CONCENTRATIONS BELOW TVLS  
Protective Gloves:CHEMICAL RESISTANT  
Eye Protection:TO PROTECT AGAINST SPLASHED LIQUIDS,  
Other Protective Equipment:CHEMICAL RESISTANT APRON  
Work Hygienic Practices:REMOVE CONTAMINATED CLOTHING WASH BEFORE REUSE.  
WASH HAND BEFORE EATING,SMOKING USING RESTROOM  
Supplemental Safety  
and Health  
NA

===== Physical/Chemical Properties =====

HCC:F4  
Boiling Pt:B.P. Text:300F,149C  
Vapor Pres:11MM  
Vapor Density:4 >AIR  
Spec Gravity:.825  
Evaporation Rate & Reference:0.1  
Solubility in Water:NEGIBLE  
Appearance and Odor:LIQUID,ALIPHATIC SOLVENT ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZERS  
Stability Condition to Avoid:STRONG OXIDIZERS, OPEN FLAMES AND IGNITION  
S  
OURCES.  
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE,  
OXIDES OF NITROGEN  
Conditions to Avoid Polymerization:DOES NOT HEED SPONTANEOUSLY

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE OR DISPOSE OF IN ACCORDANCE WITH  
LOCAL,STATE AND FEDERAL REQUIREMENTS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The

United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.