View NSN Online: https://aerobasegroup.ae/nsn/8010-01-060-6457 SHERWIN WILLIAMS CO. -- F65E27 -- 8010-01-060-6457 ============ Product Identification ========================= Product ID:F65E27

MSDS Date:08/01/1991

FSC:8010

NIIN:01-060-6457

MSDS Number: BMWXX === Responsible Party ===

Company Name: SHERWIN WILLIAMS CO.

Address:101 PROSPECT AVE N.W.

City:CLEVLAND

State:OH ZIP:44115 Country:US

Info Phone Num:216-566-2902

Emergency Phone Num:216-566-2917

CAGE:88573

=== Contractor Identific

ation ===

Company Name: THE SHERWIN WILLIAMS CO. DIVERSIFIED BRANDS

Address:101 PROSPECT AVE N.W.

Box:City:CLEVELAND

State:OH ZIP:44115 Country:US

Phone: (800)-832-2541/ EMER: 216-566-2917

CAGE:88573

======= Composition/Information on Ingredients ========

Ingred Name: HYDROTREATED LIGHT PETROLEUM DISTILLATE

CAS:64742-47-8

Other REC Limits: NONE SPECIFIED

OSHA PEL:100 PPM ACGIH TLV:100 PPM

Ingred Name: NAPHTHA, MEDIUM ALIPHATIC

CAS:64742-88-7

Other REC Limits: NONE SPECIFIED

Ingred Nam

e:DIPROPYLENE GLYCOL METHYL ETHER CAS:34590-94-8 RTECS #:JM1575000 Other REC Limits:NONE SPECIFIED OSHA PEL:S,100PPM/150STEL ACGIH TLV:S,100PPM/150STEL9192

Ingred Name: TALC (CONTAINING ASBESTOS)

CAS:14807-96-6

RTECS #:MW2700000

Other REC Limits: NONE SPECIFIED

OSHA PEL:0.2 FIBERS/CC

ACGIH TLV:0.2 FIBERS/CC; 9192

Ingred Name: CALCIUM CARBONATE

CAS:471-34-1

RTECS #:FF9335000

Other REC Limits: NONE SPECIFIED

OSHA PEL:10 MG/M3 ACGIH TLV:10 MG/M3

Ingred Name:TITANIUM DIOXIDE

CAS:13463-67-7 RTECS #:XR 2275000

Other REC Limits: NONE SPECIFIED

OSHA PEL:15 MG/M3 TDUST

ACGIH TLV:10 MG/M3 TDUST; 9293

Ingred Name: POTASSIUM ZINC CHROMATE

CAS:11103-86-9

Other REC Limits: NONE SPECIFIED

OSHA PEL:UNK ACGIH TLV:0.05

Ingred Name:LEAD SULFOCHROME

CAS:1344-37-2

Other REC Limits: NONE SPECIFIED

Ingred Name:LEAD CHROMATE MOLYBDATE

CAS:12656-85-8 RTECS #:QA4660000

Other REC Limits: NONE SPECIFIED

========== Hazards Identification ================

Routes of Entry: Inhalation:YES Skin:YES I

ngestion:YES Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES Health Hazards Acute and Chronic:IRRITATION OF EYES,SKIN AND RESPIRATORY SYSTEM,MAY CAUSE CNS DEPRESSION. Effects of Overexposure:HEADEACHE,DIZZINESS,NAUSEA, LOSS OF
COORDINATION. Medical Cond Aggravated by Exposure:NONE GIVEN
======================================
First Aid:INHALATION;REMOVE FROM EXPOSURE,RESTORE BREATHING,KEEP WARM AND QUIET. SKIN;WASH AFFECTED AREA WITH SOAP AND WATER, REMOVE
CONTAMOINATED CLOTHING AND LAUNDER BEFORE REUSE. EYES; FLUSH WITH WATER FOR 1 5 MINUTES,GET MEDICAL ATTENTION. INGESTION; DO NOT GIVE ANYTHING BY MOUTH TO AN UNCOUNSCIOUS INDIVIDUAL, DO NOT INDUCE VOMITING, GIVE SEVERAL GLASSES OF WATER, KEEP WARM
======================================
Flash Point Method:TCC Flash Point:102F,39C Lower Limits:0.5 Upper Limits:7.5 Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM Fire Fighting Proc edures:WEAR FULL PROTECT CLOTHING AND SCBA, WATER MAY BE INEFFECTIVE,IF USED FOG NOZZLES ARE PREFERRABLE, WATER MAY BE USED TO COOL CONTAINERS EXPOSED EXTREME HEAT. Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO EXTREME HEAT,
======== Accidental Release Measures =========
Spill Release Procedures:VENTILATE, REMOVE ALL SOURCES OF IGNITION. REMOVE WITH AN INERT ABSORBENT. Neutralizing Agent:NA
======================================
Handling and Storage Precautions: KEEP AWAY FROM HEAT, SPARKS AND OPEN FLAMES. KEEP CONTAINER CLOSED, KEEP AWAY FROM CHILDREN Other Precautions: USE APPROVED BONDING AND GROUNDING PROCEDURES.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:WEAR NIOSH/MSHA APPROVED RESPIRATOR IF TLVS ARE EXCEEDED Ventilation:LOCAL Protective Gloves:YES Eye Protection:SAFETY WITH UNPERFORATED SIDE SHIELDS. Other Protective Equipmen

t:NA
Work Hygienic Practices:PRUDENT
Supplemental Safety and Health
NA

========= Physical/Chemical Properties ===============

HCC:F4

Boiling Pt:B.P. Text:222F,106C

Vapor Pres:UNK Vapor Density:> AIR Spec Gravity:0.85-1.20

Evaporation Rate & Department Reference: < ETHER

Solubility in Water:NA

Appearance and Odor:ORANGE LIQUID

Percent Volatiles by Volume:57-83

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES NONE GIVEN Stabil

ity Condition to Avoid:NONE GIVEN

Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE, OXIDES OF METAL

======= Disposal Considerations ===========

Waste Disposal Methods:MUST BE TESTED FOR IGNITABILITY. INCINERATE IN AN APPROVED FACILITY, DO NOT INCINERATE CLOSED CONTAINERS. DISPOSE OF IN ACCORDANCE WITH LOCAL,STATE AND FEDERAL REQUIREMENTS

Disclaimer (provided with this information by the compiling agencies): This information is formulated f or use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.