

SUMMIT LUBRICANTS INC -- MIL-G-10924F -- 9150-01-197-7689

=====
Product Identification
=====

Product ID:MIL-G-10924F

MSDS Date:10/15/1992

FSC:9150

NIIN:01-197-7689

MSDS Number: BMXBN

=== Responsible Party ===

Company Name:SUMMIT LUBRICANTS INC

Address:4080 PEARL STREET

Box:966

City:BATAVIA

State:NY

ZIP:14021

Country:US

Info Phone Num:716-344-4301/716-685-1576

Emergency Phone Num:716-344-4301/716-685-1576

Preparer's Name:RONALD KROL

CAGE:0R0E6

=== Contractor Identification ===

Company Name:SUMMIT LUBRICANTS INC

Address:4080 PEARL STREET

Box:966

City:BATAVIA

State:NY

ZIP:14020

Country:US

Phone:716-344-4301/716-685-1576

CAGE:0R0E6

=====
Composition/Information on Ingredients
=====

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATES, HYDROTREATED (MILD)
HEAVY PARAFFINIC

CAS:64742-54-7

RTECS #:PY8035500

Fraction by Wt: 10%

Other REC Limits:NONE SPECIFIED

OSHA PEL:300 PPM

A

CGIH TLV:300 PPM

Ingred Name:ADDITIVES AND OTHER INGREDIENTS (THICKENERS)

Fraction by Wt: 90%

Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:THIS PRODUCT HAS BEEN USED FOR YEARS WITH NO KNOWN ILL EFFECTS.

Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER.

Medical Cond Aggravated by Exposure:NO

NE SPECIFIED BY MANUFACTURER.

=====
First Aid Measures
=====

First Aid:INGESTION: DO NOT INDUCE VOMITING. SKIN: FLUSH WITH SOAP AND WATER. EYES: FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. INHALATION: NONE NORMALLY REQUIRED.

=====
Fire Fighting Measures
=====

Flash Point:NON-FLAMMABLE

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, EARTH OR SAND.

Fire Fighting Procedures:WATER MAY CAUSE FROTHIN

G.

Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:ABSORB WITH SAND OR INERT MATERIAL. SWEEP OR SCOOP UP AND REMOVE.

Neutralizing Agent:NONE

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP AWAY FROM SPARKS AND OPEN FLAMES.

Other Precautions:NONE

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:NONE NORMALLY R

EQUIRED.

Ventilation:USE WITH ADEQUATE VENTILATION.

Protective Gloves:NEOPRENE

Eye Protection:FACE SHIELD

Other Protective Equipment:NONE

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:B.P. Text:>700F,>371C

Melt/Freeze Pt:M.P/F.P Text:470F,243C

Spec Gravity:0.88

Solubility in Water:NIL

Appearance and Odor:AMBER SEMISOLID - BLAND

Percent Volatiles by Volume:0

====

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS.

Stability Condition to Avoid:OPEN FLAMES.

Hazardous Decomposition Products:OXIDES OF CARBON AND SULFUR.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE. FOLLOW ALL APPLICABLE LOCAL, STATE
AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formula

ted for use by elements of the Department

of Defense. The United States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.