

CROWN INDUSTRIAL PRODUCTS CO -- 6078 -- 8030-01-200-9898

=====
Product Identification
=====

Product ID:6078
MSDS Date:01/18/1990
FSC:8030
NIIN:01-200-9898
MSDS Number: BMXBY
=== Responsible Party ===
Company Name:CROWN INDUSTRIAL PRODUCTS CO
Address:HWY 47 N
Box:350
City:HEBRON
State:IL
ZIP:60034
Country:US
Info Phone Num:800-766-7655/FAX 815-648-4090
Emergency Phone Num:800-766-7655/815-648-2424

CAGE:92381
=== Contractor Identification ===
Company Name:CROWN INDUSTRIAL PRODUCTS CO
Address:HWY 47 N
Box:350
City:HEBRON
State:IL
ZIP:60034
Country:US
Phone:815-648-2424
CAGE:92381

=====
Composition/Information on Ingredients
=====

Ingred Name:TOLUENE (SARA III)
CAS:108-88-3
RTECS #:XS5250000
Fraction by Wt: 1-10%
Other REC Limits:NONE SPECIFIED
OSHA PEL:200 PPM/150 STEL
ACGIH TLV:50 PPM; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:METHYL CHLOROFORM (1,1,

1-TRICHLOROETHANE) (SARA III)

CAS:71-55-6

RTECS #:KJ2975000

Fraction by Wt: 51-70%

Other REC Limits:NONE SPECIFIED

OSHA PEL:350 PPM/450 STEL

ACGIH TLV:350 PPM/450STEL;9192

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ozone Depleting Chemical:1

Ingred Name:1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113) (SARA III)

CAS:76-13-1

RTECS #:KJ4000000

Fraction by Wt: 1-10%

Other REC Limits:NONE SPECIFIED

OSHA PEL:1000PPM/1250STEL

ACGIH TLV:1000PPM/1250STEL9192

Ozone Depleting Chemical:1

Ingred Name

:HYDROCARBON PROPELLANT

CAS:68476-86-8

Fraction by Wt: 11-30%

Other REC Limits:NONE SPECIFIED

==== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION;SHORTNESS OF

BREATH,DIZZINESS, LIGHT HEADNESS. INGESTION;CHEMICAL PNEUMONIA IF

ASPIRATED INTO LUNGS. EYES; IRRITATION. SKIN;REPEATED CONTACT

MILDLY IRRITATING.

Effects o

f Overexposure:SEE HEALTH HAZARDS.

Medical Cond Aggravated by Exposure:NA

==== First Aid Measures =====

First Aid:EYES;FLUSH WITH WATER FOR 15 MINUTES OR UNTIL IRRITATION

SUBSIDES,SKIN; REMOVE ALL CONTAMINATED CLOTHING AND WASH WITH SOAP

AND WATER. INHALATION; REMOVE TO FRESH AIR, ADMINISTER CPR OR

OXYGEN AS REQUIRED GET MEDICAL ATTENTION. INGESTION; DRINK LARGE

AMOUNTS OF WATER, DO NOT INDUCE VOMITING.

==== Fire Fight =====

ing Measures =====

Flash Point Method:TCC

Flash Point:-50F,-46C

Lower Limits:1.8

Upper Limits:9.5

Extinguishing Media:CARBON DIOXIDE,FOAM DRY CHEMICALS

Fire Fighting Procedures:WEAR SCBA TEREAT AS CYLINDERS OF COMPRESSED GAS.

Unusual Fire/Explosion Hazard:NA

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA,REMOVE ALL SOURCES OF IGNITION.
CLEAN UP WIYH INERT ABSORBENT MATERIAL.

Neutralizing Agent:NA

=====

===== Handling and Storage =====

Handling and Storage Precautions:]DO NOT STORE ABOVE 120F,NEAR OPEN FLAMES,OR IN DIRECT SUNLIGHT.

Other Precautions:INTENTIONAL MISUSE BY DELIBERATILY CONCENTRATING AND INHALING MAY BE FATAL.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:TO MEET TVLS

Ventilation:TO MEET TVLS

Protective Gloves:POLYETHYLENE OR NEOPRENE

Eye Protection:SAFETY GLASSES

Other Protective Equipment:CLOTHING A
ND EQUIPMENT

Work Hygienic Practices:WASH SKIN WITH SOAP AND WATER.

Supplemental Safety and Health

NA

===== Physical/Chemical Properties =====

HCC:V2

Boiling Pt:B.P. Text:160F,71C

Vapor Pres:50PSIG

Vapor Density:>1

Spec Gravity:>1

Evaporation Rate & Reference: