View NSN Online: https://aerobasegroup.ae/nsn/6810-00-281-2014

Product ID:HYDROUS CITRIC ACID

MSDS Date:06/17/1991

FSC:6810

NIIN:00-281-2014

MSDS Number: BMZCY === Responsible Party ===

Company Name: FISHER SCIENTIFIC CO CHEMICAL DIV.

Address:1 REAGENT LANE

City:FAIR LAWN

State:NJ ZIP:07410 Country:US

Info Phone Num:201-796-7100

Emergency Phone Num:

201-796-7100 OR 201-796-7523 Preparer's Name:GASTON PILLORI

CAGE:1B464

=== Contractor Identification ===

Company Name: FISHER SCIENTIFIC CO. CHEMICAL MFG DIV

Address: 1 REAGENT LANE

Box:City:FAIRLAWN

State:NJ

ZIP:07410-2802 Country:US

Phone:201-796-7100

CAGE:1B464

======= Composition/Information on Ingredients ========

Ingred Name: CITRIC ACID

CAS:77-92-9

RTECS #:GE7350000 Fraction by Wt: 100%

Other REC Limits: NONE SPECIFIED

======= Hazards Identification ========

========

LD50 LC50 Mixture:ORAL LD50 (RAT) IS 5040 MG/KG Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: INHALE-MAY CAUSE MUCOUS MEMBRANE IRRITATION. SKIN-MAY CAUSE MODERATE IRRITATION. EYE-MAY CAUSE SEVERE IRRITATION. INGESTION-MAY CAUSE ACUTE BUT TRANSIENT GI IRRITATION. CHRONIC: INHALE-DAMAGE T OOTH ENAMEL. SKIN-DERMATITIS. EYE-CONJUNCTIVITIS. INGESTION-EROSION OF THE TEETH &

LOCAL

IRRITATION.

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GRATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Effects of Overexposure:INHALATION: SORE THROAT, COUGHING, AND SHORTNESS OF BREATH. EYES: REDNESS, PAIN AND POSSIBLY BURNS. SKIN: REDNESS AND PAIN. INGESTION: SORE THROAT, ABDOMINAL PAIN, WRINKLING & ROUGHING DISCOLORATION OF THE STOMACH & INTESTINE.

Medical Cond Aggravated by Exposure:PREEXISTING SKIN CONDITIONS MAYBE AGG

RAVATED BY EXPOSURE.

====

First Aid:SKIN: FLUSH WITH WATER. EYES: FLUSH WITH WATER IMMEDIATELY FOR AT LEAST 15 MINUTES. INHALE: REMOVE TO FRESH AIR, REST AND CALL DOCTOR. INGESTED: TREAY SYMTOMATICALLY AND SUPPORTIVELY. GET MEDICAL ATTE NTION IMMEDIATELY. IF VOMITING OCCURS, KEEP HEAD LOWER THAN HIPS TO PREVENT ASPIRATION.

Lower Limits:8 GM/FT3 Upper Limits:65 GM/FT3

Extinguishing Media:DRY CHEMICAL, CARBON DIOXIDE, WATER SPRAY OR REGULAR FOAM. FOR LARGE FIRES, USE WATER SPRAY, FOG OR REGULAR FOAM.

Fire Fighting Procedures: MOVE CONTAINER FROM FIRE IF CAN BE DONE AT NO PERSONAL RISK. DO NOT SCATTER SPILLED MATERIAL WITH HIGH PRESSURE WATER STREAMS. DIKE WATER FOR LATER DISPOSAL.

Unusual Fire/Explosion Hazard:SLIGHT FIRE HAZARD WHEN EXPOSED TO HEAT OR FLAME.

======= Accidental Release Measures =======

======

Spill Release Procedures:SWEEP UP AND PLACE IN SUITABLE CLEAN, DRY CONTAINER FOR RECLAMATION OR LATER DISPOSAL. DO NOT FLUSH SPILLED MATERIAL INTO SEWER. KEEP UNNECESSARY PEOPLE AWAY. Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.
======================================
Handling and Storage Precautions:STORE AWAY FROM INCOMPATIBLES. KEEP IN A TIGHTLY CLOSED CONTAINER. STORE IN A COOL, DRY, VENTILATED AREA. Other Precautions:NONE SPECIFIED B Y MANUFACTURER.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:ANY DUST RESPIRATOR WITH A FULL AFCEPIECE, ANY AIR-PURIFYING FULL FACEPIECE RESPIRATOR WITH A HIGH EFFCIENCY PARTICULATE FILTER, ETC.
Ventilation:PROVIDE LOCAL EXHAUST VENTILATION. VENTILATION EQUIPMENT MUST BE EXPLOSION PROOF.
Protective Gloves:MUST WEAR PROTECTIVE GLOVES. Eye Protection:SPLASH PROOF OR DUST RESISTANT GOGGLES Other Protective Equipment:EYE WASH STATION & SAFE
TY SHOWER. Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHES AFTER USE. Supplemental Safety and Health
NONE
========= Physical/Chemical Properties ==========
HCC:N1 Melt/Freeze Pt:M.P/F.P Text:212F,100C Spec Gravity:1.542
pH:2.2 Solubility in Water:APPRECIABLE Appearance and Odor:ODORLESS, COLORLESS, ORTHORHOMBIC PRISMS WITH PLEASANT, SOUR TASTE.
======= Stability and Reactivity Data =====

=========

Stability Indicator/Materials to Avoid:YES BASES, METAL NITRATES, OXIDIZERS.

Stability Condition to Avoid:STABLE UNDER NORMAL TEMPERATURES AND PRESSURES. AVOID CONTACT WITH EXCESSIVE HEAT, SPARKS OR OPEN FLAMES.

Hazardous Decomposition Products:THERMAL DECOMPOSITION PRODUCTS MAY INCLUDE TOXIC OXIDES OF CARBON.

====== Disposal Considerations ==========

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situ ation.