

CP INDUSTRIES -- DISTILLED WATER -- 6810-00-297-9540

=====
Product Identification
=====

Product ID: DISTILLED WATER

MSDS Date: 05/28/1991

FSC: 6810

NIIN: 00-297-9540

MSDS Number: BMZDD

=== Responsible Party ===

Company Name: CP INDUSTRIES

Address: 503 N 400 W

City: SALT LAKE CITY

State: UT

ZIP: 84103-1311

Country: US

Preparer's Name: DGSC-SSH

CAGE: 7X475

=== Contractor Identification ===

Company Name: CP INDU

STRIES

Address: 503 N 400 W

Box: City: SALT LAKE CITY

State: UT

ZIP: 84103-1311

Country: US

Phone: 801-521-0313

CAGE: 7X475

=====
Composition/Information on Ingredients
=====

Ingred Name: WATER

CAS: 7732-18-5

RTECS #: ZC0110000

Fraction by Wt: 100%

Other REC Limits: NONE SPECIFIED

=====
Hazards Identification
=====

Routes of Entry: Inhalation: NO Skin: NO Ingestion: NO

Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO

Health Hazards Acute and Chronic:

NONE

Explanation of Carcinogenicity:WATER IS NOT LISTED BY IARC, NTP OR OSHA AS A CARCINOGEN, MUTAGEN, TERATOGEN OR NEUROTOXIN.

Effects of Overexposure:WATER MAY CAUSE DEATH BY DROWNING.

Medical Cond Aggravated by Exposure:NONE KNOWN

=====
===== First Aid Measures =====

First Aid:INHALATION(ASPIRATED LIQUID): GIVE MOUTH-TO- MOUTH RESUSCITATION IF NOT BREATHING. GIVE OXYGEN IF BREATHING IS DIFFICULT. GET MEDICAL ATTENTION.

=====
===== Fire Fighting Measures =====

Flash Point:NONE
Autoignition Temp:Autoignition Temp Text:NONE
Extinguishing Media:USE MEDIA APPROPRIATE FOR SURROUNDING FIRE.

=====
===== Accidental Release Measures =====

Spill Release Procedures:IF UNUSED WATER IS SPILLED, MOP UP OR FLUSH TO SEWER.
Neutralizing Agent:NONE

=====
===== Handling and Storage =====

Handling and Storage Precautions:USE CARE WHEN USING IN LEAD-ACID BATTERIES WHI
CH CONTAIN HAZARDOUS SULFURIC ACID.
Other Precautions:NONE

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.
Ventilation:NONE NORMALLY REQUIRED.
Protective Gloves:RUBBER GLOVES WHEN MIXING.
Eye Protection:SAFETY GOGGLES WHEN MIXING.
Other Protective Equipment:SAFETY SHOWER AND EYE BATH. INDUSTRIAL TYPE WORK CLOTHING AND APRON AS REQUIRED TO AVOID PROLONGED OR REPEATED CONTACT.
Work Hygienic Practices:WASH THOROUGHLY AFTER

MIXING WITH ELECTROLYTE
AND BEFORE EATING OR DRINKING. LAUNDRY CONTAMINATED CLOTHING BEFORE
REUSE.

Supplemental Safety and Health

ALTHOUGH BOTTLED DISTILLED WATER IS NORMALLY NOT HAZARDOUS, THIS
BATTERY WATER IS USED IN LEAD ACID BATTERIES WHICH CONTAIN
HAZARDOUS SULFURIC ACID ELECTROLYTE. CONSULT YOUR MSDS FOR THE
BATTERY OR SU LFURIC ACID ELECTROLYTE FOR ADDITIONAL SAFETY AND
HEALTH INFORMATION.

===== Physical/Chemical Properties =====

HCC

:N1

Boiling Pt:B.P. Text:212F,100C

Melt/Freeze Pt:M.P/F.P Text:32.0F,0.0C

Vapor Pres:17

Vapor Density:0.6

Spec Gravity:1.0

pH:7

Viscosity:1 CENTIPOISE

Evaporation Rate & Reference:1 (WATER=1)

Solubility in Water:COMPLETE

Appearance and Odor:CLEAR, COLORLESS LIQUID. NO ODOR.

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

MOISTURE SENSITIVE COMPOUNDS

Hazardous Decomposition Products:NONE

=====

===== Disposal Considerations =====

Waste Disposal Methods:NONE NORMALLY REQUIRED FOR NEW MATERIAL.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent

professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.