

TEXACO REFINING AND MARKETING INC. -- WHITE OIL 22,00537 -- 9150-01-307-0287

===== Product Identification =====

Product ID:WHITE OIL 22,00537

MSDS Date:04/08/1993

FSC:9150

NIIN:01-307-0287

MSDS Number: BNBDG

=== Responsible Party ===

Company Name:TEXACO REFINING AND MARKETING INC.

Address:(FRMLY:BOX 1111 RUSK, BOX 52332)

Box:4427

City:HOUSTON

State:TX

ZIP:77210-4427

Country:US

Info Phone Num:800-

782-7052/914-838-7204

Emergency Phone Num:914-831-3400/ CHEMTREC 800-424-9300

CAGE:2R503

=== Contractor Identification ===

Company Name:SINGER SEWING CO

Country:US

CAGE:0FHH0

Company Name:TEXACO REFINING AND MARKETING INC

Address:1111 RUSK ST

Box:City:HOUSTON

State:TX

ZIP:77002-3310

Country:US

Phone:713-650-5206

CAGE:2R503

Company Name:THE SINGER CO

Address:8 STAMFORD FORUM

Box:City:STAMFORD

State:CT

ZIP:06904

Country:US

CAGE:77948

===== Composition/Information on Ingredients =====

=====

Ingred Name:WHITE MINERAL OIL  
CAS:8042-47-5  
RTECS #:PY8047000  
Fraction by Wt: 100%  
Other REC Limits:5 MG/M3 OIL MIST  
OSHA PEL:5 MG/M3 OIL MIST  
ACGIH TLV:5 MG/M3 OIL MIST

===== Hazards Identification =====

LD50 LC50 Mixture:ORAL LD50 (RAT) IS >5,000 MG/KG.  
Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:TARGET ORGANS:EYE, SKIN, RESPIRATORY TRACT. ACUTE- MAY CAUSE SLIGHT EYE IRRITATION. PROLONGED SKIN CONTACT MAY CAUSE DEFATTING/IRRITATION. VAPOR/MIST MAY CAUSE NOSE & THROAT IRRITATION, HEADACHE, NAUSEA. SWALLOWING LARGE AMOUNTS MAY CAUSE DIGESTIVE DISCOMFORT. MAY CAUSE LUNG DAMAGE IF ASPIRATED. CHRONIC- NONE.  
Explanation of Carcinogenicity:NONE.  
Effects of Overexposure:EYE, SKIN, RESPIRATORY TRACT IRRITATION, HEADACHE, NAUSEA, VOMITING, DIARRHEA, DROWSINESS  
Medical Cond Aggravated by Exposure:PERSONNEL WITH PRE-EXISTING SKIN DISORDERS SUCH AS DERMATITIS SHOULD AVOID CONTACT WITH THIS PRODUCT.

===== First Aid Measures =====

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. SKIN:REMOVE CONTAMINATED CLOTHING. WASH SKIN WITH SOAP & WATER. EYE:FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. INHALED:REMOVE TO FRESH AIR. PROVIDE OXYGEN/CPR IF NEEDED. ORAL:CALL A PHYSICIAN/POISON CONTROL CENTER IMMEDIATELY. ONLY INDUCE VOMITING AS DIRECTED BY A DOCTOR  
. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

===== Fire Fighting Measures =====

Flash Point Method:COC  
Flash Point:315F,157C  
Extinguishing Media:CARBON DIOXIDE, FOAM/DRY CHEMICAL. WATER/FOAM MAY CAUSE FROTHING & CAN BE DANGEROUS IF SPRAYED INTO HOT, BURNING LIQUID.  
Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL FIRE EXPOSED CONTAINERS WITH WAT

ER SPRAY.

Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE SOURCES OF IGNITION. STOP LEAK. DIKE SPILLS. USE PUMP TO TRANSFER LARGE SPILLS TO CONTAINER FOR DISPOSAL. REMAINING LIQUID/SMALL SPILLS CAN BE TAKEN UP ON SAND, CLAY, EARTH & SHOVELD INTO CO NTAINERS. PREVENT RUN-OFF TO ENTER WATERWAYS.

Neutralizing Agent:NONE

===== Handling and Storage =====

Han

dling and Storage Precautions:STORE IN COOL, VENTILATED AREA, AWAY FROM HEAT, FLAMES & INCOMPATIBLES. WATER CONTAMINATION SHOULD BE AVOIDED.

Other Precautions:DO NOT GET IN EYES. MINIMIZE SKIN CONTACT. WASH THOROUGHLY AFTER HANDLING. LAUNDRER CONTAMINATED CLOTHING BEFORE REUSE. PROPERLY DISPOSE OF CONTAMINATED LEATHER ARTICLES INCLUDING SHOES THAT CANNOT BE DECONTAMINATED.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF WORKING IN CONFINED AREAS, IF EXCESSIVE MISTING IS EXPECTED OR IF EXPOSURE MAY OR DOES EXCEED RECOMMENDED PERMISSIBLE EXPOSURE LIMITS (PEL), WEAR NIOSH-APPROVED RESPIRATORY PROTECTION (REFER TO 29 CFR 1910.134).

Ventilation:USE GENERAL OR LOCAL EXHAUST VENTILATION TO MEET TLV REQUIREMENTS.

Protective Gloves:WASH EXPOSED SKIN SEVERAL TIMES DAILY.

Eye Protection:FACE SHIELD/CHEMICAL GOGGLES RECOMMENDED

Other Protective Equipment:EYE WASH FOUNTAIN SHOULD BE LOCATED NEARBY.

Work Hygienic Pr

actices:OBSERVE GOOD INDUSTRIAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

NRC/State Lic Num:NOT RELEVANT

Spec Gravity:0.8898

Viscosity:19.3CST @104F

Appearance and Odor:CLEAR LIQUID

Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:HIG

H HEAT, OPEN FLAMES AND OTHER SOURCES  
OF IGNITION

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE,  
IRRITATING ALDEHYDES AND KETONES

===== Disposal Considerations =====

Waste Disposal Methods: THIS PRODUCT, AS PURCHASED, DOES NOT MEET THE  
RCRA CRITERIA OF A HAZARDOUS WASTE. UNDER RCRA, IT IS THE  
RESPONSIBILITY OF THE USER TO DETERMINE WHETHER PRODUCT MEETS RCRA  
CRITERIA FOR HAZARDOUS WASTE. CONSULT LOCAL, STATE OR FEDERAL

AUTHORITIES.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
part  
icular situation.