

MCGEAN-ROHCO INC, CEE-BEE CHEMICAL DIV -- CEE-BEE CLEANER R-681 -- 6850-01-237-8004

=====
Product Identification
=====

Product ID:CEE-BEE CLEANER R-681

MSDS Date:12/01/1993

FSC:6850

NIIN:01-237-8004

MSDS Number: BNBVS

=== Responsible Party ===

Company Name:MCGEAN-ROHCO INC, CEE-BEE CHEMICAL DIV

Address:9520 E CEE BEE DR

City:DOWNEY

State:CA

ZIP:90241-5501

Country:US

Info Phone Num:310-803-4311 FA

X 310-803-6701

Emergency Phone Num:800-424-9300 (CHEMTREC)

Preparer's Name:TSCA COORDINATOR

CAGE:71361

=== Contractor Identification ===

Company Name:MCGEAN-ROHCO INC

Address:9520 E CEE BEE DR

Box:City:DOWNEY

State:CA

ZIP:90241-5501

Country:US

Phone:562-803-4311/FAX: 562-803-6701

CAGE:71361

=====
Composition/Information on Ingredients
=====

Ingred Name:NAPHTHA (PETROLEUM SPIRITS OR BENZIN)

CAS:8030-30-6

RTECS #:SE7555000

Fraction by Wt: 10-15%

Other REC Limits:NONE SPECIFIED

OSHA PEL:100 PPM

Ingred Name:2-BUTOXYETHANOL (ETHYLENE GLYCOL MONOBUTYL ETHER)

CAS:111-76-2

RTECS #:KJ8575000

Fraction by Wt: 5-10%

Other REC Limits:NONE SPECIFIED

OSHA PEL:S, 50 PPM

ACGIH TLV:S, 25 PPM; 9293

Ingred Name:UNIDENTIFIED COMPONENTS

Fraction by Wt: BALANCE

Ingred Name:VOLATILE ORGANIC CONTENT: 195 GRAMMS/LITER.

RTECS #:9999999VO

Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingest

ion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: EXPOSURE MAY CAUSE EYE, SKIN & RESPIRATORY TRACT IRRITATION. INHALATION MAY CAUSE CNS DEPRESSION. INGESTION MAY CAUSE VOMITING. CHRONIC: PROLONGED OR REPEATED EXPOSURE MAY CAUSE DERMATITIS, CNS EFFECTS.

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Effects of Overexposure:INHALATION: COUGHING, SHORTNESS OF BREATH,

DIZZINESS, HEADACHE, NAUSEA. EYES: REDNESS, TEARING. SKIN: RASH, REDNESS, ITCHING. INGESTION: NAUSEA, VOMITING.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:SKIN-REMOVE CONTAMINATED CLOTHING. WASH WITH SOAP & WATER. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. INHALATION-REMOVE TO FRESH AIR & RESTORE BREATHING IF NEEDED. GET MEDICAL ATTENTION.

EYE-FLUSH

WITH WATER FOR 15 MINUTES. GET MEDICAL ATTENTION.

INGESTION-GET MEDICAL ATTENTION. DO NOT INDUCE VOMITING.

=====
===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:150F,66C

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, OR FOAM

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explos

ion Hazard:FIRE OR EXCESSIVE HEAT MAY CAUSE

PRODUCTION OF HAZARDOUS DECOMPOSITION PRODUCTS.

=====
===== Accidental Release Measures =====

Spill Release Procedures:ELIMINATE ALL SOURCES OF IGNITION. SOAK UP RESIDUE WITH ABSORBANT. PLACE IN SUITABLE CONTAINER FOR DISPOSAL. WASH DOWN REMAINING TRACES WITH SOAP & WATER. FOLLOW LOCAL, STATE AND FEDERAL REGULATIONS.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
===== Handling and Storage

=====

Handling and Storage Precautions:STORE AT 60-100F AWAY FROM SOURCES OF IGNITION & STRONG OXIDIZING AGENTS. GROUND TRANSFER CONTAINERS & EQUIPMENT.

Other Precautions:DLA-HMIS: DO NOT TAKE INTERNALLY. DO NOT BREATHE MIST. AVOID PROLONGED OR REPEATED BREATHING OF VAPOR. AVOID CONTACT WITH EYES. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF ENGINEERING CONTROLS FAIL OR NON-ROUTINE USE OR AN EMERGENCY OCCURS; WEAR AN MSHA/NIOSH APPROVED RESPIRATOR OR AN AIR-SUPPLIED RESPIRATOR OR SCBA, AS REQUIRED. USE IN ACCORDANCE WITH 29 CFR 1910.134 AND MANUFACTURER'S RECOMMENDATIONS.

Ventilation:USE ADEQUATE MECHANICAL VENTILATION OR LOCAL EXHAUST TO MAINTAIN EXPOSURE BELOW TLV(S).

Protective Gloves:RUBBER

Eye Protection:CHEMICAL GOGGLES

Other Protective Equipment:SUFFICIENT TO PREVENT SKIN CONTACT. EYE WASH STATION AND SAFETY

SHOWER,WORK CLOTHING AND APRON AS REQUIRED.

Work Hygienic Practices:DLA-HMIS: WASH HANDS AFTER HANDLING AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDRY CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health

MANUFACTURER RECOMMENDS TO STORE MATERIAL AT TEMPERATURES BETWEEN 32F AND 100F. OPEN BUNGS SLOWLY AND CAREFULLY. *

===== Physical/Chemical Properties =====

HCC:V4

Boiling Pt:B.P. Text:208F,98C

Spec Gravity:1.0

pH:9-10

Evaporation Rate &

; Reference: