

BIG SKY FABRICATORS INC -- AMPOULE 3 (CLEAR LIQUID BLACK TUBING) -- 6665-01-112-1644

=====
Product Identification
=====

Product ID:AMPOULE 3 (CLEAR LIQUID BLACK TUBING)

MSDS Date:01/01/1987

FSC:6665

NIIN:01-112-1644

Kit Part:Y

MSDS Number: BNMSK

=== Responsible Party ===

Company Name:BIG SKY FABRICATORS INC

Address:US HWY 93 N

City:POLSTON

State:MT

ZIP:59860

Country:US

Emergency Phone Num:NONE

Pre

parer's Name:HMIS TECHNICIAN

CAGE:7W168

=== Contractor Identification ===

Company Name:BIG SKY FABRICATORS INC

Address:US HWY 93N

Box:571

City:POLSON

State:MT

ZIP:59860

Country:US

CAGE:7W168

=====
Composition/Information on Ingredients
=====

Ingred Name:METHYL ALCOHOL (METHANOL) (SARA III)

CAS:67-56-1

RTECS #:PC1400000

Other REC Limits:NONE SPECIFIED

OSHA PEL:S,200PPM/250STEL

ACGIH TLV:S,200PPM/250STEL; 93

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:WATER

CAS:7732-

18-5
RTECS #:ZC0110000
Other REC Limits:NONE SPECIFIED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:MAY CAUSE SKIN AND EYE IRRITATION ON CONTACT. MAY CAUSE CENTRAL NERVOUS SYSTEM EFFECTS IF INHALED.
Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1% OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

=====
First Aid Measures
=====

First Aid:INHALED: REMOVE TO FRESH AIR. EYES: FLUSH WITH LOTS OF WATER FOR 15 MINUTES. SEE DOCTOR. SKIN: WASH WITH SOAP AND WATER. INGESTED: GET IMMEDIATE MEDICAL ATTENTION.

=====
Fire Fighting Measures
=====

Extinguishing Media:DRY CHEMICAL, FOAM, WATER SPRAY, CARBON DIOXIDE.
Fire Fighting Procedures:CLASS 1B FLUID. FLASHBACK MAY OCCUR. WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR.
Unusual Fire/Explosion Hazard:FIRE OR HIGH TEMPERATURES MAY PRODUCE TOXIC FUMES.

=====
Accidental Release Measures
=====

Spill Release Procedures:ELIMINATE ALL SOURCES OF IGNITION. VENTILATE AREA. ABSORB WITH INERT MATERIAL AND PLACE IN A CONTAINER FOR DISPOSAL.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE AWAY FROM INCOMPATIBLE MATERIALS. STORE IN A COOL, DRY AREA.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:USE NIOSH/MSHA APPROVED RESPIRATOR IF ENGINEERING CONTROLS DO NOT EXIST OR ARE INADEQUATE. IF RESPIRATORY PROTECTION IS USED; A PROGRAM IN ACCORDANCE WITH 29 CFR 1910.134 MUST BE IMPLEMENTED.
Ventilation:USE ADEQUATE MECHANICAL VENTILATION.
Protective Gloves:RUBBER/NEOPRENE
Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES
Other Protective Equipment:EYE WASH STATION & SAFETY SHOWER

ER

Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING,
DRINKING, OR SMOKING. LAUNDRER CONTAMINATED CLOTHES BEFORE REUSE.

Supplemental Safety and Health

KEY1:F5. MANUFACTURER OUT OF BUSINESS. MSDS GENERATED BY HMIS
TECHNICIAN USING CHEMICAL EQUIPMENT DISPOSAL
INSTRUCTIONS/SAX/ALDRICH.

===== Physical/Chemical Properties =====

HCC:F5

Boiling Pt:=77.8C, 172.F

Vapor Density:>1.

Spec Gravity:0.926

Evaporation Rate & Reference:>1 (BU ACET=1)

Solu

bility in Water:COMPLETE

Appearance and Odor:CLEAR,COLORLESS LIQ,CHARACTERISTIC ALC. ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid:NONE SPECIFIED

Hazardous Decomposition Products:INCOMPLETELY BURNED CARBON PRODUCTS,
CO₂, CO.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND
F
EDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to thei

r
particular situation.