

DAVIS HOWLAND OIL CORP. -- VVC 846-A TYPE I, CUTTING FLUID -- 9150-00-261-8144
===== Product Identification =====

Product ID:VVC 846-A TYPE I, CUTTING FLUID

MSDS Date:01/01/1987

FSC:9150

NIIN:00-261-8144

MSDS Number: BNNDB

=== Responsible Party ===

Company Name:DAVIS HOWLAND OIL CORP.

Address:200 ANDERSON AVE.

City:ROCHESTER

State:NY

ZIP:14607

Country:US

Info Phone Num:716-473-6650

Emergency Phon

e Num:716-473-6650

Preparer's Name:DGSC-SSH

CAGE:5A565

=== Contractor Identification ===

Company Name:DAVIS HOWLAND OIL CORP.

Address:200 ANDERSON AVE.

City:ROCHESTER

State:NY

ZIP:14607

Country:US

Phone:716-473-6650

CAGE:5A565

===== Composition/Information on Ingredients =====

Ingred Name:"NOT HAZARDOUS" PER MANUFACTURER

Fraction by Wt: 100%

Other REC Limits:5 MG/M3 AS OIL MIST

===== Hazards Identification =====

LD50 LC50 Mixture:LD50 ORAL

(RAT) IS NOT ESTABLISHED.

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE-SKIN:PROLONGED AND REPEATED CONTACT CAN CAUSE IRRITATION.CHRONIC-NOT GIVEN.

Explanation of Carcinogenicity:PRODUCT CONTAINS NO INGREDIENTS CURRENTLY CLASSIFIED AS CARCINOGENIC BY NTP, IARC OR OSHA PER MANUFACTURER.

Effects of Overexposure:SKIN IRRITATION AND REDNESS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR.EYE: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES.SKIN:WASH WITH SOAP AND WATER.INGESTION:CALL PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:320F,160C

Lower Limits:NOT GIVEN

Upper Limits:NOT GIVEN

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, SAND OR EARTH

Fire Fighting

Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. EVACUATE AREA. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

===== Accidental Release Measures =====

Spill Release Procedures:ABSORB ON POROUS MATERIAL AND TRANSFER TO A CLEAN CONTAINER.

Neutralizing Agent:NONE GIVEN.

===== Handling and Storage =====

Handling and Storage Precautions:AVOID FREEZING. KEEP CONTAINER CLOSED WHEN NOT IN USE.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.

Ventilation:LOCAL EXHAUST

Protective Gloves:PVC, NEOPRENE, BUTYL RUBBER, PVA, RUBBER

Eye Protection:SAFETY GLASSES - GOGGLES - FACE SHIELD

Other Protective Equipment:EYE WASH STATION & SAFETY SHOWER

Work Hygienic Practices:WASH THOROUGHLY

AFTER HANDLING, AND BEFORE
EATING, DRINKING OR SMOKING. LAUNDRER CONTAMINATED CLOTHING BEFORE
REUSE.

Supplemental Safety and Health
MSDS PREPARED BY DGSC-SSH FROM ANOTHER ENTRY SAME ITEM DIFFERENT SUPPLY
SIZE.

===== Physical/Chemical Properties =====

HCC:V6
Boiling Pt:B.P. Text:>500F,>260C
Spec Gravity:0.908
Solubility in Water:100 %
Appearance and Odor:BROWN FLUID - MILD ODOR

===== Stability and Reactivity Data =====

Stability
Indicator/Materials to Avoid:YES
NONE SPECIFIED BY MANUFACTURER.
Stability Condition to Avoid:HIGH HEAT, OPEN FLAMES
Hazardous Decomposition Products:NONE SPECIFIED BY MANUFACTURER.

===== Disposal Considerations =====

Waste Disposal Methods:PREVENT WASTE FROM CONTAMINATING SURROUNDING
ENVIRONMENT. DISCARD ANY PRODUCT, RESIDUE, DISPOSAL CONTAINER OR
LINER IN ACCORDANCE WITH ALL FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.