

INTEX CHEMICAL INC -- PAINT REMOVER -- 8010-00-431-6212

=====  
Product Identification  
=====

Product ID:PAINT REMOVER

MSDS Date:08/16/1991

FSC:8010

NIIN:00-431-6212

MSDS Number: BNPPM

=== Responsible Party ===

Company Name:INTEX CHEMICAL INC

Box:6648

City:GREENVILLE

State:SC

ZIP:29606

Country:US

Info Phone Num:803-242-6152

Emergency Phone Num:800-424-9300 CHEMTREC

CAGE:78304

=== Contractor Identifi  
cation ===

Company Name:INTEX CHEMICAL INC

Address:122 EDINBURG CT

Box:6648

City:GREENVILLE

State:SC

ZIP:29606-6648

Country:US

Phone:803-879-7100 OR 803-297-4246

CAGE:78304

=====  
Composition/Information on Ingredients  
=====

Ingred Name:AMMONIA (SARA III)

CAS:7664-41-7

RTECS #:BO0875000

Fraction by Wt: 5-8%

Other REC Limits:NONE SPECIFIED

OSHA PEL:50 PPM

ACGIH TLV:25 PPM/35 STEL; 9293

EPA Rpt Qty:100 LBS

DOT Rpt Qty:100 LBS

Ingred Name:METHYLENE CHLORIDE (SARA III)

CAS:75-09

-2  
RTECS #:PA8050000  
Fraction by Wt: 47-52%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:500 PPM  
ACGIH TLV:50 PPM  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:ISOPROPYL ALCOHOL (SARA III)  
CAS:67-63-0  
RTECS #:NT8050000  
Fraction by Wt: 15-20%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:400 PPM  
ACGIH TLV:400 PPM

Ingred Name:SODIUM CHROMATE (SARA III)  
CAS:7775-11-3  
RTECS #:GB2955000  
Fraction by Wt: 0.1-1%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:100 UG/M3 CEILING  
ACGIH TLV:50 UG/M3 AS CHROMATE

EPA Rpt Qty:10 LBS  
DOT Rpt Qty:10 LBS

Ingred Name:VOC: 1.58 LB/GAL.  
RTECS #:9999999VO  
Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO  
Health Hazards Acute and Chronic:CONSIDERED AS BEING A WEAK CARCINOGEN  
IN SOME ANIMAL STUDIES. MAY COMBINE WITH BLOOD TO FORM  
CARBOXYHEMOGLOBIN AS CARBON MONOXIDE DOES.

Explanation of Car

cinogenicity:CONSIDERED A WEAK CARCINOGEN IN SOME ANIMAL STUDIES.

Effects of Overexposure:BURNS TO SKIN AND EYES. INHALATION MAY CAUSE NAUSEA, DIZZINESS, INCREASED PULSE, BREATHING AND UNCONSCIOUSNESS.

=====  
===== First Aid Measures =====

First Aid:EYE & SKIN: FLUSH EYES WITH LARGE AMOUNTS OF WATER HOLDING LIDS APART. WASH SKIN THOROUGHLY WITH SOAP & WATER. DISCARD CONTAMINATED CLOTHING. GET MEDICAL ATTENTION. INHALATION: REMOVE TO FRESH AIR

. AD MINISTER OXYGEN IF NECESSARY. GET MEDICAL ATTENTION. INGESTION: DO NOT INDUCE VOMITING. GIVE LARGE AMOUNTS OF WATER/MILK IF AVAILABLE. IF VOMITING SHOULD OCCUR, KEEP AIRWAYS CLEAR. GET MED AID IMMED.

=====  
===== Fire Fighting Measures =====

Extinguishing Media:WATER FOG, CO2, FOAM. 12.4 UNDILUTED.  
Fire Fighting Procedures:EXTINGUISHING METHOD FOR FIRE SOURCE.  
Unusual Fire/Explosion Hazard:NONE.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:COLLECT SPILL WITH ABSORBENT MATERIAL, DRUM FOR DISPOSAL. FLUSH RESIDUE WITH WATER. USE PERSONAL PROTECTIVE EQUIPMENT DESCRIBED. REPORTABLE QUANTITY.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM INCOMPATIBLE MATERIALS. STORE IN COOL, DRY PLACE. KEEP CONTAINERS CLOSED WHEN NOT IN USE.

Other Precautions:MOVE WITH BUNGS IN PLACE. WEAR EYE PROTECTION AND GLOVES.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPROVED SELF-CONTAINED.  
Ventilation:LOCAL 1  
Spec Gravity:1.05 TO 1.06  
pH:12 TO  
Solubility in Water:INSOLUBLE  
Appearance and Odor:VISCOUS YELLOW LIQUID, AMMONIA ODOR.  
Percent Volatiles by Volume:75-85

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
ACIDS.  
Hazardous Decomposition Products:EVOLUTION OF NITROGEN, CARBONS.  
Conditions to Avoid

Polymerization:ACIDS.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN APPROPRIATE LANDFILL OR  
INCINERATE, IN ACCORDANCE WITH FEDERAL, STATE & LOCAL AUTHORITIES.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate

and  
disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.