

GENERAL ELECTRIC CO., SILICONE PRODUCT DIV. -- RTV9891 POLYSILOXANE CATALYST --
8030-00-142-9128

===== Product Identification =====

Product ID:RTV9891 POLYSILOXANE CATALYST

MSDS Date:03/22/1988

FSC:8030

NIIN:00-142-9128

Kit Part:Y

MSDS Number: BNSYN

=== Responsible Party ===

Company Name:GENERAL ELECTRIC CO., SILICONE PRODUCT DIV.

City:WATERFORD

State:NY

ZIP:12188

Country:US

Info Phone Num:518-23

7-3330

Emergency Phone Num:518-237-3330

Preparer's Name:DA POLSINELLI

CAGE:01139

=== Contractor Identification ===

Company Name:GENERAL ELECTRIC CO, SILICONE PRODUCTS BUSINESS DEPT

Address:260 HUDSON RIVER RD

Box:City:WATERFORD

State:NY

ZIP:12188

Country:US

Phone:518-237-3330/800-332-3390

CAGE:01139

Company Name:R.H.CARLSON COMPANY,INC.

Address:41-CHESTNUT STREET

Box:1687

City:GREENWICH

State:CT

ZIP:06830-5921

Country:US

Phone:203-531-5500

CAGE:33530

===== Composition/Information on In

gredients =====

Ingred Name:COBALT ALUMINATE BLUE (AS COBALT)

CAS:1345-16-0

Fraction by Wt: < 5%

Other REC Limits:NONE SPECIFIED

OSHA PEL:0.1 MG/M3

ACGIH TLV:0.1 MG/M3

Ingred Name:STANNOUS OCTOATE

CAS:301-10-0

Fraction by Wt: 16,000 (RAT) MG/KG.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INGESTION: HARMFUL IF SWALLOWED. SKIN

CONTACT: CAUSES MODERATE SKIN IRRITATION. INHALATION: CAUS

ES

MODERATE RESPIRATORY IRRITATION. EYE CONTACT: MAY CAUSE SEVERE EYE IRRITATION.

Explanation of Carcinogenicity:PRODUCT OR ONE OF ITS INGREDIENTS

PRESENT 0.1% OR MORE IS NOT LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Medical Cond Aggravated by Exposure:NONE KNOWN.

===== First Aid Measures =====

First Aid:INGEST: INDUCE VOMITING IMMED (GIVING 2 GLASSES WATER & STICKING FINGERS DOWN THROAT); NEVER GIVE ANYTHING TO UNCONSCIOUS PE

PERSON. GET MED AID. SKIN: REMOVE CONTAM CLOTHING & LAUNDRER BEFORE REUSE. WASH W/SOAP & WATER. REMOVE CONTAM SHOES, DISCARD. GET MED AID IF IRRIT PERSISTS. INHAL: REMOVE TO FRESH AIR. IF NOT BREATH, GIVE ARTIF RESP (MOUTH TO MOUTH), DIFFICULT BREATH, GIVE OXYGEN. GET MED AID.

===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:200F,93C

Extinguishing Media:ALL STANDARD FIREFIGHTING MEDIA.

Fire Fighting Procedures:NONE KNOWN.

=

===== Accidental Release Measures =====

Spill Release Procedures:WIPE, SCRAPE, SOAK UP IN INERT MAT'L. PUT IN CNTNR FOR DISPOSAL. WASH WALKING SURFACES W/DETERGENT & WATER TO REDUCE SLIPPING HAZARD. WEAR PROPER PROTECTIVE EQUIP. WARN OTHERS OF SPILL. INCREASE AREA VENTILATION.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE. AVOID BREATHING VAPORS, IF EXPOSED TO HIGH VAPOR CONCENTRATION, LEAVE AREA AT ONCE. AVOID CONTACT W/SKIN, EYES.

Other Precautions:USE ONLY IN WELL VENTILATION AREA. KEEP AWAY FROM FOOD & SMOKING MAT'LS. WASH HANDS BEFORE EATING & SMOKING. CAUTION! ENGINEERING CONTROLS: EXHAUST VENTILATION, SHOWERS, EYEWASH STATIONS. USE LOCALIZE D VENTILATION TO CONTROL DUST LEVELS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE IN A WELL VENTILATED AREA. USE APPROVED NIOSH RES PIRATORY PROTECTION IF TLV EXCEEDED OR OVER EXPOSURE IS LIKELY.

Ventilation:USE ONLY IN WELL VENTILATED AREA. MECHANICAL VENTILATION.

Protective Gloves:RUBBER GLOVES.

Eye Protection:SAFETY GLASSES, MONOGOGGLES.

Other Protective Equipment:RUBBER APRON. WEAR EYE PROTECTION AND PROTECTIVE CLOTHING.

Supplemental Safety and Health

KEY1=N1.

===== Physical/Chemical Properties =====

HCC:F2

Spec Gravity:1.75 (WATER=1)

Evaporation Rate & Reference: