

PERMATEX INDUSTRIAL DIV OF LOCTITE CORP -- FORM-A-GASKET NO 2 SEALANT 80003 --  
8030-00-247-2525

===== Product Identification =====

Product ID:FORM-A-GASKET NO 2 SEALANT 80003

MSDS Date:03/18/1992

FSC:8030

NIIN:00-247-2525

MSDS Number: BNTCS

=== Responsible Party ===

Company Name:PERMATEX INDUSTRIAL DIV OF LOCTITE CORP

Address:1001 TROUT BROOK XING

City:ROCKY HILL

State:CT

ZIP:06067-3910

Country

:US

Info Phone Num:800-641-7375

Emergency Phone Num:800-641-7375

Preparer's Name:SCOTT BEVIL

CAGE:62377

=== Contractor Identification ===

Company Name:CROWN DISTRIBUTING INC.

Address:3401 BRIDGELAND DRIVE

Box:City:BRIDGTON

State:MO

ZIP:63004

Country:US

Phone:314-291-5545

CAGE:69229

Company Name:PERMATEX INDUSTRIAL

Address:HARTFORD SQUARE N 10 COLUMBUS BLVD

Box:City:HARTFORD

State:CT

ZIP:06106

Country:US

Phone:877-376-2839

CAGE:62377

===== Composition/Information on Ingredients =====

=====

Ingred Name:KAOLIN  
CAS:1332-58-7  
RTECS #:GF1670500  
Fraction by Wt: 50-55%  
Other REC Limits:\*5 MG/M3 RESP  
OSHA PEL:15 MG/M3 TDUST  
ACGIH TLV:2 MG/M3 TDUST; 9293

Ingred Name:ROSIN  
CAS:8050-09-7  
Fraction by Wt: 20-25%  
Other REC Limits:NONE SPECIFIED

Ingred Name:ISOPROPYL ALCOHOL  
CAS:67-63-0  
RTECS #:NT8050000  
Fraction by Wt: 10-15%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:400 PPM/980 MG/M3  
ACGIH TLV:400 PPM/985 MG/M3

Ingred Name:VEGETABLE OIL  
CAS:68439-93-0  
Fraction by Wt: 5-10%  
Other REC  
Limits:\*55 MG/M3 MIST RESP  
OSHA PEL:15 MG/M3 MIST DUST\*  
ACGIH TLV:10 MG/M3 MIST

Ingred Name:SOYBEAN DERIVATIVE  
CAS:8002-43-5  
Fraction by Wt: 1-3%  
Other REC Limits:NONE SPECIFIED

Ingred Name:IRON OXIDE  
CAS:1309-37-1  
RTECS #:NO7400000  
Fraction by Wt: 0.1-0.5%  
Other REC Limits:NONE SPECIFIED  
OSHA PEL:10 MG/M3 (FE)  
ACGIH TLV:5 MG/M3(FE),B2; 9293

Ingred Name:VOC: 15.4%  
RTECS #:9999999VO  
Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

Routes of

Entry: Inhalation:YES Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:MODERATELY TOXIC BY INGESTION. EYE  
IRRITANT. TARGET ORGAN & OTHER HEALTH EFFECTS. CLAY: BLOOD,  
DEVELOPMENTAL; ROSIN: ALLERGEN, LUNG; ISOPROPYL ALCOHOL:  
GASTROINTESTINAL, IRRITANT, NERVOUS SYSTEM, REPR ODUCTIVE;  
VEGETABLE OIL: NO DATA; SOYBEAN DERIVATIVE; NO DATA; IRON OXIDE:  
LUNG

Effects of Overexposure:VAPOR ABOVE TLV IS IRRITATING TO EYES, NO  
SE AND

THROAT AND CAN CAUSE HEADACHE, DIZZINESS AND NAUSEA.  
Medical Cond Aggravated by Exposure:SKIN, EYE AND RESPIRATORY  
DISORDERS.

=====  
===== First Aid Measures =====

First Aid:INGESTION: INDUCE VOMITING. OBTAIN MEDICAL ATTENTION.  
INHALATION: REMOVE TO FRESH AIR. IF SYMPTOMS PERSIST, OBTAIN  
MEDICAL ATTENTION. SKIN CONTACT: WASH WITH SOAP AND WATER. EYE  
CONTACT: FLUSH AT LEAS T 15 MINUTES WITH WATER. OBTAIN  
MEDICALATTENTION.

=====  
===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:60F,20.6C  
Lower Limits:2%  
Upper Limits:12%  
Extinguishing Media:CO2, FOAM, DRY CHEMICAL

=====  
===== Accidental Release Measures =====

Spill Release Procedures:REMOVE SOURCES OF IGNITION. MAINTAIN ADEQUATE  
VENTILATION. SCRAPE UP AS MUCH AS POSSIBLE AND STORE IN A CLOSED  
CONTAINER UNTIL DISPOSAL. RESIDUES MAY BE CLEANED WITH ISOPROPYL  
ALCOHOL.

=====  
===== Ha  
ndling and Storage =====

Handling and Storage Precautions:AVOID PROLONGED BREATHING OF VAPORS.  
KEEP AWAY FROM EYES. AVOID PROLONGED SKIN CONTACT. STORE AWAY FROM  
HEAT AND FLAME.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY NEEDED.  
Ventilation:MUST BE ADEQUATE TO AVOID EXCEEDING TLV  
Protective Gloves:RUBBER OR PLASTIC  
Eye Protection:SAFETY GLASSES OR GOGGLES  
Other Protective Equipment:NONE NORMALLY NEEDED  
Sup

plemental Safety and Health

===== Physical/Chemical Properties =====

HCC:F2

Boiling Pt:B.P. Text:180F,82C

Melt/Freeze Pt:M.P/F.P Text:-89.5F

Vapor Pres:33 @ 68F

Vapor Density:2.07

Spec Gravity:1.5 @ 77F

Viscosity:5000-8000POIS

Evaporation Rate & Reference:7.7

Solubility in Water:PARTIAL

Appearance and Odor:RED-BROWN PASTE; ALCOHOL ODOR

Percent Volatiles by Volume:10-15

Corrosion Rate:NO

===== Stability and Reactivity Data =====

Stabil

ity Indicator/Materials to Avoid:YES

STRONG OXIDIZERS

Hazardous Decomposition Products:THERMAL DECOMP IRRITATING ORGANIC  
VAPORS

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE FOLLOWING EPA AND LOCAL REGULATIONS.  
EPA WASTE CODE - D001.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner w  
hatsoever,

expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.