

LHB INDUSTRIES -- SO-SURE GREEN 24233 (14-247)

=====
MSDS Safety Information
=====

FSC: 8010
NIIN: 00-965-2390
MSDS Date: 04/16/1992
MSDS Num: BNTNG
Product ID: SO-SURE GREEN 24233 (14-247)
MFN: 02
Responsible Party
Cage: 0FTT5
Name: LHB INDUSTRIES
Address: 8833 FLEISCHER PLACE
City: ST. LOUIS MO 6313
4
Info Phone Number: 314-522-3141
Emergency Phone Number: 314-522-3141 800-424-9300(CHEMTREC)
Preparer's Name: RUDOLF OPPENHEIM
Review Ind: Y
Published: Y

=====
Preparer Co. when other than Responsible Party Co.
=====

Cage: 0FTT5
Name: LHB INDUSTRIES
Address: 8833 FLEISCHER PLACE
City: ST. LOUIS MO 63134

=====
Contractor Summary
=====

Cage: 0FTT5
Name: LHB INDUSTRIES
Address: 8833 FLEISCHER PLACE
City: ST. LOUIS MO 63134
Phone: 314-522-3141

=====
Item Description Information
=====

Item Manager: GSA
Item Name: ENAMEL
Unit of Issue: BX
Quantitative Expression: 00000000012EA
UI Container Qty: G

=====
Ingredients
=====

=====
Cas: 8030-30-6
RTECS #: DE3030000
Name: VM & P NAPHTHA
% Wt: 4.33
Other REC Limits: NONE SPECIFIED
OSHA PEL: 300 PPM
ACGIH TLV: 300 PPM

Cas: 64742-94-5
RTECS #: SE7546500
Name: AROMATIC 150
% Wt: <1.44
Other REC Limits: NONE SPECIFIED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: 100 PPM

Cas: 108-88-3
RTECS #: XS5250000
Name: TOLUENE (SARA III)
% Wt: 30.02
Other REC Limits: NONE SPECIFIED
OSHA PEL: 200 PPM/15
0 STEL
ACGIH TLV: 50 PPM; 9293
EPA Rpt Qty: 1000 LBS
DOT Rpt Qty: 1000 LBS

Cas: 67-64-1
RTECS #: AL3150000
Name: ACETONE (SARA 313)
% Wt: 18.05
Other REC Limits: NONE SPECIFIED
OSHA PEL: 1000PPM
ACGIH TLV: 750PPM/1000STEL;9293
EPA Rpt Qty: 5000 LBS
DOT Rpt Qty: 5000 LBS

Cas: 74-98-6
RTECS #: TX2275000
Name: PROPANE
% Wt: 16.72
Other REC Limits: NONE SPECIFIED
OSHA PEL: 1000 PPM
ACGIH TLV: 1000 PPM

Cas: 7

5-28-5
RTECS #: TZ4300000
Name: ISOBUTANE
% Wt: 4.11
Other REC Limits: NONE SPECIFIED
OSHA PEL: NOT ESTABLISHED
ACGIH TLV: 800 PPM

Cas: 106-97-8
RTECS #: EJ4200000
Name: BUTANE (SARA 313)
% Wt: 6.58
Other REC Limits: NONE SPECIFIED
OSHA PEL: 800 PPM
ACGIH TLV: 800 PPM

RTECS #: 9999999VO
Name: VOC: 82%; 651 G/L4
Other REC Limits: NONE SPECIFIED

=====
Health Hazards Data
=====

=====
Route Of Entry Inds - Inhalation: YES
Skin: YES
Ingestion: YES
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO

Effects of Exposure: CONCENTRATE/INHALE CONTENTS HARMFUL/FATAL. REPORTS
ASSOCIATE REPEATED/PROLONGED OCCUPATIONAL OVEREXPOSURE TO SOLVENTS W/PERM
BRAIN/NERVOUS SYSTEM DAMAGE. CONFINED AREAS/HIGH CONCENTRATIONS ARE ANESTHE
TIC. IRRITATE SKIN/RESPIRATORY TRACT/LIGHT HEADEDNESS/STAGGER/GIDDY/NAUSEA.
INGEST-HARMFUL. SEVERE EYE IRRITATION.

Si
gns And Symptoms Of Overexposure: IRRITATION TO EYES, THROAT, AND
RESPIRATORY TRACT. MAY CAUSE HEADACHES, NAUSEA, AND VOMITING.

Medical Cond Aggravated By Exposure: RESPIRATORY AILMENTS.

First Aid: SKIN/CLOTHES: WASH W/SOAP/WATER; WASH CLOTHES BEFORE REUSE. EYES:
FLUSH W/WATER 15 MIN/CONTACT PHYSICIAN/OPHTHALMOLOGIST IMMEDIATE. INGEST: DO NOT
INDUCE VOMITING. GET IMMEDIATE AID. INHALE: MOVE TO FRESH AIR /ARTIFICIAL
RESPIRATION IF NEEDED. MED AID. NEVER GIVE ANYTHING BY MOUTH TO AN
UNCONSCIOUS

PERSON.

=====
Handling and Disposal
=====

Spill Release Procedures: REMOVE ALL SOURCES OF IGNITION AND VENTILATE AREA.
MOP SPILLS WITH INERT ABSORBENT. AVOID BREATHING VAPORS.

Waste Disposal Methods: DISPOSE IN ACCORDANCE WITH APPLICABLE LOCAL, STATE AND
FEDERAL REGULATIONS. DO NOT PUNCTURE/INCINERATE/STORE ABOVE 120F. EXPOSURE TO
HEAT/PROLONGED SUN EXPOSURE: CAN MAY BURST. DISCARD EMPTY CA
N IN TRASH

PICK-UP. DO NOT PUT INTO HOME TRASHCOMPACTOR.

Handling And Storage Precautions: KEEP OUT OF REACH OF CHILDREN.

CAUTION-CONTENTS UNDER PRESSURE. DO NOT STORE WHERE TEMPS MAY EXCEED 120F.
AVOID BREATHING SPRAY/MIST/VAPORS.

Other Precautions: AVOID CONTACT WITH EYES AND SKIN. USE GOOD VENTILATION. READ
ENTIRE LABEL BEFORE USING. FOLLOW ALL LABEL DIRECTIONS. INTENTIONAL MISUSE BY
DELIBERATELY CONCENTRATING AND INHALING OR SWALLOWING CONTENTS MAY BE
HARMFUL OR FATAL.

=====
=====
Fire and Explosion Hazard Information
=====

Flash Point Text: NR

Autoignition Temp Text: 874F

Lower Limits: 1.8

Upper Limits: 9.5

Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM, SAND, WATER SPRAY.

Fire Fighting Procedures: WATER INEFFECTIVE/USED TO COOL CONTAINERS. WEAR
SELF-CONTAINED BREATHING APPARATUS. USE SHIELDING TO PROTECT PERSONNEL
AGAINST BURST/RUPTURE/VENT CONTAINERS.

Unusual

Fire/Explosion Hazard: DO NOT SPRAY NEAR OPEN FLAME. AT ELEVATED
TEMPERATURE (OVER 120F) CONTAINERS MAY VENT/RUPTURE/BURST. AEROSOL CONTAINER;
DO NOT EXPOSE TO TEMPERATURE ABOVE 120F.

=====
Control Measures
=====

Respiratory Protection: NONE BELOW TLV. USE NIOSH/MSHA APPROVED MASK ABOVE TLV.

Ventilation: LOCAL EXHAUST: PREFERRED. MECHANICAL: ACCEPTABLE AT POINT OF MIST
OR SPRAY RELEASE.

Pr

Protective Gloves: TO PROTECT SKIN

Eye Protection: CHEMICAL SPLASH GOGGLES

Other Protective Equipment: IMPERVIOUS CLOTHES TO PROTECT SKIN. EYE WASH STATION.

Work Hygienic Practices: USE GOOD HYGIENE. DO NOT EAT, DRINK, OR SMOKE WHILE USING PRODUCT.

Physical/Chemical Properties

Vapor Pres: 60 @ 68 F

Vapor Density: >1.5

Spec Gravity: .977 (WATER=1)

Solubility in Water: INSOLUBLE

Appearance and Odor: GREEN/PAINT

Reactivity Data

Stability Indicator: YES

Stability Condition To Avoid: EXTREME HEAT

Hazardous Decomposition Products: CARBON MONOXIDE, AND POSSIBLE HYDROGEN CHLORIDE.

Hazardous Polymerization Indicator: NO

Toxicological Information

Ecological Information

MSDS Transport Information

Regulatory Information

Other Information

Transportation Information

Responsible Party Code: 0FTT5

Trans ID NO: 95451

Product ID: SO-SURE GREEN 24233 (14-247)

MSDS Prepared Date: 04/16/1992

Review Date: 08/21/1992

MFN: 2

Multiple KIT Number: 0

Review IND: Y

Unit Of Issue: BX

Container QTY: G

Detail DOT Information

=====
DOT PSN Code: DTJ
Symbols: D
DOT Proper Shipping Name: CONSUMER COMMODITY
Hazard Class: ORM-D
Label: NONE
Non Bulk Pack: 156,306
Bulk Pack: NONE
Max Qty Pass: 30KGGROSS
Max Qty Cargo: 30KGGROSS
Vessel Stow Req: A
=====

=====
Detail IMO Information
=====

IMO PSN Code: AKH
IMO Proper Shipping Name: AEROSOLS/AEROSOL PRODUCT ?
IMDG Page Number: SEE 9022
UN Number: 1950
UN
Hazard Class: 9?
IMO Packaging Group: -
Subsidiary Risk Label: -
EMS Number: 2-13
=====

=====
Detail IATA Information
=====

IATA PSN Code: ALS
IATA UN ID Num: 1950
IATA Proper Shipping Name: AEROSOLS, FLAMMABLE
IATA PSN Modifier: (EACH NOT EXCEEDING 1 L CAPACITY)
IATA UN Class: 2.1
IATA Label: FLAMMABLE GAS
Packing Note Passenger: 203
Max Quant Pass: 75KG
Max Quant Cargo: 150KG
Packaging Note Cargo: 20
3
=====

=====
Detail AFI Information
=====

AFI PSN Code: ALS
AFI Proper Shipping Name: AEROSOLS, NONFLAMMABLE, N.O.S.
AFI PSN Modifier: CONTAINING SUBSTANCES IN CLASS 8, PACKING GROUP I OR II
AFI Hazard Class: FORB
Back Pack Reference: FORBIDDEN
=====

=====
HAZCOM Label
=====

Product ID: SO-SURE GREEN 24233 (

14-247)
Cage: 0FTT5
Company Name: LHB INDUSTRIES
Street: 8833 FLEISCHER PLACE
City: ST. LOUIS MO
Zipcode: 63134
Health Emergency Phone: 314-522-3141 800-424-9300(CHEMTREC)

Label Required IND: Y
Date Of Label Review: 12/16/1998
Status Code: C
Label Date: 12/16/1998

Origination Code: G
Hazard And Precautions: CONCENTRATE/INHALE CONTENTS HARMFUL/FATAL. REPORTS
ASSOCIATE REPEATED/PROLONGED OCCUPATIONAL OVEREXPOSURE TO SOLVENTS W/PERM
BRAIN/NERVOUS SYSTEM DAMAGE. CONFINED AREAS/HIGH CONCENTRATION
S ARE ANESTHE
TIC. IRRITATE SKIN/RESPIRATORY TRACT/LIGHT HEADEDNESS/STAGGER/GIDDY/NAUSEA.
INGEST-HARMFUL. SEVERE EYE IRRITATION. IRRITATION TO EYES, THROAT, AND
RESPIRATORY TRACT. MAY CAUSE HEADACHES, NAUSEA, AND VOMITING.

=====
Disclaimer (provided with this information by the compiling agencies): This
information is formulated for use by elements of the Department of Defense.
The United States of America in no manner whatsoever
expressly or implied
warrants, states, or intends said information to have any application, use or
viability by or to any person or persons outside the Department of Defense
nor any person or persons contracting with any instrumentality of the United
States of America and disclaims all liability for such use. Any person
utilizing this instruction who is not a military or civilian employee of the
United States of America should seek competent professional advice to verify
and assume
responsibility for the suitability of this information to their
particular situation regardless of similarity to a corresponding Department
of Defense or other government situation.