

ITW PHILADELPHIA RESINS -- CHOCKFAST GRAY HARDENER

=====
MSDS Safety Information
=====

FSC: 8030
NIIN: 01-288-8459
MSDS Date: 01/24/1994
MSDS Num: BNTTB
Product ID: CHOCKFAST GRAY HARDENER
MFN: 02
Responsible Party
Cage: ITWPH
Name: ITW PHILADELPHIA RESINS
Address: 130 COMMERCE DR
Box: 454
City: MONTGOME
RYVILLE PA 18936
Info Phone Number: 215-855-8450
Emergency Phone Number: 800-424-9300 (CHEMTREC)
Proprietary Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 20420
Name: ITW PHILADELPHIA RESINS
Address: 130 COMMERCE DR
City: MONTGOMERYVILLE PA 18936
Phone: 215-855-8450
Cage: ITWPH
Name: ITW PHILADELPHIA RESINS
Address: 130 COMMERCE DRIVE
Box: 454
City: MONTGOMERYVILLE PA 18936
Phone: 508-
777-1100

=====
Item Description Information
=====

Item Manager: GSA
Item Name: SEALING COMPOUND
Unit of Issue: KT
UI Container Qty: 0

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====
Health Hazards Data
=====

=====
LD50 LC50 Mixture: SEE ING 1

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: ACUTE:EYES:MAY CAUSE SEVERE IRRITATION AND BURNS TO EYES WITH POSSIBLE PERMANENT DAMAGE. SKIN:SEVERE IRRITANT. INHALATION:MAY CAUSE IRRITATION TO UPPER RESPIRATORY TRACT. INGESTION:MAY CAUSE GASTROINT ESTINAL DISTRESS, IRRITATION OR ULCERATION, AND SEVERE BURNS OF MOUTH AND THROAT.

CHRONIC:REPEATED (EFTS OF OVEREXP)

Explanation Of Carcinogenicity: NOT RELEVANT.

Signs And Symptoms Of Overexposure: HLTH HAZ:OVEREXPOSURE TO PRODUCT MAY CAUSE RESPIRATORY SENSITIZATION OR ASTHMA, ALSO SKIN SENSITIZATION AND BURNS. EXCESSIVE OVEREXPOSURE TO DETA HAS CAUSE LIVER AND KIDNEY DAMAGE IN LABORATORY ANIMAL S.

Medical Cond Aggravated By Exposure: PREEXISTING SKIN ALLERGIES MAY INCREASE CHANCES OF DEVELOPING INCREASED ALLERGY SYMPTOMS.

First Aid: EYES:IMMED FLUSH W/PLENTY OF

WATER FOR @ LEAST 30 MINS WHILE HOLDING

EYELIDS OPEN. GET PROMPT MED ATTN. SKIN:IMMED REMOVE CONTAMD CLTHG. WASH AFFECTED AREAS W/SOAP & WATER FOR @ LEAST 15 MINS. GET MED ATTN IF EFTS DEVELOP. INHAL:REMOVE VICTIM TO FRESH AIR & PROVIDE OXYG IF BRTHG IS DFCLT. GET MED ATTN IF EFTS OCCUR. INGEST:DO NOT INDUCE VOMIT. GIVE LG AMTS OF WATER/MILK IF AVAIL AND (SUPDAT)

=====
Handling and Disposal
=====
=====

Spill Release Procedures: AVOID PERSONAL CONT. WEAR CORRECT PERSONAL PROT EQUIP. DILUTE W/WATER. ABSORB IN INERT MATL SUCH AS SAND, EARTH/VERMICULITE. SHOVEL INTO SUITABLE LBLD CNTNRS. RESIDUE MAY BE REMOVED W/SFTY SOLVENT. PV NT SPILL FROM ENTERING SEWAGE SYSTEM.

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

Handling And Storage Precautions: STORE IN COOL DRY PLACE W/ADEQ

VENT. KEEP

AWAY FROM OPEN FLAME & HIGH TEMP. PRACTICE GOOD HOUSEKEEPING PROC TO AVOID ALL SKIN CONT & BRTHG OF VAPORS.

Other Precautions: AVOID PRLNGD/RPTD INHAL OF HEATED VAPORS/SPRAY MIST. AVOID PRLNGD/RPTD SKIN CONTACT. KEEP AWAY FROM HEAT. TESTING:THIS PROD HAS UNDERGONE TESTING FOR D.O.T. CORROSIVITY & WAS FOUND TO BE CORROSIVE.

=====

Fire and Explosion Hazard Information

=====

=====

Flash Point Method: PMCC

Flash Point Text: 200F,93C

Extinguishing Media: CO*2, DRY CHEMICAL.

Fire Fighting Procedures: NIOSH/MSHA APPRVD SCBA & FULL PROT EQUIP (FP N). USE WATER SPRAY TO KEEP FIRE-EXPOS CNTNRS COOL. IF SPILL IS IGNITED, USE WATER SPRAY TO DISPERSE VAPORS.

Unusual Fire/Explosion Hazard: NONE KNOWN.

=====

Control Measures

=====

Respiratory Protection: NONE NORMALLY

REQD FOR MOST INDUST APPLICATIONS. UNDER CONDITIONS WHERE HIGH EXPOS IS LIKELY, USE NIOSH/MSHA APPRVD FULL-FACE AIR-PURIFYING RESPIRATOR.

Ventilation: ADEQ LOCAL EXHAUST VENT/OTHER CONTROLS TO PVNT IRRIT. IN CONFINED AREAS, USE NIOSH/MSHA APPRVD RESPIRATOR.

Protective Gloves: CHEM RESISTANT RUBBER GLOVES.

Eye Protection: ANSI APPRVD CHEM WORKERS GOGG (SUPDAT)

Other Protective Equipment: LONG SLEEVE CLOTHING. EYE WASH FOUNTAIN AND DELUGE SHOWER MEETING ANSI DESIGN CRITERIA (FP N).

Work Hy

gienic Practices: WASH THORO AFTER HANDLING & BEFORE SMOKING, EATING OR USING TOILET FACILITIES.

Supplemental Safety and Health: USERS OF THE "L" VERSION OF SHOULD CONSULT THE "LR" VERSION FOR ADDITIONAL INFORMATION (FP N). FIRST AID PROC:TRANSPORT TO MEDICAL FACILITY. EYE PROT:& FULL LENGTH FACE SHIELD (FP N).

=====

Physical/Chemical Properties

=====

B.P. Text: 245F,118C

Spec Gravity:

0.98

PH: 10-11

Solubility in Water: CONSIDERABLE

Appearance and Odor: DARK GRAY LIQUID WITH AMMONIACAL ODOR

Reactivity Data

Stability Indicator: YES

Stability Condition To Avoid: EXTREME HEAT, SPARKS OR FLAMES.

Materials To Avoid: ACIDS, OXIDIZING MATERIAL, HALOGENATED ORGANIC COMPOUNDS.

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE AND OXIDES OF NITROGEN.

Hazar

dous Polymerization Indicator: NO

Conditions To Avoid Polymerization: NOT RELEVANT.

Toxicological Information

Ecological Information

MSDS Transport Information

Regulatory Information

Other Information

Transportation Information

Responsible Party Cage: ITWPH

Trans ID NO: 122412

Product ID: CHOCKFAST GRAY HARDENER

MSDS Pre

pared Date: 01/24/1994

Review Date: 09/22/1992

MFN: 2

Multiple KIT Number: 0

Review IND: Y

Unit Of Issue: KT

Container QTY: 0

Additional Data: NOT REGULATED FOR TRANSPORTATION

Detail DOT Information

DOT PSN Code: ZZZ

DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

Detail IMO Information

=====
IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=====

Detail IATA Information

=====
IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

Detail AFI Information

=====
AFI PSN Code: ZZZ
AFI Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

HAZCOM Label

=====
Product ID: CHOCKFAST GRAY HARDENER
Cage: ITWPH
Company Name: ITW PHILADELPHIA RESINS
Street: 130 COMMERCE DRIVE
PO Box: 454
City: MONTGOMERYVILLE PA
Zipcode: 18936
Health Emergency Phone: 800-424-9300 (CHEMTREC)
Label Required IND: Y
Date Of Label Review: 02/07/1995
Status Code: C
Label Date:
02/07/1995
Origination Code: G
Chronic Hazard IND: Y
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: DANGER
Respiratory Protection IND: YES
Health Hazard: Moderate
Contact Hazard: Severe
Fire Hazard: Slight
Reactivity Hazard: None
Hazard And Precautions: COMBUSTIBLE! CORROSIVE! ACUTE:EYES:MAY CAUSE SEVERE
IRRITATION AND BURNS TO EYES WITH POSSIBLE PERMANENT DAMAGE. SKIN:SEVERE
IRRITANT. INHALATION:MAY CAUSE IRRITATION TO UPPER RESPIRATORY TRACT. INGES
TION:MAY CAUSE GASTROIN

TESTINAL DISTRESS, IRRITATION OR ULCERATION, AND SEVERE BURNS OF MOUTH AND THROAT. CHRONIC:REPEATED OVEREXPOSURE TO PRODUCT-MAY CAUSE RESPIRATORY SENSITIZATION OR ASTHMA. SKIN S ENSITIZATION AND BURNS. LIVER & KIDNEY DAMAGE.

=====
Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense.

The United States of America in no manner whatsoever expressly or implied

warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume

responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.