View NSN Online: https://aerobasegroup.ae/nsn/1377-01-297-5283

DU PONT E I DE NEMOURS & CO POLYMER PRODUCTS DEPT -- SPECIALTY ELECTRIC

DETONATORS, SQUIBS -- 4210-01-297-5283

=========== Product Identification ==============

Product ID:SPECIALTY ELECTRIC DETONATORS, SQUIBS

MSDS Date:11/03/1985

FSC:4210

NIIN:01-297-5283

MSDS Number: BNVDW === Responsible Party ===

Company Name: DU PONT E I DE NEMOURS & CO POLYMER PRODUCTS DEPT

Address:BARLEY PLZ City:WILMINGTON

State:DE ZIP:1989

8

Country:US

Info Phone Num:800-441-7515/302-774-3120

Emergency Phone Num:800-441-3637/800-424-9300(CHEMTREC)

CAGE:57280

=== Contractor Identification ===

Company Name: DU PONT E I DE NEMOURS & CO POLYMER PRODUCTS DEPT

Address:BARLEY PLZ Box:City:WILMINGTON

State:DE ZIP:19898 Country:US

Phone:800-441-7515

CAGE:57280

Company Name: JAY AUTOMOTIVE SPECIALTIES INC

Address:701 NORTH ST

Box:City:BERLIN

State:PA ZIP:15530 Country:US

Phone:814-267-4151

CAGE:1AV08

Company Name: LANDOL CORP

Address:1700 MAYS

ST Box:111

City:MARYSVILLE

State:KS

ZIP:66508-1265 Country:US

Phone:913-562-5381

CAGE:65459

======= Composition/Information on Ingredients ========

Ingred Name:LEAD DINITROORTHOCRESYLATE

CAS:79357-62-3

Other REC Limits: NONE SPECIFIED

Ingred Name: POTASSIUM PERCHLORATE

CAS:7778-74-7

RTECS #:SC9700000

Other REC Limits: NONE SPECIFIED

Ingred Name:BARIUM PEROXIDE

CAS:1304-29-6

RTECS #:CR0175000

Other REC Limits: NONE SPECIFIED

Ingred Name: SMOKELESS POWDER

Other REC Limits: NONE SPECIF

IED

OSHA PEL:NOT ESTABLISHED. ACGIH TLV:NOT ESTABLISHED.

Ingred Name:BLACK POWDER
Other REC Limits:NONE SPECIFIED
OSHA PEL:NOT ESTABLISHED.
ACGIH TLV:NOT ESTABLISHED.

Ingred Name: BASIC LEAD PHOSPHITE

CAS:12141-20-7

Other REC Limits: NONE SPECIFIED

Ingred Name:BORON

CAS:7440-42-8

RTECS #:ED7350000

Other REC Limits: NONE SPECIFIED

Ingred Name:MAGNESIUM

CAS:7439-95-4

RTECS #:OM2100000

Other REC Limits: NONE SPECIFIED

Ingred Name: SELENIUM (SARA III)

CAS:7782-49-2

RTECS #:VS7700000

Other REC Limit

s:NONE SPECIFIED OSHA PEL:0.2 MG/M3 ACGIH TLV:0.2 MG/M3; 9192 EPA Rot Oty:1 LB

EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name: ALUMINUM (SARA III)

CAS:7429-90-5

RTECS #:BD0330000

Other REC Limits:NONE SPECIFIED OSHA PEL:15MG/M3 DUST/5 FUME ACGIH TLV:10MG/M3 DUST; 9192

Ingred Name:BRONZE, COMMERCIAL Other REC Limits:NONE SPECIFIED OSHA PEL:NOT ESTABLISHED. ACGIH TLV:NOT ESTABLISHED.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Repo

rts of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE-PRODUCTS DO NOT PRESENT HEALTH HAZARDS IN NORMAL HANDLING & USE.HOWEVER, DECOMPOSITION MAY CAUSE SEVERE INJURY & DEATH.OVEREXPOSURE TO LEAD MAY CAUSE ADVERSE EFFECTS TO BLOOD FORMING, NERVOUS, URIN ARY, REPRODUCTIVE SYSTEMS CAUSING ANEMIA& FATIGUE.NITROGEN OXIDES MAY IRRITATE EYE, SKIN & LUNGS.CHRONIC-NONE KNOWN.


Explanation of Carcinogenicity:NONE OF THE COMPONENT(S) OF THIS MATERIAL IS LI

STED AS A CARCINOGEN BY NTP, IARC OR OSHA (PER MSDS).

Effects of Overexposure:PRODUCTS DO NOT PRESENT HEALTH HAZARDS IN NORMAL HANDLING & USE. HOWEVER, DECOMPOSITION MAY CAUSE SEVERE INJURY & DEATH. OVEREXPOSURE TO LEAD MAY CAUSE ADVERSE EFFECTS TO BLOOD FORMING, NERVOUS, URINA RY, REPRODUCTIVE SYSTEMS CAUSING ANEMIA& FATIGUE. NITROGEN OXIDES MAY IRRITATE EYE, SKIN AND RESPIRATORY TRACT.

Medical Cond Aggravated by Exposure: NONE KNOWN.

====== First Aid Measur



======== Physical/Chemical Properties ============

HCC:E2 Appearance and

Odor:ALUMINUM OR COMMERCIAL BRONZE SHELLS WITH ATTACHEI
INSULATED COPPER LEG WIRES.

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:NO
ACIDS, ALKALIES
Stability Condition to Avoid:DETONATES WITH FRICTION, IMPACT, HEAT, LOW
LEVEL ELECTRICAL CURRENT, ELECTROSTATIC OR RF ENERGY
Hazardous Decomposition Products:DETONATES. PRODUCES SHRAPNEL.
HAZARDOUS GASES MAY INCLUDE LEAD FUMES, NITROGEN OXIDES AND
COMPOUNDS OF B AND SE.

======= Disposal Considerations ===========

Waste Disposal Methods:CONSULT AN EXPLOSIVES MANUFACTURER'S RECOMMENDED METHODS OF DESTROYING EXPLOSIVE MATERIALS. COMPLY WITH APPLICABLE FEDERAL REGULATIONS UNDER THE AUTHORITY OF THE RESOURCE CONSERVATION AND RECOVERY ACT (40 CFR, PARTS 260-271).

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United S tates of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.