View NSN Online: https://aerobasegroup.ae/nsn/6840-01-356-8902

AMERICAN CYANAMID CO., SHULTON PRODUCTS GROUP -- ARSENAL HERBICIDE 6840-01-356-8902

============= Product Identification =================

Product ID:ARSENAL HERBICIDE

MSDS Date: 03/26/1990

FSC:6840

NIIN:01-356-8902

MSDS Number: BNVFP === Responsible Party ===

Company Name: AMERICAN CYANAMID CO., SHULTON PRODUCTS GROUP

Address:697 RT 46

City:CLIFTON

State:NJ ZIP:07015

Country:US Info Phone Num:201-835-3100

Emergency

Phone Num:201-835-3100

CAGE:70361

=== Contractor Identification ===

Company Name: AMERICAN CYANAMID CO

Address:697 RT 46 Box:City:CLIFTON

State:NJ ZIP:07015 Country:US

Phone:973-683-2000

CAGE:70361

Company Name: B.L. MITCHELL

CAGE:00CJ6

Company Name: EMULTEC INC

Address:1150 HAYDEN DR SUITE 100

Box:City:CARROLLTON

State:TX ZIP:75006 Country:US

Phone:972-417-1288

CAGE:0HD15

======= Composition/Information on Ingredients ========

Ingred Name: ISOPROPYLAMINE SALT OF IMAZAPYR

Fraction by

Wt: 27.6%
Other REC Limits:NONE SPECIFIED
OSHA PEL:NOT ESTABLISHED.
ACGIH TLV:NOT ESTABLISHED.

Ingred Name: INERT INGREDIENTS

Fraction by Wt: 72.4%

Other REC Limits: NONE SPECIFIED

=========== Hazards Identification ==========================

LD50 LC50 Mixture:LD50 (ORAL, RAT) IS > 5000 MG/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic: ACUTE- MAY CAUSE EYE AND SKIN

IRRITATION. DUST MAY

IRRITATE THE RESPIRATORY TRACT. IT IS SLIGHTLY TOXIC IF INGESTED. CHRONIC- NONE KNOWN.

Effects of Overexposure: MAY CAUSE EYE AND SKIN IRRITATION. DUST MAY IRRITATE THE RESPIRATORY TRACT. IT IS SLIGHTLY TOXIC IF INGESTED.

Medical Cond Aggravated by Exposure: UNLIKELY

First Aid:CALL A DOCTOR IF SYMPTOMS PERSIST. EYE:IMMEDIATELY FLUSH WITH WATER FOR 15 MINUTES, HOLDING EYELIDS OPEN. SKIN:WASH WITH SOAP & WATER. I

NHALED:REMOVE TO FRESH AIR. ORAL:IF CONSCIOUS, DRINK TWO GLASSES OF WATER & INDUCE VOMITING. CALL A PHYSICIAN/POISON CONTROL CENTER IMMEDIATELY. NOTE TO PHYSICIAN:THERE IS NO SPECIAL ANTIDOTE. TREATMENT SHOULD BE DIRECTED AT THE CONTROL OF SYMPTOMS & CONDITIONS.

============= Fire Fighting Measures ========================

Flash Point Method:SCC Flash Point:>210F,>99C

Autoignition Temp: Autoignition Temp Text: 200F

Extinguishing Media:WATER, ALCOHOL FOAM, DRY CHEMICAL OR

CO2. SOLID


SPRAY MAY CAUSE SPREADING. COOL CONTAINERS WITH WATER SPRAY.

Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL

FACEPIECE OPERATED IN THE POSITIVE PRESSURE MODE.

Unusual Fire/Explosion Hazard: AVOID BODILY CONTACT WITH THE MATERIAL. AVOID BREATHING DUSTS, VAPORS AND FUMES FROM BURNING MATERIALS. DIKE AREA OF FIRE TO PREVENT HERBICIDE RUNOFF.

====== Accidental Release Measures ======



Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AND REDUCING AGENTS. CORROSIVE TO MILD

BRASS.
Stability Condition to Avoid:EXTREME HEAT
Hazardous Decomposition Products:MAY PRODUCE OXIDES OF CARBON AND NITROGEN.

======= Disposal Considerations ===========

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS. IMAZAPYR IS NOT A RCRA HAZARDOUS WASTE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of D

STEEL AND

efense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.