

CREST PRODUCTS CORPORATION -- CREST 2079B -- 8040-00-846-3351

===== Product Identification =====

Product ID:CREST 2079B

MSDS Date:12/03/1990

FSC:8040

NIIN:00-846-3351

Kit Part:Y

MSDS Number: BNWNZ

=== Responsible Party ===

Company Name:CREST PRODUCTS CORPORATION

Address:10550 LAWSON RIVER AVENUE

City:FOUNTAIN VALLEY

State:CA

ZIP:92708

Country:US

Info Phone Num:714-9659292 / 716-965-9288

Emergency

Phone Num:714-965-9292 / 714-965-9288

Preparer's Name:RICHARD ROY

CAGE:33469

=== Contractor Identification ===

Company Name:CREST INDUSTRIAL CHEMICALS INC

Address:6341 BEVERLY HILL

Box:42242

City:HOUSTON

State:TX

ZIP:77057-6500

Country:US

Phone:713-780-1828

CAGE:77513

Company Name:CREST PRODUCTS CORPORATION

Address:2000 S. SUSAN ST

City:SANTA ANA

State:CA

ZIP:92704

Phone:(714) 540-9087

CAGE:33469

===== Composition/Information on Ingredients =====

Ingred Name:POLYAMIDE RESIN

CAS:68410-23-1
Fraction by Wt: 40-60%
Other REC Limits:NONE SPECIFIED
OSHA PEL:NOT ESTABLISHED

Ingredient Name:VOC: 0 GRAMS/LITER
RTECS #:9999999VO
Other REC Limits:NONE SPECIFIED

=====
===== Hazards Identification =====

Health Hazards Acute and Chronic:SKIN: NOT CONSIDERED TOXIC BY SKIN
ABSORPTION, BUT MAY CAUSE IRRITATION. INGESTION: MAY CAUSE
GASTROINTESTINAL IRRITATION AND BURNS TO MOUTH AND THROAT.
INHALATION: DO TO THE LOW VAPOR PRESSURE; NOT CONSIDER
17MAR92
HAZARD. USE IN WELL VENTILATED AREAS. AVOID PROLONGED OR REPEATED
BREATHING OF VAPOR.
Medical Condition Aggravated by Exposure:NONE KNOWN.

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH CLEAR WATER IMMEDIATELY FOR 15 MINUTES. CALL
PHYSICIAN. SKIN: WASH MATERIAL FROM SKIN WITH SOAP AND WATER. WASH
CONTAMINATED CLOTHING. INGESTION: DO NOT INDUCE VOMITING. GIVE
LARGE QUANTITIES OF MILK OR WATER. CALL PHYSICIAN.

=====
===== Fire Fighting Measures =====

Flash Point:346F,174C
Autoignition Temp:Autoignition Temp Text:800 F
Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL OR WATER.
Fire Fighting Procedures:MATERIAL WILL NOT BURN UNLESS PREHEATED. DO
NOT ENTER CONFINED FIRE SPACE WITHOUT FULL BUNKER GEAR WITHOUT
SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:OXIDES OF NITROGEN AND CARBON FORMED UPON
BURNING.

=====
===== Accidental Release Measure

S =====

Spill Release Procedures: ABSORB MATERIAL WITH SAND OR VERMICULITE.

===== Handling and Storage =====

Handling and Storage Precautions: DO NOT EXPOSE TO EXCESSIVE MOISTURE AS CONTAMINATION OF THE PRODUCT WILL OCCUR.

Other Precautions: NONE KNOWN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: MAY USE ORGANIC CHEMICAL CARTRIDGE RESPIRATOR IF NEEDED DUE TO POOR VENTILATION.

Ventilation: USE

EXHAUST; USE IN WELL VENTILATED AREA.

Protective Gloves: RUBBER GLOVES (GENERAL PRECAUTION)

Eye Protection: SAFETY GLASSES, GOGGLES (GEN PRECAUTION)

Other Protective Equipment: APRON IF NEEDED FOR CLOTHING PROTECTION.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt: B.P. Text: 400F, 204C

Melt/Freeze Pt: M.P/F.P Text: 0F, -18C

Decomp Temp: Decomp Text: 600F, 316C

Vapor Pres: .1 @ 77 C

Vapor Density: