View NSN Online: https://aerobasegroup.ae/nsn/3439-00-262-4285

HARRIS J W CO INC -- AZ 92A -- 3439-00-262-4285

Product ID:AZ 92A

MSDS Date:07/01/1990

FSC:3439

NIIN:00-262-4285

MSDS Number: BPBKR === Responsible Party ===

Company Name: HARRIS J W CO INC

Address:10930 DEERFIELD RD.

City:CINCINNATI

State:OH

ZIP:45242-4110

Country:US

Info Phone Num:513-891-2000

Emergency Phone Num:800-424-9300

CAGE:JO820

=== Contractor Identifica

tion ===

Company Name: J. W. HARRIS CO., INC

Address:10930 DEERFIELD RD

Box:City:CINCINNATI

State:OH

ZIP:45242-4110

Country:US

Phone:513-891-2000

CAGE:JO820

Company Name: J. W. HARRIS CO., INC.

Address:10930 DEERFIELD ROAD

Box:City:CINCINNATI

State:OH

ZIP:45242-4110

Country:US

Phone:513-891-2000

CAGE:27911

====== Composition/Information on Ingredients ========

Ingred Name: MAGNESIUM OXIDE

CAS:1309-48-4

RTECS #:OM3850000 Fraction by Wt: BALANCE

Other REC Limits: NONE RECOMMENDED

OSHA

PEL:15 MG/M3 PARTICULATE ACGIH TLV:10 MG/M3;TDUST; 9293
Ingred Name:ALUMINUM (SARA III) CAS:7429-90-5 RTECS #:BD0330000 Fraction by Wt: 9.0% Other REC Limits:NONE RECOMMENDED OSHA PEL:15MG/M3 DUST/5 FUME ACGIH TLV:10MG/M3 DUST; 9192
Ingred Name:ZINC OXIDE CAS:1314-13-2 RTECS #:ZH4810000 Fraction by Wt: 2.0% Other REC Limits:NONE RECOMMENDED OSHA PEL:15MG/M3 TDUST/5 FUME ACGIH TLV:10MG/M3 TDUST; 9293
Ingred Name:MANGANESE (SARA III) CAS:7439-96-5 RTECS #:OO9275000 Fraction by Wt: 0.15% Other REC Limits:NONE RECOMMENDED OSHA PEL:(C) 5 MG/M3 DUST ACGIH TLV:5 MG/M3 DUST 9293
=========== Hazards Identification ============
Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:FUME AND DUST WOULD BE CONSIDERED IRRITANTS. ZINC FUME MAY CAUSE METAL FUME FEVER. LONG TERM EXPOSURE TO GENERAL WELDING FUME, GASES, OR DUST MAY CONTRIBUTE TO PULMONARY IRRITATION OR PNEUMOCO NIOSIS. Effects of Overexposure:NONE SPECIFIED BY MANUFACTURER. Medical Cond Aggravated by Exposure:INDIVIDUALS WITH IMPAIRED PULMONARY FUNCTIONS OR ILLNESS MAY HAVE SYMPTOMS EXACERBATED BY FUME IRRITANTS.
======================================
First Aid:REMOVE FORM DUST OR FUME EXPOSURE. IF BREATHING HAS STOPPED, PERFORM ARTIFICIAL RESPIRATION. SUMMON MEDICAL AID IMMEDIATELY.
======================================
Extin

guishing Media:DO NOT USE WATER ON MOLTEN MATERIAL. Fire Fighting Procedures:NONE.
Unusual Fire/Explosion Hazard:WHEN HEATED IN AIR TO A TEMPERATURE NEAR ITS MELTING POINT, MAGNESIUM ALLOYS IGNITE AND BURN WITH A WHITE FLAME.
======================================
Handling and Storage Precautions:READ AND UNDERSTAND THE MANUFACTURER'S INSTRUCTIONS AND THE PRECAUTIONARY LABEL ON THE PRODUCT. Other Precautions:ARC RAYS- FROM ELECTRIC ARC WELDING OPERATION S CAN
INJURE EYS AND BURN SKIN. ELECTRIC SHOCK- FROM ARC WELDING EQUIPMENT CAN KILL. HEAT RAYS- INFRATED RADIATION FROM FLAME OR HOT METAL CAN INJURE EYE S.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:USE RESPIRABLE FUME RESPIRATOR OR AIR-SUPPLIED RESPIRATOR WHEN WELDING IN CONFINED SPACE OR WHERE LOCAL EXHAUST OR VENTILATION DOES NOT KEEP EXPOSURE BELOW TLV. Ventilation:USE ENOUGH VENTILATION AND LOCAL EXHAUST AT THE ARC TO KEEP
THE FUMES AND GASES BELOW TLV'S IN THE WORKER'S AREA. Protective Gloves:WELDERS GLOVES. Eye Protection:PROTECTIVE FACE SHIELD. Other Protective Equipment:ARM PROTECTORS, APRONS, HATS, SHOULDER PROTECTION, AS WELL AS DARK SUBSTANTIAL CLOTHING. Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER. Supplemental Safety and Health NONE
========= Physical/Chemical Properties ==========
HCC:N1 Melt/Freeze Pt:M.P/F.P Text:830F,443C Appearance and Odor:SOLID MATERIAL.
======== Stability and Reactivity Data ========
Stability Indicator/Materials to Avoid:YES NONE
Stability Condition to Avoid:NONE Hazardous Decomposition Products:WELDING FUMES AND GASES CANNOT BE CLASSIFIED SIMPLY.
======= Disposal Considerations ==========
Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE, AND FEDERAL REGULATIONS.
Disclaimer (provided with this information by the compiling agencies): This information i

s formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.