

BIG THREE INDUSTRIES INC -- TEMPLILSTIK 650F -- 6685-00-275-9166

=====  
Product Identification  
=====

Product ID:TEMPLILSTIK 650F

MSDS Date:01/10/1991

FSC:6685

NIIN:00-275-9166

MSDS Number: BPBLD

=== Responsible Party ===

Company Name:BIG THREE INDUSTRIES INC

Address:2901 HAMILTON BLVD

City:SOUTH PLAINFIELD

State:NJ

ZIP:07080-2519

Country:US

Info Phone Num:201-757-8300

Emergency Phone Num:201-757-8

300

CAGE:82682

=== Contractor Identification ===

Company Name:BIG THREE INDUSTRIES INC, TEMPIL DIV

Address:2901 HAMILTON BLVD

Box:City:SOUTH PLAINFIELD

State:NJ

ZIP:07080-2519

Country:US

Phone:908-757-8300

CAGE:82682

=====  
Composition/Information on Ingredients  
=====

Ingred Name:NON HAZARDOUS INGREDIENTS

Fraction by Wt: 100%

Other REC Limits:NONE RECOMMENDED

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:YES Inges

tion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: POSSIBLE IRRITATION TO EYES,  
SKIN AND/OR RESPIRATORY SYSTEM. CHRONIC: UNKNOWN.

Explanation of Carcinogenicity:NO INGREDIENT OF A CONCENTRATION OF 0.1%  
OR GREATER IS LISTED AS A CARCINOGEN OR SUSPECTED CARCINOGEN.

Effects of Overexposure:INHALED: COUGHING, WHEEZING, SNEEZING,  
SHORTNESS OF BREATH. EYES: REDNESS, TEARING BLURRED VISION,  
DISCOMFORT. SKIN: REDNESS, ITCHING.

Medical Con

d Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:INHALED: REMOVE PERSON TO FRESH AIR. EYES: FLUSH WITH WATER  
FOR 15 MINUTES WHILE HOLDING EYELIDS OPEN. SEE DOCTOR. SKIN: WASH  
WITH SOAP AND WATER. INGESTED: GET IMMEDIATE MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND  
FULL PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:NONE KNOWN

===== Accidental Release Measures =====

Spill Release Procedures:SWEEP UP AND PLACE IN A CONTAINER FOR LATER  
DISPOSAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A DRY AREA. KEEP CONTAINER  
CLOSED WHEN NOT IN USE.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF ENGINEERING SYSTEMS FAIL, USE NIOSH/MSHA  
APPROVED RESPIRATOR. IF RESPIRATOR USED; A PROGRAM IN ACCORDANCE  
WITH 29 CFR 1910.134 MUST BE IMPLEMENTED.

Ventilation:USE ADEQUATE MECHANICAL VENTILATION.

Protective Gloves:NEOPRENE, IF NEEDED

Eye Protection:SAFETY GLASSES

Other Protective Equipment:NONE NORMALLY REQUIRED.

Work Hygienic Practices:WASH HANDS AFTER USE AND B

EFORE EATING,  
DRINKING, OR SMOKING.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1  
Solubility in Water:SLIGHT  
Appearance and Odor:SOLID STICK; NO ODOR  
Percent Volatiles by Volume:0

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS AND STRONG ALKALIS  
Hazardous Decomposition Products:OXIDES OF CARBON AND POSSIBLY OTHER  
TOXIC VAPORS.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND  
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.