View NSN Online: https://aerobasegroup.ae/nsn/6750-00-965-4952

OLIN HUNT SPEICIALTY PRODUCTS INC -- 810929,FLASH-O-GRAPH FIXER,PART B

6750-00-965-4952

Product ID:810929,FLASH-O-GRAPH FIXER,PART B

MSDS Date:07/12/1989

FSC:6750

NIIN:00-965-4952

Kit Part:Y

MSDS Number: BPCBD === Responsible Party ===

Company Name: OLIN HUNT SPEICIALTY PRODUCTS INC

Address: 5 GARRET MOUNTAIN PLAZA

City:WEST PATTERSON

State:NJ ZIP:07424 Country: US

Info Phone Num:800-344-1847

Emergency Phone Num:800-OLIN-911

Preparer's Name: ENVIRONMENTAL HYGIENE

CAGE:MO397

=== Contractor Identification ===

Company Name: OLIN HUNT SPECIALTY PRODUCTS INC

Address: 5 GARRET MOUNTAIN PLAZA

Box:City:WEST PATERSON

State:NJ ZIP:07424 Country:US CAGE:0AK29

Company Name: OLIN HUNT SPEICIALTY PRODUCTS INC

Address: 5 GARRET MOUNTAIN PLAZA

Box: City: WEST PATTERSON

State:NJ ZIP:07424 Country:US

Phone:800-344-1847

CAGE:MO397

====== Composition/Information on Ingre

| dients ========= |
|--|
| Ingred Name:ALUMINUM SULFATE (SARA III) CAS:10043-01-3 RTECS #:BD1700000 Fraction by Wt: 20-25% Other REC Limits:NONE SPECIFIED BY M. OSHA PEL:2 MG/M3 ACGIH TLV:2 MG/M3; 9293 EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS |
| ========== Hazards Identification ============ |
| LD50 LC50 Mixture:LD50, ORAL, MOUSE = 6.2 G/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chroni c:CORROSIVE TO EYES AND SKIN. CAUSES IRRITATION OF REPIRATORY TRACT. CHRONIC-NOE KNOWN. Effects of Overexposure:IRRITATION OF EYES, SKIN AND RESPIRATORY TRACT. Medical Cond Aggravated by Exposure:NONE KNOWN |
| ====================================== |
| First Aid:SKIN: REMOVE CONTAMINATED CLOTHING; WASH WITH SOAP AND WATER. EYES:FLUSH EYES WITH WATER FOR AT LEAST 15 MIN GET MEDICAL ATTENTION. INGESTION: DRINK 2-3 GLASSES OF WATER AND CALL PHYSICIAN. INHA LATI ON:REMOVE TO FRESH AIR. |
| ====================================== |
| Extinguishing Media:USE CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG. Fire Fighting Procedures:USE WATER TO KEEP FIRE-EXPOSED CONTAINERS COOL Unusual Fire/Explosion Hazard:TOXIC SVAPORS OF SULFUR OXIDE MAY BE PRODUCED. |
| ========= Accidental Release Measures ========== |
| Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. CONTAIN SPILL, NEUTRALIZE AND ABSORB IN INERT MATE |

| RIAL, TRANSFER TO CONTAINERS FOR DISPOSAL. |
|---|
| Neutralizing Agent:SODA BICARB |
| ====================================== |
| Handling and Storage Precautions:STORE IN COOL LOCATION; KEEP CONTAINERS SECURELY CLOSED AND WELL MARKED Other Precautions:AVOID CONTACT WITH EYES; WASH THOROUGHLY AFTER HANDLING |
| ====== Exposure Controls/Personal Protection ======== |
| Respiratory Protection:NORMALLY NOT NEEDED Ventilation:LOCAL EXHAUST Protective Gloves:PVC Eye Protection:GOGGLES Other Protective Equipment:APDRON Work Hygienic Practices:DO NOT EAT, DRINK OR SMOKE WHILE WORKING WITH THIS PRODUCT. Supplemental Safety and Health CAT NR.810929, PART B OF 2-PART KIT. SAME NSN. KEY1: C1. |
| ========== Physical/Chemical Properties ========== |
| HCC:C1 Boiling Pt:=100.C, 212.F Vapor Pres:15 MMHG Spec Gravity:1.3 pH: |