

ILFORD PHOTO CORP -- P-22 FIXER FX 22.15 PART A -- 6750-01-313-1956

=====
Product Identification
=====

Product ID:P-22 FIXER FX 22.15 PART A

MSDS Date:10/28/1988

FSC:6750

NIIN:01-313-1956

Kit Part:Y

MSDS Number: BPCFW

=== Responsible Party ===

Company Name:ILFORD PHOTO CORP

Address:33 LEWIS RD

City:BINGHAMPTON

State:NY

ZIP:13905

Country:US

Info Phone Num:800-421-1100/201-265-6000

Emergency Phone N

um:800-842-9660

CAGE:0LT87

=== Contractor Identification ===

Company Name:ILFORD IMAGING USA INC

Address:33 LEWIS RD

Box:City:BINGHAMTON

State:NY

ZIP:13905

Country:US

Phone:607-766-3153/ FAX 201-225-3514

CAGE:0LT87

=====
Composition/Information on Ingredients
=====

Ingred Name:AMMONIUM THIOSULFATE

CAS:7783-18-8

RTECS #:XN6465000

Fraction by Wt: 40 - 50%

Other REC Limits:NONE RECOMMENDED

Ingred Name:POTASSIUM SULFIDE

CAS:37199-66-9

RTECS #:TT5950000

Fraction by Wt: 12 - 15%

O

ther REC Limits:NONE RECOMMENDED
OSHA PEL:NOT ESTABLISHED.
ACGIH TLV:NOT ESTABLISHED.

Ingred Name:POTASSIUM BISULFITE
CAS:7773-03-7
Fraction by Wt: 2 - 5%
Other REC Limits:NONE RECOMMENDED

Ingred Name:TETRASODIUM ETHYLENE DIAMINE TETRAACETATE
CAS:64-02-8
RTECS #:AH5075000
Fraction by Wt: 1 - 3%
Other REC Limits:NONE RECOMMENDED

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
Fraction by Wt: 35 - 50%
Other REC Limits:NONE RECOMMENDED

=====
===== Hazards Identification =====
=====

Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE- EYE/SKIN:IRRITATION.
INHALATION:LOW HAZARD FOR RECOMMENDED HANDLING. ORAL:MAY CAUSE
STOMACH UPSET AND IRRITATION. CHRONIC-NONE KNOWN OR EXPECTED.
Effects of Overexposure:CAUSES EYE AND SKIN IRRITATION. INHALATION HAS
LOW HAZARD. ORALLY MAY CAUSE STOMACH UPSET AND IRRITATION.
Medical Cond Aggravated by Exposure:INDIVIDUALS WITH
SENSITIVE SKIN MAY
BE MORE ADVERSELY AFFECTED.

=====
===== First Aid Measures =====
=====

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYES:IMMEDIATELY
FLUSH WITH PLENTY OF WATER. SKIN:FLUSH WITH PLENTY OF SOAP AND
WATER. INHALATION:REMOVE TO FRESH AIR. INGESTION:IF CONSCIOUS,
DRINK 2-3 GLAS SES OF WATER. INDUCE VOMITING. SEEK MEDICAL
ATTENTION.

=====
===== Fire Fighting Measures =====
=====

Flash Point:NONE
Extingu

ishing Media:AS APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS.

===== Accidental Release Measures =====

Spill Release Procedures:FLUSH SMALL SPILLS TO A NON-ACID SEWER WITH LARGE AMOUNTS OF WATER IF REGULATIONS ALLOW.

===== Handling and Storage =====

Handling and Storage

Precautions:STORAGE- STORE IN COOL PLACE. KEEP CONTAINER TIGHTLY CLOSED AND AWAY FROM ACIDS.

Other Precautions:AVOID BREATHING VAPORS OR MISTS. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING. REMOVE CONTAMINATED CLOTHING PROMPTLY. KEEP OUT OF REACH OF CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED WITH GOOD VENTILATION.

Ventilation:GOOD GENERAL VENTILATION SHOULD BE SUFFICIENT.

Protective Gloves:RUBBER OR PLASTIC RECOMMENDED

Eye Protection:SAFETY GLASSES

Other Protective Equipment:EYE WASH STATION, QUICK DRENCH SHOWER AND IMPERVIOUS CLOTHING

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. DO NOT WEAR CONTAMINATED CLOTHING OR FOOTWEAR.

Supplemental Safety and Health

THIS PRODUCT IS A KIT CONSISTING OF: DEVELOPER PART A AND PART B (PIN A AND B); FIXER PART A AND B (PIN C AND D); BLEACH PART A AND B (PIN E AND F); AND BLEACH NEUTRALIZER PART A AND B (PIN G AND H).

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:>212F,>100C

Vapor Pres:AS WATER

Vapor Density:AS WATER

Spec Gravity:1.388

pH:6.8

Evaporation Rate & Reference:1 (WATER=1)

Solubility in Water:COMPLETE

Appearance and Odor:CLEAR, COLORLESS LIQUID, SLIGHT AMMONIA ODOR

Percent Volatiles by Volume:42

===== Stability and Reactivity Data =====

====

Stability Indicator/Materials to Avoid: YES

ACIDS

Stability Condition to Avoid: FIRE, EXCESSIVE HEAT

Hazardous Decomposition Products: OXIDES OF SULFUR

===== Disposal Considerations =====

Waste Disposal Methods: DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT TO FEDERAL, STATE OR LOCAL LAWS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United

States of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.