

MINNESOTA MINING & MFG CO ELECTRICAL SPECIALTIES -- KIT HCPS SHIPSET 1 SERIES (CC-3
CABLE CLEAN -- 5970-01-349-6707

===== Product Identification =====

Product ID:KIT HCPS SHIPSET 1 SERIES (CC-3 CABLE CLEAN

MSDS Date:05/19/1992

FSC:5970

NIIN:01-349-6707

Kit Part:Y

MSDS Number: BPCGN

=== Responsible Party ===

Company Name:MINNESOTA MINING & MFG CO ELECTRICAL SPECIALTIES

Address:3M AUSTIN CTR

City:AU

STIN

State:TX

ZIP:78769-2963

Country:US

Info Phone Num:512-984-3113

Emergency Phone Num:512-984-3113

CAGE:20999

=== Contractor Identification ===

Company Name:MINNESOTA MINING AND MFG CO ELECTRICAL HANDLING/PROTECTION

Address:3M AUSTIN CTR

Box:City:AUSTIN

State:TX

ZIP:78769-1263

Country:US

Phone:512-733-1341

CAGE:20999

Company Name:MINNESOTA MINING AND MFG CO FEDERAL SYSTEMS DEPT

Address:3M CTR BLDG 224-5S-04

Box:City:ST PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:651-736-7904

CAGE:68352

====

=====
Composition/Information on Ingredients
=====

Ingred Name:PARAFFINIC OILS/PETROLEUM DISTILLATES
CAS:64771-72-8
Fraction by Wt: 80 - 95%
Other REC Limits:NONE RECOMMENDED

Ingred Name:D-LIMONENE
CAS:5989-27-5
RTECS #:GW6360000
Fraction by Wt: 5 - 20%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT ESTABLISHED.
ACGIH TLV:NOT ESTABLISHED.

Ingred Name:VOLATILE ORGANIC COMPOUNDS (740 GMS/LITER).
RTECS #:9999999VO
Other REC Limits:NONE RECOMMENDED
OSHA PEL:NOT RELEVANT
ACGIH TLV:NO
T RELEVANT

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE-EYE/SKIN:MILD EYE,MODERATE SKIN
IRRITATION,REDNESS,SWELLING,PAIN,ITCHING,DRYNESS.INHALE:RESPIRATORY
SYSTEM IRRITATION,COUGHING,CONGESTION,TIGHTNESS OF CHEST,WHEEZING &
DIFFICULTY BREATHING.ORAL: MAY CAUSE GI
IRRITATION,PAIN,VOMITING,NAUSEA,BLOODY VOMITUS
& FECES,ASPIRATION
PNEUMONITIS.CHRONIC-MAY CAUSE DERMATITIS.
Explanation of Carcinogenicity:D-LIMONENE IS A POTENTIAL CANCER HAZARD
CAUSING RENAL CANCER IN LABORATORY ANIMAL STUDIES, PER MSDS.
Effects of Overexposure:MILD EYE, MODERATE SKIN IRRITATION, REDNESS,
SWELLING, PAIN, ITCHING, DRYNESS. RESPIRATORY SYSTEM IRRITATION,
COUGHING, CONGESTION, TIGHTNESS OF CHEST, WHEEZING & DIFFICULTY
BREATHING. MAY CAUSE GI IR RITATION, PAIN, VOMITING, NAUSEA, BLOODY
VOMITUS & FECES,

ASPIRATION PNEUMONITIS, COUGHING UP BLOOD.

Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN DISORDERS MAY BE MORE SUSCEPTIBLE TO THIS MATERIAL.

=====
===== First Aid Measures =====

First Aid:GET MEDICAL ATTENTION IF SYMPTOMS PERSIST.EYE/SKIN:FLUSH WITH WATER FOR 15 MINUTES.HOLD EYELIDS OPEN.INHALED:REMOVE TO FRESH AIR.ORAL:DO NOT INDUCE VOMITING.DRINK TWO CLASSES O WATER.CALL A PHYSICIAN.

=====
===== Fire Fighting Measures =====

Flash Point Method:CC

Flash Point:144F,62C

Extinguishing Media:CARBON DIOXIDE, FOAM OR DRY CHEMICAL. WATER SPRAY MAY BE USED TO KEEP FIRE EXPOSED CONTAINERS COOL & FLUSH SPILLS AWAY.

Fire Fighting Procedures:WEAR FULL PROTECTIVE CLOTHING,INCLUDING HELMET AND NIOSH-APPROVED SELF-CONTAINED BREATHING APPARATUS WITH FULL FACEPIECE OPERATED IN THE POSITIVE PRESSURE MODE.

Unusual Fire/Explosion Hazard:NONE

=====
===== Accidental Release Measures =====

Spill Release Procedures:WEAR PROTECTIVE EQUIPMENT. ELIMINATE SOURCES OF IGNITION. VENTILATE THE AREA. CONTAIN THE SPILL. PICK UP LARGE SPILL WITH NON-SPARKING TOOLS; SMALL SPILLS/RESIDUE WITH INERT ABSORBENT MATERIAL. PLACE IN CONTAINERS. PREVENT ENTERING WATERWAYS/SEWERS.

Neutralizing Agent:NOT APPLICABLE.

=====
===== Handling and Storage =====

Handling and Storage Precautions:STORAGE-STORE IN A COOL,DRY,VENTILATED AREA.KEEP CONTAINER CLOSED.

Other Precautions:AVOID BREATHING VAPORS OR MISTS. DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING AND BEFORE EATING OR DRINKING. REMOVE CONTAMINATED CLOTHING PROMPTLY. KEEP OUT OF REACH OF CHILDREN.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. IF MISTY CONDITION, A NIOSH APPROVED AIR SUPPLIED RESPIRATOR OR MIST RESPIRATOR IS ADVISED.

Ventilation:NONE NORMALLY REQUIRE

D.
Protective Gloves:AVOID PROLONGED/REPEATED SKIN CONTACT
Eye Protection:AVOID EYE CONTACT
Other Protective Equipment:EYE WASH STATION, EMERGENCY SHOWER
Work Hygienic Practices:WASH HANDS BEFORE EATING OR DRINKING.
Supplemental Safety and Health
THIS PRODUCT IS A KIT WHICH CONSISTS OF MULTIPLE, INDEPENDENTLY
PACKAGED COMPONENTS. THE DOCUMENT NUMBERS FOR THE PRODUCT IS
11-4648-9.

===== Physical/Chemical Properties =====

HCC:N1
Boiling Pt:B.P. Text:380F,193C
Vapor Pres:1
Spec Gravity:0.76
Solubility in Water:NIL
Appearance and Odor:CLEAR LIQUID, CITRUS LIKE
Percent Volatiles by Volume:100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS
Stability Condition to Avoid:FIRE
Hazardous Decomposition Products:CARBON MONOXIDE AND CARBON DIOXIDE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, S
TATE
AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this infor

mation to their
particular situation.