

VERSATEC A XEROX CO -- 6040, ECP-PROCESS BLACK TYPE H TYPE V80 TON -- 6850-01-312-2977

===== Product Identification =====

Product ID:6040, ECP-PROCESS BLACK TYPE H TYPE V80 TON

MSDS Date:03/14/1990

FSC:6850

NIIN:01-312-2977

MSDS Number: BPFMH

=== Responsible Party ===

Company Name:VERSATEC A XEROX CO

Address:2710 WALSH AVE

City:SANTA CLARA

State:CA

ZIP:95051-0905

Country:US

Info Phone Num:800-828-

6571; 408-988-2800

Emergency Phone Num:716-422-2177

CAGE:IO271

=== Contractor Identification ===

Company Name:VERSATEC A XEROX CO

Address:2710 WALSH AVE

Box:City:SANTA CLARA

State:CA

ZIP:95051-0905

Country:US

Phone:800-828-6571; 408-988-2800

CAGE:IO271

Company Name:VERSATEC INC (REPLACED BY XES INC,VERSATEC PROD.)

Address:2710 WALSH AVE.

Box:City:SANTA CLARA

State:CA

ZIP:95051-0905

Country:US

Phone:716-422-2177 (XEROX CORP, NY)

CAGE:50804

===== Composition/Information on Ingredients =

=====

Ingred Name:HYDROTREATED HEAVY NAPHTHA; (ISOPARAFFINIC HYDROCARBON SOLVENT)  
CAS:64742-48-9  
Fraction by Wt: 80-90%

Ingred Name:POLYMER, UNSPECIFIED; (TRADE SECRET)

Ingred Name:PIGMENT (TRADE SECRET)

===== Hazards Identification =====

LD50 LC50 Mixture:LD50:(ORAL, RAT)>10 G/KG.  
Routes of Entry: Inhalation:YES Skin:NO Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:INGESTION POSES MAXIMUM RISK OF SEVERE  
RESPIRATORY DISTRESS BY ASPIRATION, AS WELL AS CNS DEPRESSION.  
INTENTIONAL INHALATION MAY RESULT IN ABNORMAL HEART RHYTHMS,  
RESPIRATORY ARREST, CNS TOXICITY. SKIN:MAY CAUSE IRRITATION &  
DERMATITIS W/PROLONGED OR REPEATED CONTACT.  
Explanation of Carcinogenicity:NOT RELEVANT  
Effects of Overexposure:SEE HEALTH HAZARDS.  
Medical Cond Aggravated by Exposure:NONE WHEN USED AS DESCRIBED BY  
PRODUCT LITERATURE.

===== First Aid Measures =====  
=====

First Aid:EYES:FLUSH THORO W/WATER FOR AT LST 15 MINUTES. SKIN:REMOVE  
CONTAM CLTHG. WASH THORO W/SOAP & WATER. INHAL:REMOVE FROM  
EXPOSURE. OBSERVE FOR ANY DIFFICULTY IN BREATHING. INGEST:DILUTE  
STOMACH CONTENT W/SEVERAL GLASSES OF WATER. DO NOT INDUCE  
VOMITING. ADDNL INFO:CALL MD.

===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:>102F,>39C  
Lower Limits:0.8%  
Upper Limits:7%  
Extinguishing Media:FOAM, DRY CHEMICAL,

CO\*2, WATER FOG.  
Fire Fighting Procedures:WEAR NIOSH/MSHA APPRVD SCBA & FULL PROT EQUIP  
. COOL EXPOSED CNTNRS W/WATER SPRAY. AVOID BRTHG VAP/FUMES.  
Unusual Fire/Explosion Hazard:DO NOT MIX OR STORE W/STRONG OXIDANTS  
LIKE LIQUID CHLORINE OR CONCENTRATED OXYGEN.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE IGNITION SOURCES. RECOVER FREE LIQUID  
USING AN ABSORBENT MATERIAL (VERMICULITE, FIRE RETARDANT, SAWDUST,  
ETC).  
Neutraliz  
ing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED. AVOID HANDLING  
NEAR HEAT, STRONG LIGHT, SPARKS, OPEN FLAMES, STRONG OXIDANTS.  
Other Precautions:AVOID BREATHING VAPORS. AVOID PROLONGED OR REPEATED  
SKIN CONTACT.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE, WHEN USED AS INTENDED W/VERSATEC (XEROX)  
PRODUCTS. USE NIOS  
H/MSHA APPROVED RESPIRATOR APPROPRIATE FOR  
EXPOSURE OF CONCERN .  
Ventilation:NONE SPECIFIED BY MANUFACTURER.  
Protective Gloves:NEOPRENE OR NITRILE GLOVES.  
Eye Protection:CHEMICAL WORKERS GOGGLES .  
Other Protective Equipment:NONE, WHEN USED AS INTENDED W/VERSATEC  
(XEROX) PRODUCTS.  
Work Hygienic Practices:NONE SPECIFIED BY MANUFACTURER.  
Supplemental Safety and Health  
MFR'S TRADE NAME/PART NO:CONCENTRATE.

===== Physical/Chemical Properties =====

HCC:F4  
Boiling

Pt:B.P. Text:>320F,>160C  
Vapor Pres:1 @ 20C  
Vapor Density:5  
Spec Gravity:0.77 (H\*2O=1)  
Evaporation Rate & Reference:0.3 (N-BUTYL ACETATE=1)  
Solubility in Water:IMMISCIBLE  
Appearance and Odor:BLACK LIQUID; SLIGHT ODOR.  
Percent Volatiles by Volume:80-100

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDANTS SUCH AS LIQ CHLORINE, CONCENTRATE O\*2, SODIUM OR  
CALCIUM HYPOCHLORITE.  
Stability Condition to Avoid:NONE SPECI  
FIED BY MANUFACTURER.  
Hazardous Decomposition Products:FUMES, SMOKE & CO IN CASE OF  
INCOMPLETE COMBUSTION.

===== Disposal Considerations =====

Waste Disposal Methods:WASTE TONER MAY BE CLASSIFIED AS AN IGNITABLE  
HAZ WASTE UNDER FED, &/OR STATE REGS & SHOULD BE DISPOSED AT AN  
APPROVED DISPOSAL SITE OR FACILITY I/A/W FEDERAL, STATE & LOCAL  
REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is for  
mulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.