

J.L. HOFFMAN CO. INC -- LAUNDRY DETERGENT -- 7930-00-929-1220

=====  
Product Identification  
=====

Product ID:LAUNDRY DETERGENT

MSDS Date:12/01/1991

FSC:7930

NIIN:00-929-1220

MSDS Number: BPKXG

=== Responsible Party ===

Company Name:J.L. HOFFMAN CO. INC

Address:414 NORTH FULTON STREET

Box:8656

City:ALLENTOWN

State:PA

ZIP:18105

Info Phone Num:215-432-4466

Emergency Phone Num:215-432-4466

Preparer's

Name:IH

CAGE:74381

=== Contractor Identification ===

Company Name:J.L. HOFFMAN CO. INC

Address:414 NORTH FULTON STREET

Box:8656

City:ALLENTOWN

State:PA

ZIP:18105

Phone:215-432-4455

CAGE:74381

=====  
Composition/Information on Ingredients  
=====

Ingred Name:SODIUM SILICATE

CAS:6834-92-0

RTECS #:VV9275000

Fraction by Wt: 3%

Other REC Limits:NONE SPECIFIED

ACGIH TLV:2 MG/MC

Ingred Name:SODIUM CARBONATE

CAS:497-19-8

RTECS #:VZ4050000

Fraction by Wt: 10%

Other REC Limits:NONE SPECI

FIED

Ingred Name:SODIUM TRIPOLYPHOSPHATE

CAS:7758-29-4

RTECS #:YK4570000

Fraction by Wt: 14%

Other REC Limits:NONE SPECIFIED

OSHA PEL:5 MG/M3TWA

ACGIH TLV:5 MG/3MT

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:INERT

Fraction by Wt: 73%

Other REC Limits:NONE SPECIFIED

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Health Hazards Acute and Chronic:INHALATION MAY IRRITATE NOSE, THROAT,  
LUNGS.

Effects of Ove

reposure:PROLONGED CONTACT MAY CAUSE IRRITATION TO SKIN.

Medical Cond Aggravated by Exposure:DRY SKIN.

=====  
First Aid Measures  
=====

First Aid:SKIN: WASH WITH PLENTY OF WATER. EYES: FLUSH WITH WATER FOR  
AT LEAST 15 MINUTES. INGESTION: DRINK LARGE QUANTITIES OF WATER. DO  
NOT INDUCE VOMITING.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:SHOVEL UP DRY CHEMICAL INTO EMPTY CONTAINER  
WITH A COVER. F

LUSH RESIDUE WITH PLENTY OF WATER.

Neutralizing Agent:ACIDS SUCH AS VINIGAR.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE IN DRY PLACE.

=====  
Exposure Controls/Personal Protection  
=====

Respiratory Protection:WHERE REQUIRED USE NIOSH APPROVED RESPIRATOR FOR  
PRODUCT DUST.

Ventilation:NONE

Protective Gloves:GENERAL PURPOSE RUBBER OR VINYL

Eye Protection:GOGGLES

Other Protective Equipment:RUBBER APRON

Supplement

al Safety and Health

===== Physical/Chemical Properties =====

pH:11  
Solubility in Water:100  
Appearance and Odor:WHITE GRANULAR SOLID  
Percent Volatiles by Volume:4

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG ACIDS MAY REACT TO RELEASE CARBON DIOXIDE.  
Stability Condition to Avoid:STRONG ACIDS  
Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

=====

Waste Disposal Methods:DILUTE WITH WATER AND FLUSH TO SEWER.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility  
for the suitability of this information to their  
particular situation.