View NSN Online: https://aerobasegroup.com/nsn/7930-00-068-1669

THE LIGHTHOUSE OF HOUSTON -- DETERGENT, GENERAL PURPOSE (SPRAY ON, WIPE - 7930-00-068-1669

Product ID:DETERGENT, GENERAL PURPOSE (SPRAY ON, WIPE MSDS Date:06/01/1992 FSC:7930 NIIN:00-068-1669 MSDS Number: BPNTW === Responsible Party === Company Name: THE LIGHTHOUSE OF HOUSTON Address:3530 W DALLAS **City:HOUSTON** State:TX ZIP:77019 Country:US Info Phone Num:713-527 -9561 Emergency Phone Num:713-260-2505 Preparer's Name: IAN SANGREE CAGE:1A861 === Contractor Identification === Company Name: LIGHTHOUSE FOR THE BLIND OF HOUSTON Address:3530 W DALLAS Box:130435 City:HOUSTON State:TX ZIP:77021-0435 Country:US Phone:713-268-9319 CAGE:1A862 Company Name: THE LIGHTHOUSE OF HOUSTON Address:3530 W. DALLAS **City:HOUSTON** State:TX ZIP:77019 Country:US Phone:713-527-9561/FAX 713-527-8165 CAGE:1A861

======= Composition/Information on Ingredients ==========

Ingre

d Name:PROPYLENE GLYCOL T-BUTYL ETHER CAS:57018-52-7 RTECS #:UB3772000 Fraction by Wt: 5+/-.3% Other REC Limits:NONE SPECIFIED

Ingred Name:VERSENE 100 (CHELATING AGENT) CAS:64-02-8 RTECS #:AH5075000 Fraction by Wt: 3+/-3% Other REC Limits:NONE SPECIFIED

Ingred Name:ALKOXYLATED LINEAR ALCOHOL CAS:52232-09-4 Fraction by Wt: 1+/-3% Other REC Limits:NONE SPECIFIED ACGIH TLV:2 MG/CU M

Health Hazards Acute and Chronic:HEADACHES,
DIZZINESS, NAUSEA AND
VOMITING AND DIARRHEA MAY OCCUR DUE TO PROLONGED INHALATION,
PROLONGED SKIN ABSORPTION OR FROM SWALLOWING. CONTACT WITH EYES MAY
CAUSE EYE IRRITATION AND POSSIBLE CORN EAL INJURY. MAY CAUSE MUCOUS
MEMBRANE IRRITATION.
Effects of Overexposure:EXPOSURE TO SKIN DURING NORMAL USE MAY CAUSE
SKIN IRRITATION. IF IRRITATION PERSISTS, DISCONTINUE USE AND
CONTACT A PHYSICIAN. CONTACT WITH EYES MAY CAUSE EYE IRRITATION.
Medical Cond Aggravated by Exposure:MAY A
GGRAVATE PRE-EXISTING SKIN

First Aid:EYE CONTACT: REMOVE ANY CONTACT LENSES AND FLUSH WITH WATER FOR 15 MINUTES. IF SWALLOWED, DRINK TWO GLASSES OF WATER AND INDUCE VOMITING. GET MEDICAL ATTENTION IMMEDIATELY. PROLONGED EXPOSURE TO SKIN MAY CAUSE CONTACT DERMATITIS (REDNESS AND SORENESS OF SKIN). CONTACT PHYSICIAN IF IRRITATION PERSISTS.

Flash Point Method:TCC Flash Point:200+F,93+C Extinguishing Media:WATER FOG, CO2, DRY CHEMICAL EXTINGUISHER, FOAM Fire Fighting Procedures: FIRE FIGHTER SHOULD BE EQUIPPED WITH SELF-CONTAINED BREATHING APPARATUS AND TURN-OUT GEAR. **Unusual Fire/Explosion Hazard:NONE** Spill Release Procedures: FOR LARGE INDUSTRIAL SPILLS, STOP SPILL AT ONCE. CONTAIN SPILL BY DIKE OR OTHER MEANS, PUMP INTO SALVAGE TANK. W ASH FLOOR WITH WATER. Handling and Storage Precautions: KEEP CONTAINER TIGHTLY CLOSED. KEEP CONTAINERS CLOSED. STORE IN COOL, DRY, WELL VENTILATED AREA. Other Precautions: KEEP FROM FREEZING. Respiratory Protection: NONE REQUIRED UNDER NORMAL USE, NIOSH ORGANIC VAPOR RESPIRATOR IF VAPORS EXCEED TLV. Ventilation: USE IN WELL VENTILATED AREA. Protective GI oves: RUBBER OR BUTYL Eye Protection: CHEMICAL GOGGLES Other Protective Equipment: IMPERVIOUS APRON & BOOTS TO MAINTAIN BELOW TLV Supplemental Safety and Health HCC:T4 Boiling Pt:B.P. Text:212F,100C Melt/Freeze Pt:M.P/F.P Text:32.0F,0.0C Decomp Temp:Decomp Text:212F,100C Vapor Pres: AIR Spec Gravity:1.0182 (WATER=) pH:9.5-Viscosity: EQUAL TO WATR Evaporation Rate & amp; Reference: 1 CC/60 HRS (70F) Solubility in Water:COMPLETE

Appearance and Odor:WATER CLEAR, MILD ALCOHOL ODOR Percent Volatiles by Volume:96.5 Corrosion Rate:N/K10.5

Stability Indicator/Materials to Avoid:YES
OXIDIZING AGENTS.
Stability Condition to Avoid:STORE IN COOL DRY PLACE. KEEP FROM FREEZING. DONT USE ON AIRCRAFT SURFACES, INSIDE OF COOKING OR EATING SURFACES.
Hazardous Decomposition Products:OXIDES OF CARBON AND OTHER HYDROCARBONS

====== Disposal C

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, COUNTY, STATE, AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document shoul

d seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.