

SIDMAK LABORATORIES, INC -- METRONIDAZOLE, USP 250 MG -- 6505-00-890-1840

=====  
Product Identification  
=====

Product ID:METRONIDAZOLE, USP 250 MG

MSDS Date:06/16/1992

FSC:6505

NIIN:00-890-1840

MSDS Number: BPPMM

=== Responsible Party ===

Company Name:SIDMAK LABORATORIES, INC

Address:17 WEST ST

Box:371

City:EAST HANOVER

State:NJ

ZIP:07936-2822

Country:US

Info Phone Num:201-386-0547

Emergency Phone

Num:201-386-5566

CAGE:1BL76

=== Contractor Identification ===

Company Name:SIDMAK LABORATORIES, INC

Address:17 WEST ST

Box:371

City:EAST HANOVER

State:NJ

ZIP:07936-2822

Country:US

Phone:201-386-5566

CAGE:1BL76

=====  
Composition/Information on Ingredients  
=====

Ingred Name:METRONIDAZOLE

CAS:443-48-1

RTECS #:NI5600000

Fraction by Wt: 69.44%

Other REC Limits:NONE RECOMMENDED

Ingred Name:INACTIVES

Fraction by Wt: 30.56%

Other REC Limits:NONE RECOMMENDED

=====  
H

azards Identification =====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:NO

Health Hazards Acute and Chronic:MAY CAUSE CONVULSIVE SEIZURES AND PERIPHERAL NEUROPATHY. MAY CAUSE ABDOMINAL DISTRESS, CENTRAL NERVOUS SYSTEM EFFECTS, HYPERSENSITIVITY, KIDNEY PROBLEMS.

Explanation of Carcinogenicity:METRONIDAZOLE IS LISTED AS A SUSPECT OR POSSIBLE CARCINOGEN BY NTP AND IARC.

Effects of Overexposure:METALLIC TASTE,

CONVULSIVE SEIZURES, DIZZINESS,

VETIGO, INCOORDINATION, ATAXIA, CONFUSION, IRRITABILITY,

DEPRESSION, WEAKNESS, INSOMNIA, RASH, FLUSHING, NASAL CONGESTION,

DRYNESS OF MOUTH, DARKENED URINE, FEELING OF PELVIC PRESSURE.

Medical Cond Aggravated by Exposure:PERSONS WITH CENTRAL NERVOUS SYSTEM DISORDERS ARE AT INCREASED RISKS FOR SYMPTOMS OF OVEREXPOSURE WHEN TAKING THIS PRODUCT.

===== First Aid Measures =====

First Aid:INHALED: REMOVE TO

FRESH AIR. GIVE RESPIRATORY SUPPORT AS

NEEDED. SEE DOCTOR. EYES: FLUSH WITH LOTS OF WATER FOR 15 MINUTES.

SEE DOCTOR. SKIN: WASH WITH SOAP AND WATER. INGESTED: GET IMMEDIATE

MEDICAL ATTENTION. SYMPTOMATIC AND SUPPORTIVE THERAPY.

===== Fire Fighting Measures =====

Flash Point:NONFLAMMABLE

Extinguishing Media:MEDIA APPROPRIATE FOR SURROUNDING FIRE.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND BUNKER GEAR.

Unusual Fire/E

xplosion Hazard:NONE

===== Accidental Release Measures =====

Spill Release Procedures:WIPE UP OR SWEEP/MOP UP SPILLED MATERIAL. BE CAREFULL OF NEEDLES. PLACE IN A SEALED/LABELED CONTAINER FOR LATER DISPOSAL.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY AREA.

Other Precautions:NONE SPECIFIED BY MANUFACTURER.

===== Exposur

Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED.  
Ventilation:USE ADEQUATE MECHANICAL VENTILATION.  
Protective Gloves:NONE NORMALLY REQUIRED.  
Eye Protection:SAFETY GLASSES  
Other Protective Equipment:NONE NORMALLY REQUIRED.  
Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING,  
DRINKING, OR SMOKING.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1  
Appearance and Odor:WHITE, ROUND, CONVEX, UNCOATED TABLET (11/32")  
IMPRINTED WITH SL ON ONE SIDE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NONE  
Stability Condition to Avoid:NONE  
Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF AS MEDICAL WASTE (NEEDLES AND  
CARTRIDGES) IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.