

BAKER SEALANTS AND COATINGS CO -- RAW LINDSEED OIL -- 8010-00-656-1639

=====  
Product Identification  
=====

Product ID:RAW LINDSEED OIL

MSDS Date:10/05/1989

FSC:8010

NIIN:00-656-1639

MSDS Number: BPRJF

=== Responsible Party ===

Company Name:BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE

Box:B

City:JERSEY CITY

State:NJ

ZIP:07304-3306

Country:US

Info Phone Num:201-333-6986 / FAX 201-333-6955

Em

ergency Phone Num:201-333-6986

Preparer's Name:MARIO NAVARRO

CAGE:34094

=== Contractor Identification ===

Company Name:BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE

Box:City:JERSEY CITY

State:NJ

ZIP:07304-3306

Country:US

Phone:201-333-6986

CAGE:34094

Company Name:STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Phone:201-437-6501

CAGE:33150

=====  
Composition/Information on Ingredients  
=====

Ingred Name:LINSEED OIL (RAW LINSEE

D OIL IS NOT A HAZARDOUS MATERIAL  
UNDER CURRENT DEPARTMENT OF LABOR DEFINITIONS)

CAS:8001-26-1

RTECS #:O19690000

Other REC Limits:NONE SPECIFIED

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Health Hazards Acute and Chronic:NONE

=====  
First Aid Measures  
=====

First Aid:EYES: FLUSH WITH CLEAN WATER FOR 15 MINUTES. SKIN: WASH WITH  
SOAP AND WATER AND OBSERVE ROUTINE HYGIENIC  
PRACTICES.

=====  
Fire Fighting Measures  
=====

Flash Point Method:CC  
Flash Point:>200F,>93C  
Extinguishing Media:WATER SPRAY, DRY CHEMICAL, FOAM, CARBON DIOXIDE,  
Fire Fighting Procedures:WATER/FOAM MAY CAUSE FROTHING IF DIRECTED INTO  
CNTNR OF BURNING LIQUID. FIRE FIGHTER SHOULD WEAR PROTECTIVE  
CLOTHES. USE WATER TO KEEP FIRE EXPOSED CNTNRS COOL.

=====  
Accidental Release Measures  
=====

Spill Release Procedures:LARGE SPILLS:  
MAY BE SCOOPED UP AND PUT INTO  
CONTAINERS OR SALVAGED. SMALL SPILLS: SPILL MAY BE PICKED UP WITH  
ABSORBENT MATERIAL AND TRANSFERRED TO CONTAINERS.

=====  
Handling and Storage  
=====

Handling and Storage Precautions:STORE AWAY FROM HIGH TEMPERATURES AND  
FLAMES. DO NOT BREATHE SPRAY MIST.  
Other Precautions:AVOID SPONTANEOUS COMBUSTION OF CONTAMINATED RAGS &  
EASILY IGNITABLE ACCUMULATIONS (SUCH AS SPRAY BOOTH RESIDUES) BY  
IMMEDIATE IMMERSION IN

WATER. EMPTIED CONTAINERS MAY RETAIN  
RESIDUES OF PRODUCT. DO NOT CUT, PUNCTURE, WELD ON/NEAR CONTAINERS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: NOT NORMALLY NEEDED  
Protective Gloves: NEOPRENE RUBBER GLOVES  
Eye Protection: GOGGLES OR SIDE SHIELD SPECTACLES  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC: N1  
Spec Gravity: 0.92  
Appearance and Odor: AMBER LIQUID  
Percent Volatiles by Volume: 0

=  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid: YES  
AVOID CONTACT WITH STRONG OXIDIZING AGENTS.  
Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDES ARE  
POSSIBLE

===== Disposal Considerations =====

Waste Disposal Methods: SEE OTHER PRECAUTIONS BELOW. CAREFULLY  
INCINERATE OR USE SECURE LANDFILL IN ACCORDANCE WITH LOCAL, STATE  
AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.