View NSN Online: https://aerobasegroup.com/nsn/8040-00-539-7798

Product ID: EPK 608 PART A MSDS Date:03/01/1989 FSC:8040 NIIN:00-539-7798 Kit Part:Y MSDS Number: BPVBD === Responsible Party === Company Name: DEXTER CORP HYSOL DIV Address:164 FOLLY MILL RD City:SEABROOK State:NH ZIP:03874 Country:US Info Phone Num:603-474-5541 Emergency Phone Num:603-474-5541/800-424-9 300(CHEMTREC) Preparer's Name: DR. SHELDON CLARK CAGE:1JB33 === Contractor Identification === Company Name: DEXTER CORP THE HYSOL DIV Address:1 DEXTER DR Box:City:SEABROOK State:NH ZIP:03874 Country:US Phone:603-474-5541/FAX: 603-474-5545 CAGE:1JB33

Ingred Name:SILICA, AMORPHOUS (FILLER PARTICULES ARE THOROUGHLY WETTED BY VEHICLE SO AIRBORNE EXPOSURE DOES NOT OCCUR UNLESS * CAS:112945-52-5 RTECS #:VV7310000 Other REC Limit s:NONE SPECIFIED OSHA PEL:20 MPPCF

Ingred Name:MATERIAL IS SUBSEQUENTLY GROUND, MACHINED, OR SANDED). RTECS #:99999992Z Other REC Limits:NONE SPECIFIED

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:MAY CAUSE SKIN IRRITATION AND POSSIBLE ALLERGIC REACTIONS. PROLONGED/REPEATED CONTACT MAY CAUSE SENSITIZATION WHICH WILL RESULT IN ALLERGIC REACTIONS. Effects of Overexposure:SKIN RA SH/IRRITATION

First Aid:FLUSH SKIN AND EYE CONTACT WITH PLENTY OF WATER. WASH SKIN THOROUGHLY WITH SOAP AND WATER, RUBBING ALCOHOL OR HAND CLEANER. DO NOT USE SOLVENTS. REMOVE SOILED CLOTHING AND WASH BEFORE REUSE. IF IRRITA TION PERSISTS, SEE PHYSICIAN.

Flash Point Method:COC Flash Point:470F,243C Extinguishing Media:DRY CHEMICAL OR HALON FIRE EXTINGUISHERS, OR WATER SPRAY, FOAM, OR FOG. Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS WHEN FIGHTING FIRES IN CONFINED AREAS. Unusual Fire/Explosion Hazard:DENSE SMOKE AND TOXIC GASSES MAY BE LIBERATED.

Spill Release Procedures:SCRAPE UP AND TRANSFER TO METAL CONTAINER. WIPE UP REMAINING RESIDUE WITH SOLVENTS, OBSERVING SOLVENT FLAMMABILITY CAUTIONS, OR USE DETERGENT.

Handling and Storage Precautions: KEEP COOL IN ACCORDANCE WITH LABEL INSTRUCTIONS.

Other Precautions: FAILURE TO OBSERVE CAUTIONS MAY RESULT IN EXCESSIVE HEAT BUILD-UP WITH THE RELEASE OF TOXIC GASSES.

======= Exposure Controls/Personal Protection ==========

Respiratory Protection:NOT REQUIRED WITH GOOD INDUSTRIAL VENTILATION. Ventilation:LOCAL EXHAUST RECOMMENDED, MECHANICAL ACCEPTABLE Protective Gloves:IMPERVIOUS PLASTIC/ RUBBER Eye Protection:SAFETY GLASSES/GOGGLES Other Protective Equipment:AS NEEDED TO PROTECT SKIN AND CLOTHING Supplemental Safety and Health

HCC:N1 Boiling Pt:B.P. Text:>500F,>260C Vapor Pres:1 Solubility in Water:INSOLUBLE Appearance and Odor:MILKY, HIGH VISCOSITY LIQUID

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZING AGENTS, STRONG LEWIS OR M
INERAL ACIDS.
Hazardous Decomposition Products:CO, NOX, ALDEHYDES, ACIDS, AND UNDETERMINED ORGANICS.
Conditions to Avoid Polymerization:AVOID MIXING RESIN/CURING AGENT IN BATCHES GREATER THAN 1 LB TOTAL. DONT HEAT MATERIAL UNLESS CURING SURFACES TO BONDED.

Waste Disposal Methods:DISPOSE OF AS HAZARDOUS WASTE ACCORDING TO DOT HAZARD CLASS. IF NOT REGULATED BY DOT DISPOSE OF AS ORM-E. DISPOSAL METHOD CAN BE L

AND BURIAL OR CHEMICAL INCINERATION.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this in formation to their particular situation.