

AMERICAN DENTAL SUPPLY INC -- REMOVE-IT WAX SOLVENT -- 6520-00-299-9643

=====
Product Identification
=====

Product ID:REMOVE-IT WAX SOLVENT

MSDS Date:12/01/1992

FSC:6520

NIIN:00-299-9643

MSDS Number: BPXXF

=== Responsible Party ===

Company Name:AMERICAN DENTAL SUPPLY INC

Address:2600 WILLIAM PENN HWY

City:EASTON

State:PA

ZIP:18042

Country:US

Info Phone Num:215-252-1464

Emergency Phone Num:215-252

-1464

Preparer's Name:L.D. HOCHHAUSER

CAGE:2W369

=== Contractor Identification ===

Company Name:AMERICAN DENTAL SUPPLY INC.

Address:2600 WILLIAM PENN HWY

Box:City:EASTON

State:PA

ZIP:18042

Country:US

Phone:610-252-1464

CAGE:2W369

=====
Composition/Information on Ingredients
=====

Ingred Name:HYDROCARBON BLENDS

Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Report

s of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYES: DIRECT CONTACT CAN CAUSE IRRITATION. SKIN: PROLONGED CONTACT MAY CAUSE IRRITATION OR SENSITIVITY. INGESTION: CAN CAUSE IRRITATION OF THE GASTROINTESTINAL TRACT AND SIGNS OF CNS DEPRESSION.
Explanation of Carcinogenicity:NO COMPONENTS IDENTIFIES AS CARCINOGENS OR POTENTIAL CARCINOGENS BY NTP, IARC OR OSHA.
Effects of Overexposure:INHALATION: EXCESSIVE INHALATION OF HIGH CONCENTRATIONS MAY CAUSE DIZZINESS OR NAUSEA, AND IRRITATION OF RESPIRATORY TRACT.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====
===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF COOL WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. INHALATION: IF AFFECTED, REMOVE TO FRESH AIR. INGESTION: GIVE MILK OR WATER. CONTACT PHYSICIAN FOR TREATMENT AS A HYDROCARBON. DO NOT INDUCE VOMITING.

=
=====
===== Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:130F,54C
Autoignition Temp:Autoignition Temp Text:UNK
Lower Limits:1%
Extinguishing Media:USE CARBON DIOXIDE, DRY CHEMICAL OR FOAM.
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:RAGS, ETC. WET WITH SOLVENT SHOULD BE DISPOSED OF BY BURNING IN A HOOD OR STORED IN A CLOSED METAL SAFETY CAN.

=====
===== Accidental Release Measures =====

Spill Release Procedures:CAN BE SOAK UP WITH ABSORBANT MATERIAL, WHICH MAY THEN BE INCINERATED OR DISPOSED OF IN CLOSED METAL CONTAINERS. OBSERVE ALL APPLICABLE FEDERAL AND LOCAL REGULATIONS.
Neutralizing Agent:NONE

=====
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINERS WELL CLOSED. STORE IN COOL, DRY, WELL VENTILATED AREA. FOR LABORATORY OR OFFICE USE ONLY. AVOID HEAT AND DIRECT SUNLIGHT.
Other Precautions:KEEP OUT OF REACH OF CHILDREN

LDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NEEDED IN NORMAL USE.

Ventilation:LOCAL EXHAUST PREFERRED. MECHANICAL IS ACCEPTABLE IF SUFFICIENT TO KEEP LEVELS BELOW TLV.

Protective Gloves:RUBBER GLOVES

Eye Protection:CHEMICAL GOGGLES, OR SAFETY GLASSES

Other Protective Equipment:EYEWASH STATION.

Work Hygienic Practices:NORMAL PRECAUTIONS OF LABORATORY GOOD HOUSEKEEPING PRACTICES SHOULD BE FOLLOWED.

Supplemental Safety and Health

NONE

===== Physical/Chemical Properties =====

HCC:F4

Boiling Pt:B.P. Text:340F,171C

Vapor Density:>1

Spec Gravity:0.84

Evaporation Rate & Reference: