

CAPLAN HAROLD CO -- BEESWAX -- 9160-00-253-1171

===== Product Identification =====

Product ID:BEESWAX  
MSDS Date:08/29/1986  
FSC:9160  
NIIN:00-253-1171  
MSDS Number: BQDJQ  
=== Responsible Party ===  
Company Name:CAPLAN HAROLD CO  
Address:8807 BUNNINGHAM  
City:HOUSTON  
State:TX  
ZIP:77055  
Country:US  
Info Phone Num:713-468-7043  
Emergency Phone Num:713-468-7043  
Preparer's Name:DGSC-SSH  
CAGE:57870  
=== Contrac  
tor Identification ===  
Company Name:CAPLAN HAROLD CO  
Address:8807 BUNNINGHAM  
Box:City:HOUSTON  
State:TX  
ZIP:77055  
Country:US  
Phone:713-468-7043  
CAGE:57870

===== Composition/Information on Ingredients =====

Ingred Name:HYDROCARBONS  
Ingred Name:STRAIGHT CHAIN MONOHYDRIC ALCOHOL  
Ingred Name:ACIDS

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Heal

th Hazards Acute and Chronic:COLD MATERIAL MAY BE AN IRRITANT AS A FOREIGN OBJECT. HOT MATERIAL WILL CAUSE SERIOUS BURNS. INHALATION OF HOT FUMES MAY CAUSE RESPIRATORY TRACT IRRITATION.

Explanation of Carcinogenicity:NONE OF THE COMPOUNDS IN THIS PRODUCT IS LISTED BY IARC, NTP, OR OSHA AS A CARCINOGEN.

Effects of Overexposure:POSSIBLE EYE, SKIN AND RESPIRATORY TRACT IRRITATION FROM HOT FUMES. HOT MATERIAL WILL CAUSE SERIOUS BURNS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

=====  
===== First Aid Measures =====

First Aid:TREAT COLD MATERIAL AS FOREIGN OBJECT. REMOVE CAREFULLY IF POSSIBLE AND CONSULT PHYSICIAN. IF HOT MATERIAL GETS INTO EYE, COOL AS RAPIDLY AS POSSIBLE. SEEK MEDICAL AID IMMEDIATELY. IF HOT MATERIAL CONTACTS SKIN, COOL AS RAPIDLY AS POSSIBLE. DO NOT ATTEMPT TO REMOVE. SEEK MEDICAL AID IMMEDIATELY.

=====  
===== Fire Fighting Measures =====

Flash Point Met

hod:COC

Flash Point:470.0F,243.3C

Autoignition Temp:Autoignition Temp Text:520F

Extinguishing Media:USE CARBON DIOXIDE, FOAM, DRY CHEMICAL, OR WATER FOG.

Fire Fighting Procedures:FIRE FIGHTERS SHOULD USE NIOSH APPROVED SCBA & FULL PROTECTIVE EQUIPMENT WHEN FIGHTING CHEMICAL FIRE. USE WATER SPRAY TO COOL NEARBY CONTAINERS EXPOSED TO FIRE.

Unusual Fire/Explosion Hazard:DO NOT STORE OR MIX WITH STRONG OXIDANTS.

=====  
===== Accidental Release Measures =====

Spill

Release Procedures:MATERIAL WILL SOLIDIFY UPON COOLING. SWEEP UP SPILLED MATERIAL AND PLACE IN SUITABLE CONTAINERS FOR RECYCLE OR DISPOSAL. REMOVE RESIDUE WITH SOLVENT.

Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY AREA. KEEP AWAY FROM HEAT AND OPEN FLAME. KEEP CONTAINERS TIGHTLY CLOSED WHEN NOT IN USE. PROTECT CONTAINERS FROM PHYSICAL DAMAGE.

Other Prec

autions:AVOID BREATHING FUMES. REMOVE OIL-IMPREGNATED CLOTHING. WASH THOROUGHLY AFTER EXPOSURE.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. IF VENTILATION DOES NOT MAINTAIN INHALATION EXPOSURES BELOW PEL(TLV), USE NIOSH/MSHA APPROVED RESPIRATORS AS PER CURRENT 29 CFR 1910.134, INSTRUCTIONS/WARNINGS AND NIOSH-RESPIRATOR DECISION LOGIC.

Ventilation:PROVIDE SUFFICIENT GENERAL/LOCAL EXHAUST VENTILATION TO CAPTURE HOT FUMES.

Protective Gloves:HEAT RESISTANT

Eye Protection:PROTECTIVE GOGGLES

Other Protective Equipment:APRON/COVERALLS AS REQUIRED.

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES. AVOID CONTACT WITH HOT OR MOLTEN MATERIAL.

Supplemental Safety and Health  
NONE.

=====  
===== Physical/Chemical Properties =====

HCC:N1

Melt/Freeze Pt:M.P/F.P Text:145F,63C

Spec Gravity:0.950-.970

Solubility in Water:INSOLUBLE.

Appearance and

Odor:PALE GOLD TO LIGHT BROWN IN COLOR. NO OBJECTIONABLE ODOR.

Percent Volatiles by Volume:0

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZING AGENTS.

Stability Condition to Avoid:HIGH TEMPERATURES.

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE.

=====  
===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL SHOULD BE MADE IN ACCORDANCE WITH ALL APPLIC

ABLE FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.