

WITCO CHEMICAL CO -- PETROLATUM VV-P-236A -- 9150-00-530-7368

===== Product Identification =====

Product ID:PETROLATUM VV-P-236A

MSDS Date:06/20/1990

FSC:9150

NIIN:00-530-7368

MSDS Number: BQMFK

=== Responsible Party ===

Company Name:WITCO CHEMICAL CO

Address:ROUTE 268

City:PETROLIA

State:PA

ZIP:16050-9201

Country:US

Info Phone Num:412-756-2210

Emergency Phone Num:412-756-2210

Preparer's Name:ALEX

ANDER COUTRAS

CAGE:1F469

=== Contractor Identification ===

Company Name:WITCO CHEMICAL CORP GOLDEN BEAR OIL CO DIVISION

Address:MANOR & NORRIS ROADS

Box:5446

City:OILDALE

State:CA

ZIP:93388-5446

Country:US

Phone:805-393-7110/800-424-9300(CHEMTREC)

CAGE:1F469

Company Name:WITCO CORP

Box:84075

City:HOUSTON

State:TX

ZIP:77042-0075

Country:US

Phone:713-975-5858

CAGE:5H954

===== Composition/Information on Ingredients =====

Ingred Name:GREASE, PETROLEUM

CAS:8009-03-8

Other REC Limi

ts:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:TWA/PEL OF 5 MG/M3 OIL MIST  
Routes of Entry: Inhalation:NO Skin:YES Ingestion:YES  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:NO DATA AVAILABLE.  
Explanation of Carcinogenicity:THIS COMPOUND CONTAINS NO INGREDIENTS AT  
CONCENTRATIONS OF 0.1% OR GREATER THAT ARE CARCINOGENS OR SUSPECT  
CARCINOGENS.  
Effects of Overexposure:NO DATA AVAILABLE.  
Medical Cond Aggravated by Exposure:NO DATA AVAILABLE

===== First Aid Measures =====

First Aid:EYES: FLUSH IMMEDIATELY WITH COLD WATER. CALL A PHYSICIAN.  
SKIN: FOR MOLTEN PETROLATUM, FLUSH IMMEDIATELY WITH COLD WATER.  
CALL A PHYSICIAN. FOR SOLIDIFIED PETROLATUM REMOVE EXCESS WITH  
PAPER TOWELS, WASH WITH SOAP & WATER. INHALATION: NDA. SWALLOWED:  
CALL A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:COC  
Flash Point:>399F,>204C  
Autoignition Temp:Autoignition Temp Text:NDA  
Lower Limits:NDA  
Upper Limits:NDA  
Extinguishing Media:DRY CHEMICAL, CARBON DIOXIDE, FOAM, WATER FOG,  
SAND/EARTH. WATER SPRAY IS AN UNSUITABLE EXTINGUISHING AGENT.  
Fire Fighting Procedures:FIREFIGHTERS SHOULD USE SELF-CONTAINED  
BREATHING APPARATUS TO PROTECT AGAINST SMOKE INHALATION.  
Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures =====

Spill Release Procedure

dures:SHUT OFF LEAK AND DIKE UP LARGE SPILLS. AFTER  
COOLING AND SOLIDIFICATION, SCRAPE AND/OR SHOVEL UP MATERIAL.  
FINALLY, CLEAN AREA WITH AN OIL ABSORBENT MATERIAL.

===== Handling and Storage =====

Handling and Storage Precautions:STORE AWAY FROM FLAME, HEAT (200  
MAX.), AND STRONG OXIDIZING AGENTS. AVOID SKIN AND EYE CONTACT.  
Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NDA  
Ve  
ntilation:NDA  
Protective Gloves:WEAR IMPERVIOUS GLOVES.  
Eye Protection:WEAR FACE SHIELD OVER SAFETY GLASSES.  
Other Protective Equipment:WEAR COVERALLS.  
Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING AND BEFORE  
EATING, DRINKING OR SMOKING.  
Supplemental Safety and Health  
UNREGULATED BY D.O.T.

===== Physical/Chemical Properties =====

HCC:V6  
Boiling Pt:B.P. Text:NDA  
Melt/Freeze Pt:M.P/F.P Text:43-82C  
Vapor Pres:NDA  
Vapor Density:NDA  
Spec Gravity:0.815-0.880  
pH:NA  
Viscosity:NDA  
Evaporation Rate & Reference:NDA  
Solubility in Water:NIL  
Appearance and Odor:SEMI-SOLID, OIL-LIKE, OPAQUE, YELLOW TO BROWN.  
Percent Volatiles by Volume:NDA

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
KEEP AWAY FROM STRONG OXIDIZING AGENTS.  
Stability Condition to Avoid:KEEP AWAY FROM FLAME, HEAT (200F MAX.).  
Hazardous Decomposition Products:UPON COMBUSTION, CARBON MONOXIDE AND  
CARBON DIOXIDE ARE GENER

ATED.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND  
FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person  
utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.