

VERSATEC A XEROX CO -- CE-MAGENTA TONER PREMIX/PREMIX PLUS FOR (SU

=====

MSDS Safety Information

=====

FSC: 6850

NIIN: 01-331-0629

MSDS Date: 02/26/1992

MSDS Num: BQMMJ

Product ID: CE-MAGENTA TONER PREMIX/PREMIX PLUS FOR (SU

MFN: 01

Responsible Party

Cage: IO271

Name: VERSATEC A XEROX CO

Address: 2710 WALSH AVE

City: SAN

TA CLARA CA 95051

Info Phone Number: 800-828-6571

Emergency Phone Number: 716-422-2177; 716-422-1230

Proprietary Ind: Y

Published: Y

=====

Contractor Summary

=====

Cage: IO271

Name: VERSATEC A XEROX CO

Address: 2710 WALSH AVE

City: SANTA CLARA CA 95051-0905

Phone: 800-828-6571; 408-988-2800

Cage: 50804

Name: VERSATEC INC (REPLACED BY XES INC,VERSATEC PROD.)

Address: 2710 WALSH AVE.

City: SANTA CL

ARA CA 95051-0905

Phone: 716-422-2177 (XEROX CORP, NY)

=====

Item Description Information

=====

Item Name: TONER,INDIRECT ELECTROSTATIC PROCESSING

=====

Ingredients

=====

Name: *** PROPRIETARY ***

=====

Health Hazards

Data

=====

LD50 LC50 Mixture: LD50:(ORAL,RAT) >10 G/KG.

Route Of Entry Inds - Inhalation: YES

Skin: NO

Ingestion: NO

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: INGESTION POSES MAXIMUM RISK OF SEVERE RESPIRATORY DISTRESS BY ASPIRATION, AS WELL AS CENTRAL NERVOUS DEPRESSION. INTENTIONAL INHALATION MAY RESULT IN ABNORMAL HEART RHYTHMS, RESPIRATORY ARREST, CENTRAL NERVOUS SYSTEM TOXICITY. MAY CAUSE IRRITATION & mp; DERMATITIS W/PROLONGED OR REPEATED CONTACT.

Explanation Of Carcinogenicity: NOT RELEVANT

Signs And Symptions Of Overexposure: SEE HEALTH HAZARDS.

Medical Cond Aggravated By Exposure: NONE WHEN USED AS DESCRIBED BY PRODUCT LITERATURE.

First Aid: EYES:FLUSH THORO W/WATER FOR AT LST 15 MINS. SKIN:REMOVE CONTAM CLTHG. WASH THORO W/SOAP & WATER. INHAL:REMOVE FROM EXPOS. OBSERVE FOR ANY DIFFICULTY IN BRTHG. INGEST:DILUTE STOMACH CONTENTS W/SEVERAL GLASSES OF WATER. DO NOT INDUCE VOMIT.

IT.ADDNL INFO:CALL MD. FURTHER INFO ON FILE IN POISINDEX.

Handling and Disposal

=====

Spill Release Procedures: REMOVE IGNITION SOURCES. RECOVER FREE LIQUID USING AN ABSORBENT MATERIAL (VERMICULITE, FIRE RETARDANT, SAWDUST, ETC).

Neutralizing Agent: NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: THE WASTE TONER MAY BE CLASSIFIED AS AN IGNITABLE HAZARDOUS WASTE UNDER FEDERAL & mp;/OR STATE REGULATIONS & SHOULD BE DISPOSED AT AN APPROVED DISPOSAL SITE OR FACILITY I/A/W FEDERAL, STATE & LOCAL REGULATIONS.

Handling And Storage Precautions: KEEP CONTAINER CLOSED. AVOID HANDLING NEAR HEAT, STRONG LIGHT, SPARKS, OPEN FLAMES, STRONG OXIDANTS.

Other Precautions: AVOID BREATHING VAPORS. AVOID PROLONGED OR REPEATED SKIN CONTACT.

Fire and Explosion Hazard Information

=====

Flash Point Method: TCC

Flash Point Text: >102F,>39C

Lower Limits: 0.8%

Upper Limits: 7%

Extinguishing Media: FOAM, DRY CHEMICAL, CO₂, WATER FOG.

Fire Fighting Procedures: WEAR NIOSH/MSHA APPROVED SCBA & FULL PROTECTIVE EQUIPMENT (FP N). COOL EXPOSED CONTAINERS W/WATER SPRAY. AVOID BREATHING VAPOR OR FUMES.

Unusual Fire/Explosion Hazard: DO NOT MIX OR STORE W/STRONG OXIDANTS LIKE LIQUID CHLORINE OR CONCENTRATED OXYGEN.

=====

=====

Control Measures

=====

Respiratory Protection: USE NIOSH/MSHA APPROVED RESPIRATOR APPROPRIATE FOR EXPOSURE OF CONCERN (FP N). NONE REQUIRED WHEN USED AS INTENDED W/VERSATEX (XEROX) PRODUCTS.

Ventilation: NONE SPECIFIED BY MANUFACTURER.

Protective Gloves: NEOPRENE/NITRILE GLOVES.

Eye Protection: NONE REQD WHEN USED AS INTENDED (SUPDAT)

Other Protective Equipment: NONE REQUIRED WHEN USED AS INTENDED W/VERSATEC (XEROX) PRODUCTS.

Work Hygienic Practices: NONE SPECIFIED BY MANUFACTURER.

Supplemental Safety and Health: MFR'S TRADE NAME/PART NO:CE3224, CE3236, CE3244, CE3424, CE3436, CE3444, VPC, CE3200, CE3400 AND 8900; STARTER & REPLENISHER 8900 SERIES, 6003. EYE PROT:W/VERSATEC (XEROX) PRODUCTS.

=====

Physical/Chemical Properties

=====

B.P. Text: >320F,>160C

Vapor Pres: 1 @ 20C

Vapor Density: 5

Spec Gravity:

0.77 (H₂O=1)

Evaporation Rate & Reference: 0.3 (N-BUTYL ACETATE=1)

Solubility in Water: IMMISCIBLE

Appearance and Odor: MAGENTA LIQUID; SLIGHT ODOR.

Percent Volatiles by Volume: 100

=====

Reactivity Data

=====

Stability Indicator: YES

Stability Condition To Avoid: NONE SPECIFIED BY MANUFACTURER.

Materials To Avoid: STRONG OXIDANTS SUCH AS LIQUID CHLORINE, CONCENTRATED OXYGEN, SODIUM OR CA

LCIUM HYPOCHLORITE.
Hazardous Decomposition Products: FUMES, SMOKE & CARBON MONOXIDE IN THE CASE OF
INCOMPLETE COMBUSTION.
Hazardous Polymerization Indicator: NO
Conditions To Avoid Polymerization: NOT RELEVANT

=====

Toxicological Information

=====

=====

Ecological Information

=====

=====

MSDS Transport Information

=====

=====

Regulatory Information

=====

=====

Other Information

=====

=====

Transportation Information

=====

=====

Responsible Party Cage: IO271
Trans ID NO: 125986
Product ID: CE-MAGENTA TONER PREMIX/PREMIX PLUS FOR (SU
MSDS Prepared Date: 02/26/1992
Review Date: 04/28/1993
MFN: 1
Multiple KIT Number: 0
Review IND: Y

Detail DOT Information

=====

DOT PSN Code: GJL
Symbols: G
DOT Proper Shipping Name: FLAMMABLE LIQUIDS, N.O.S.
Hazard Class: 3
UN ID Num: UN1993
DOT Packa

ging Group: III
Label: FLAMMABLE LIQUID
Special Provision: B1,B52,T7,T30
Packaging Exception: 150
Non Bulk Pack: 203
Bulk Pack: 242
Max Qty Pass: 60 L
Max Qty Cargo: 220 L
Vessel Stow Req: A

=====

Detail IMO Information

=====

IMO PSN Code: HIA
IMO Proper Shipping Name: FLAMMABLE LIQUID, N.O.S. o
IMDG Page Number: 3345
UN Number: 1993
UN Hazard Class: 3.3
IMO Packaging Group: III
Subsidiary Risk L
abel: -
EMS Number: 3-07
MED First Aid Guide NUM: T

=====

Detail IATA Information

=====

IATA PSN CA
IATA UN ID Num: 1993
IATA Proper Shipping Name: FLAMMABLE LIQUID, N.O.S. *
IATA UN Class: 3
IATA Label: FLAMMABLE LIQUID
UN Packing Group: III
Packing Note Passenger: 309
Max Quant Pass: 60L
Max Quant Cargo: 220L
Packaging Note Cargo: 310

=====

Deta

il AFI Information

=====

AFI PSN CA
AFI Symbols: *
AFI Proper Shipping Name: FLAMMABLE LIQUIDS, N.O.S.
AFI Hazard Class: 3
AFI UN ID NUM: UN1993
AFI Packing Group: III
Special Provisions: P5
Back Pack Reference: A7.3

=====

HAZCOM Label

=====

Product ID: CE-MAGENTA TONER PREMIX/PREMIX PLUS FOR (SU
Cage: IO271
Assigned IND: Y
Company Name: VERSATEC

A XEROX CO
Street: 2710 WALSH AVE
City: SANTA CLARA CA
Zipcode: 95051-0905
Health Emergency Phone: 716-422-2177; 716-422-1230
Label Required IND: Y
Date Of Label Review: 11/10/1992
Status Code: C

Label Date: 11/10/1992
Origination Code: G
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: WARNING
Respiratory Protection IND: YES
Health Hazard: Slight
Contact Hazard: Slight
Fire Hazard: Moderate
Reactivity Hazard: None

Hazard And Precautions: COMBUSTIBLE LIQUID! AVOID HANDLING NEAR HEAT, STRONG

LIGHT, SPARKS, OPEN FLAMES, STRONG OXIDANTS. ACUTE:INGESTION POSES MAXIMUM RISK OF SEVERE RESPIRATORY DISTRESS BY ASPIRATION, AS WELL AS CENTRAL NERVOUS DEPRESSION. INTENTIONAL INHALATION MAY RESULT IN ABNORMAL HEART RHYTHMS, RESPIRATORY ARREST, CENTRAL NERVOUS SYSTEM TOXICITY. CHRONIC: MAY CAUSE IRRITATION & DERMATITIS W/PROLONGED OR REPEATED CONTACT.

=====

Disclaimer (provided with this information by the compiling agencies): This

information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.