

PHIPPS PRODUCTS CORP -- BRAKE FLUID 455 -- 9150-00-231-9071

=====
Product Identification
=====

Product ID: BRAKE FLUID 455

MSDS Date: 01/01/1987

FSC: 9150

NIIN: 00-231-9071

MSDS Number: BQQDR

=== Responsible Party ===

Company Name: PHIPPS PRODUCTS CORP

Address: COMPANY NO LONGER IN BUSINESS

City: XXXX

Info Phone Num: XXX-XXX-XXXX

Emergency Phone Num: XXX-XXX-XXXX

Preparer's Name: DGSC-SSH

CAGE: 86511

=== Co

Contractor Identification ===

Company Name: PHIPPS PRODUCTS CORP

Address: 186 LINCOLN ST SUITE 502

Box: City: BOSTON

State: MA

ZIP: 02111-2403

Country: US

Phone: OUT OF BUSINESS

CAGE: 86511

=====
Composition/Information on Ingredients
=====

Ingredient Name: ALKYLENE OXIDE ADDUCT MIXTURE

=====
Hazards Identification
=====

Routes of Entry: Inhalation: YES Skin: YES Ingestion: YES

Reports of Carcinogenicity: NTP: NO IARC: NO OSHA: NO

Health Hazards Acute and Chronic

Chronic: EYES: SLIGHT

IRRITANT. SKIN: IRRITANT. INGEST: GI IRRITANT. MAY CAUSE LUNG DAMAGE

IF VOMITED AFTER SWALLOWING. INHAL: IRRITANT.

Explanation of Carcinogenicity: NOT APPLICABLE

Effects of

Overexposure: EYES: REDNESS, PAIN, CONJUNCTIVITIS. SKIN: REDNESS, ITCHING, BURNING, SENSITIZATION. INGEST: NAUSEA.

Medical Conditions Aggravated by Exposure: PERSONS WITH EXISTING DERMATITIS MAY BE AT INCREASED RISK FROM EXPOSURE.

=====
First Aid Measures
=====

First Aid:

EYES:FLUSH WITH WATER FOR 15 MINUTES.CALL
PHYSICIAN.SKIN:REMOVE CONTAMINATED CLOTHING.WASH WITH SOAP AND
WATER.INHAL:REMOVE TO FRESH AIR.INGEST:DO NOT INDUCE VOMITING.GET
PROMPT QUALIFIED MEDICAL HELP .

===== Fire Fighting Measures =====

Flash Point:280F/138C/COC
Extinguishing Media:WATER FOG,ALCOHOL FOAM,CARBON DIOXIDE,DRY CHEMICAL
Fire Fighting Procedures:NONE
Unusual Fire/Explosion Hazard:NONE

===== Accidental Release Measures ==
=====

Spill Release Procedures:USE PROPER PROTECTIVE EQUIPMENT.ADSORB ONTO
INERT MATERIEL.PLACEIN AN APPROPRIATE CONTAINER FOR DISPOSAL.
Neutralizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINERS CLOSED AND AWAY FROM
INCOMPATIBLE SUBSTANCES.
Other Precautions:NONE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:AS NEEDED...
Ventilation:USE MECHANIC
AL VENTILATION TO MAINTAIN EXPOSURE BELOW TLV.
Protective Gloves:BUTYL OR PVC.
Eye Protection:SAFETY GLASSES/SHIELDS
Other Protective Equipment:CHEMICAL APRON,EYE BATH,SAFETY SHOWER.
Work Hygienic Practices:WASH HANDS.SEPERATE WORK CLOTHES FROM STREET
CLOTHES.LAUNDER WORK CLOTHES BEFORE REUSE.KEEP FOOD OUT OF THE WORK
AREA.
Supplemental Safety and Health
MSDS PREPARED FOR TSR FROM SGT. PRESTON,FT.BELVOIR,5/13/93.

===== Physical/Chemical Properties =====

HCC:

V6
Boiling Pt:B.P. Text:470F/243C
Vapor Pres:LOW
Spec Gravity:1.03
Solubility in Water:COMPLETE
Appearance and Odor:PALE YELLOW LIQUID,MILD ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
OXIDIZING MATLS
Stability Condition to Avoid:HEAT,SOURCES OF IGNITION.
Hazardous Decomposition Products:CARBON DIOXIDE,CARBON MONOXIDE.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE IN
A HAZARDOUS FURNACE WHERE
PERMITTED.FOLLOW FEDERAL,STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assu
me responsibility for the suitability of this information to their
particular situation.