

EXXON COMPANY, USA, A DIV OF EXXON CORP. -- EXXSOL D 110 SOLVENT -- 6850-01-331-3349
===== Product Identification =====

Product ID:EXXSOL D 110 SOLVENT

MSDS Date:08/31/1992

FSC:6850

NIIN:01-331-3349

MSDS Number: BQQRB

=== Responsible Party ===

Company Name:EXXON COMPANY, USA, A DIV OF EXXON CORP.

Address:800 BELL ST

Box:2180

City:HOUSTON

State:TX

ZIP:77252-2180

Country:US

Info Phone Num:713-656-5

949 FAX: 713-656-3631

Emergency Phone Num:713-656-3424/2443 (MEDICAL)

CAGE:DO850

=== Contractor Identification ===

Company Name:CHEMICAL SPECIALISTS AND DEVELOPMENT INC

Address:2210 HACKBERRY LN

Box:687

City:CONROE

State:TX

ZIP:77305

Country:US

Phone:409-756-1065

CAGE:4N760

Company Name:EXXON COMPANY U.S.A.

Address:Box:2180

City:HOUSTON

State:TX

ZIP:77252-2180

Country:US

Phone:713-656-5949 / 713-656-3424

CAGE:29700

Company Name:EXXON COMPANY, USA, A DIV OF EXXON CORP.

Address:800 BELL ST

Box:21

80
City:HOUSTON
State:TX
ZIP:77252-2180
Country:US
Phone:713-656-5949 FAX: 713-656-3631
CAGE:DO850

=====
Composition/Information on Ingredients
=====

Ingred Name:THE MANUFACTURER STATES THAT NO HAZARDOUS INGREDIENTS ARE PRESENT IN THIS PRODUCT.
RTECS #:9999999ZZ
Other REC Limits:NONE SPECIFIED

Ingred Name:ALIPHATIC HYDROCARBON
CAS:64742-47-8
Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

Routes of Entry: Inhalation
on:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:ACUTE: MAY CAUSE SKIN AND EYE IRRITATION ON CONTACT. INHALATION OF MIST, VAPORS: MAY CAUSE CENTRAL NERVOUS SYSTEM EFFECT AT HIGH VAPOR CONCENTRATIONS (>700 PPM, AS IN FIRE CONDITIONS). INGESTION:MINIMAL TOXICITY. HOWEVER, SMALL AMOUNTS ASPIRATED INTO LUNGS MAY CAUSE PULMONARY INJURY OR DEATH. CHRONIC: DERMATITIS.
Effects of Overexposure:INHAL: HEADACHE, DIZZINESS, ANESTHESIA,
DROWSINESS, UNCONSCIOUSNESS. EYES: REDNESS, DISCOMFORT.
SKIN:ITCHING. INGESTION: NAUSEA, VOMITING.
Medical Cond Aggravated by Exposure:SKIN CONTACT MAY AGGRAVATE AN EXISTING DERMATITIS CONDITION.

=====
First Aid Measures
=====

First Aid:EYES: FLUSH EYES WITH LARGE AMOUNTS OF WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. SKIN:WASH WITH WATER AND SOAP. REMOVE CONTAMINATED CLOTHING AND LAUNDRY BEFORE REUSE.
INHAL

ATION:REMOVE THE AFFECTED PERSON TO FRESH AIR. PROVIDE CPR/OXYGEN IF NEEDED. INGESTION:DO NOT INDUCE VOMITING, GET MEDICAL HELP.

===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:221F,105C

Autoignition Temp:Autoignition Temp Text:694F

Lower Limits:1.6%

Upper Limits:10.2%

Extinguishing Media:USE FOAM, DRY CHEMICAL, OR WATER SPRAY.

Fire Fighting Procedures:USE WATER SPRAY TO COOL FIRE EXPOSED SURFACES AND TO PROTECT PERSONNEL. A

VOID SPRAYING WATER DIRECTLY INTO

STORAGE CONTAINERS DUE TO DANGER OF BOILOVER.

Unusual Fire/Explosion Hazard:NO UNUSUAL HAZARDOUS. LIQUID WILL BURN AT OR ABOVE F PT. CLOSED CONTAINERS MAY EXPLODE IN FIRE.

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA. ELIMINATE SOURCES OF IGNITION. RECOVER BY PUMPING OR ABSORB WITH A SUITABLE ABSORBENT. DIKE, AND PREVENT LIQUID FROM ENTERING SEWERS, WATERCOURSES, OR LOW AREAS.

Neu

tralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:ELECTROSTATIC ACCUMULATION HAZARD, USE PROPER GROUNDING PRECEDURE.

Other Precautions:EMPTY CONTAINERS RETAIN RESIDUE AND VAPORS. DO NOT PRESSURIZE, CUT, WELD OR EXPOSE TO HEAT, FLAME, STATIC ELECTRICITY, OR OTHER SOURCES OF IGNITION; THEY MAY EXPLODE AND CAUSE INJURY.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NORMALLY REQUIRED. USE NIOSH APPROVED SELF-CONTAINED BREATHING APPARATUS IF TLV IS EXCEEDED OR WHEN SPRAYING OR USING IN CONFINED SPACES.

Ventilation:THE USE OF MECHANICAL DILUTION VENTILATION IS RECOMMENDED.

Protective Gloves:NITRILE

Eye Protection:SAFETY GLASSES WITH SIDE SHIELDS.

Other Protective Equipment:NONE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDRER CONTAMINATED CLOTHES

BEFORE REUSE.

Supplemental Safety and Health

IN HEALTH DATA FOR INHALATION HAZARD, COMMENTS ABOUT CENTRAL NERVOUS SYSTEM EFFECTS ARE RELATED TO OTHER THAN NORMAL CONDITIONS OF USE, FIRE OR VERY HIGH TEMPERATURES, CREATION OF AEROSOL OR MIST.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:B.P. Text:480F,249C

Melt/Freeze Pt:M.P/F.P Text:-36F,-38C

Vapor Pres: