

BAKER SEALANTS AND COATINGS CO (CANC. LOCATION UNK -- ADHESIVE FOR ACOUSTICAL MATERIALS X-973B -- 8040-00-656-0929

===== Product Identification =====

Product ID:ADHESIVE FOR ACOUSTICAL MATERIALS X-973B

MSDS Date:03/07/1991

FSC:8040

NIIN:00-656-0929

MSDS Number: BQWCN

=== Responsible Party ===

Company Name:BAKER SEALANTS AND COATINGS CO (CANC. LOCATION UNK

Address:234 SUYDAM AVE

Box:B

City:JERSEY

CITY

State:NJ

ZIP:07304-3306

Country:US

Info Phone Num:201-333-6986

Emergency Phone Num:201-333-6986

Preparer's Name:CHARLES FRIEDMAN

CAGE:34094

=== Contractor Identification ===

Company Name:BAKER SEALANTS AND COATINGS CO

Address:234 SUYDAM AVE

Box:City:JERSEY CITY

State:NJ

ZIP:07304-3306

Country:US

Phone:201-333-6986

CAGE:34094

Company Name:STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Phone:201-437-6501

CAGE:33150

===== Composition/Infor

mation on Ingredients =====

Ingred Name:CLAY
CAS:8031-18-3
Other REC Limits:NONE SPECIFIED

Ingred Name:ROSIN
CAS:514-10-3
RTECS #:TP8580000
Other REC Limits:NONE SPECIFIED

Ingred Name:ROSIN DERIVATIVE
CAS:8016-81-7
Other REC Limits:NONE SPECIFIED

Ingred Name:ISOPROPYL ALCOHOL (SARA III)
CAS:67-63-0
RTECS #:NT8050000
Other REC Limits:NONE SPECIFIED
ACGIH TLV:400 PPM

Ingred Name:CALCIUM OXIDE
CAS:1305-78-8
RTECS #:EW3100000
Other REC Limits:NONE SPECIFIED
ACGIH TLV:2 MG/CU.M

Ingred
Name:VOC: 6
RTECS #:9999999VO
Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES
Health Hazards Acute and Chronic:EYES: MILD IRRITATION OF EYES, NOSE
AND THROAT. SKIN: POSSIBLE IRRITATION AND CRACKING OF SKIN.
INHALATION: DROWSINESS, MILD IRRITATION OF EYES, NOSE AND THROAT.
INGESTION: MAY CAUSE MARKED AND PERSISTENT NAUSEA, VOMITING AND
ABDOMINAL PAIN, SLIGHTLY TOXIC.

Me

dical Cond Aggravated by Exposure:NONE

=====
First Aid Measures
=====

First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. SKIN: WASH WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING. INHALATION: REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION IF BREATHING STOPS. INGESTION: INDUCE VOMITING ONLY IF THE VICTIM IS CONSCIOUS.

=====
Fire Fighting Measures
=====

Flas
h Point:70.0F,21.1C
Lower Limits:2.0
Upper Limits:12.0
Extinguishing Media:USE WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL OR FOAM.
Unusual Fire/Explosion Hazard:NONE

=====
Accidental Release Measures
=====

Spill Release Procedures:LARGE SPILL: SCOOP INTO CLOSED CONTAINERS & DISPOSE IN ACCORDANCE WITH LOCAL, STATE & FEDERAL REGULATIONS. EXTINGUISH ALL SOURCES OF IGNITION. SMALL SPILL: SCOOP INTO CLOSED CONTAINERS & DISPOSED IN A CCORDANCE WITH LOCAL, S
TATE & FEDERAL
REGULATIONS.

=====
Handling and Storage
=====

Handling and Storage Precautions:KEEP AWAY FROM SOURCES OF IGNITION AND STORE IN COOL AREAS.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:USE SELF-CONTAINED BREATHING APPARATUS IF REQUIRED.
Ventilation:ADEQUATE LOCAL EXHAUST IS RECOMMENDED.
Protective Gloves:IMPERVIOUS, CHEMICAL RESISTANT GLOVES
Eye Protection:SAFETY GOGGLES
Supplemental Sa

fety and Health

===== Physical/Chemical Properties =====

HCC:F2

Vapor Density:> AIR

Spec Gravity:1.37 (WATER=1)

pH:7.0

Viscosity:220-240 PEN

Solubility in Water:10-15%

Appearance and Odor:BROWN SEMI SOLID

Percent Volatiles by Volume:5

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE AND SMOKE

===

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing thi

s

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.