View NSN Online: https://aerobasegroup.ae/nsn/6505-01-162-4455

FUJISAWA PHARMACEUTICAL CO, DIV OF FUJISAWA USA INC -- SODIUM ACETATE INJECTION -- 6505-01-162-4455

Product ID:SODIUM ACETATE INJECTION MSDS Date:07/10/1992 FSC:6505 NIIN:01-162-4455 **MSDS Number: BQWNN** === Responsible Party === Company Name: FUJISAWA PHARMACEUTICAL CO, DIV OF FUJISAWA USA INC Address: PAKWAY NORTH CENTER, 3 PARKWAY NORTH City:DEERFIELD State:IL ZIP:6 0015-2548 Country:US Info Phone Num:708-317-0800 Emergency Phone Num:708-317-0800, 800-888-7704 Preparer's Name: GREGORY KOLAR CAGE:EO410 === Contractor Identification === Company Name: FUJISAWA PHARMACEUTICAL CO Address: PARKWAY NORTH CENTER, 3 PARKWAY N Box:City:DEERFIELD State:IL ZIP:60015-2548 Country:US Phone:708-317-0800 CAGE:EO410 Company Name: FUJISAWA USA, INC. Address:3 PARKWAY NORTH Box:City:DEERFIELD State:IL ZIP:60015-2548 Country:US Phone:708-317-0800 OR 800-888-7704 CAGE:0K706 Company

Name:LYPHOMED INC DIV OF FUJISAWA USA INC Address:2020 RUBY ST Box:City:MELROSE PARK State:IL ZIP:60160-1112 Country:US Phone:312-345-6170 CAGE:60567

Ingred Name:SODIUM ACETATE 16.4% OR 32.8%. CAS:127-09-3 RTECS #:AJ4300010 Other REC Limits:NONE RECOMMENDED

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Other REC Limits:NONE RECOMMENDED

LD50 LC50 M ixture:(ORAL) LD50 (RAT): 3530 MG/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE, SKIN AND RESPIRATORY TRACT IRRITATION MAY OCCUR. Effects of Overexposure:IRRITATION. Medical Cond Aggravated by Exposure:NONE KNOWN

First Aid:EYE-FLUSH PROMPTLY WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. SKIN-WASH WITH SOAP & WATER; THEN FLUSH WITH WATER UNTIL CHEMICAL IS REMOVED. INGESTION-RINSE MOUTH WITH WATER, DRINK 2 TO 4 GLASSES OF WATER AND IMMEDIATELY GET MEDICAL HELP. INHALATION-REMOVE TO FRESH AIR.

Flash Point:>200F,>93C

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM, OR DRY CHEMICAL.

Fire Fighting Procedures: WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND A FULL FACED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOS ED

CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:COMBUSTION OR HEAT OF FIRE MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS AND VAPORS.

Spill Release Procedures: WIPE OR MOP UP AND PLACE IN A CONTAINER FOR DISPOSAL. FLUSH RESIDUE AWAY WITH WATER.

Handling and Storage Precautions:STORE BETWEEN 2 AND 8C. KEEP CONTAINER TIGHTLY CLOSED.

PROTECT FROM PHYSICAL DAMAGE.

Other Precautions: KEEP OUT OF REACH OF CHILDREN. FOR THERAPEUTIC USE ONLY.

Respiratory Protection:NONE REQUIRED UNDER NORMAL USE. Ventilation:NATURAL VENTILATION IS ADEQUATE. Protective Gloves:WEAR GLOVES Eye Protection:SAFETY GOGGLES Other Protective Equipment:WEAR REGULAR WORK CLOTHES, INCLUDING LONG-SLEEVED SHIRT & TROUSERS. Work Hygienic Practices:USE NORMAL PERSONAL HYGIENE AND FOLLOW GOOD

HOUSEKEEPING PRACTICES.

Supplemental Safety and Health

THIS PRODUCT IS FOR THERAPEUTIC USE ONLY. OCCUPATIONAL HAZARDS ARE NOT FULLY UNDERSTOOD.

HCC:N1 pH:6.0 Solubility in Water:COMPLETE Appearance and Odor:CLEAR, COLORLESS SOLUTION, SLIGHT ACETIC ODOR.

Stability Indicator/Materials to Avoid:YES STRONG STRONG ACIDS. Stability Condition to Avoi

## d:HIGH HEAT. Hazardous Decomposition Products:TOXIC FUMES

Waste Disposal Methods: DISPOSE OF IN ACCORDANCE WITH APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.