

SENSIDYNE INC -- GAS DETECTOR,8 LA -- 6665-01-191-7228

===== Product Identification =====

Product ID:GAS DETECTOR,8 LA

MSDS Date:07/01/1993

FSC:6665

NIIN:01-191-7228

MSDS Number: BQXXF

=== Responsible Party ===

Company Name:SENSIDYNE INC

Address:16333 BAY VISTA DR

City:CLEARWATER

State:FL

ZIP:34620

Country:US

Info Phone Num:800-451-9444/FAX 813-539-0550

Emergency Phone Num:800-451-9444/813-530-360

2

Preparer's Name:DGSC-SSH

CAGE:63882

=== Contractor Identification ===

Company Name:SAFETY EQUIPMENT INSTITUTE

Address:1901 N MOORE ST, SUITE 501

Box:City:ARLINGTON

State:VA

ZIP:22209-1706

Country:US

Phone:703-525-1695

CAGE:4Y469

Company Name:SENSIDYNE INC

Address:16333 BAY VISTA DR

Box:City:CLEARWATER

State:FL

ZIP:34620

Country:US

Phone:800-451-9444/813-530-3602

CAGE:63882

===== Composition/Information on Ingredients =====

Ingred Name:THE MANUFACTURER STATES THAT THIS IS AN

ARTICLE.  
RTECS #:9999999ZZ  
Other REC Limits:NONE RECOMMENDED

===== Hazards Identification =====

LD50 LC50 Mixture:NOT KNOWN  
Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:ACUTE AND CHRONIC- PRODUCT IS AN  
ARTICLE AND IS NOT HAZARDOUS.  
Effects of Overexposure:NONE  
Medical Cond Aggravated by Exposure:NOT RELEVANT

===== First Aid Measures =====  
=====

First Aid:NOT RELEVANT

===== Fire Fighting Measures =====

Flash Point:NOT RELEVANT  
Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, FOAM OR DRY CHEMICAL  
FOR SURROUNDING FIRE. USE WATER SPRAY TO COOL FIRE EXPOSED  
CONTAINERS.  
Fire Fighting Procedures:WEAR PROTECTIVE CLOTHING AND NIOSH-APPROVED  
SELF-CONTAINED BREATHING APPARATUS.  
Unusual Fire/Explosion Hazard:NOT KNOWN

===== Accidental Release Measures =====  
=

Spill Release Procedures:IF BROKEN, COLLECT AND TRANSFER TO PROPER  
CONTAINER FOR DISPOSAL.  
Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:HANDLE WITH CARE.  
Other Precautions:WASH HANDS BEFORE EATING OR DRINKING.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED IF USED AS INTENDED  
Ventilation:NONE REQUIRED IF USED AS INTENDED  
Protective Gloves:IM

PERVIOUS, IF BROKEN

Eye Protection:NONE REQUIRED IF USED AS INTENDED

Other Protective Equipment:NONE REQUIRED IF USED AS INTENDED

Work Hygienic Practices:OBSERVE GOOD PERSONAL HYGIENE PRACTICES AND RECOMMENDED PROCEDURES.

Supplemental Safety and Health

NO MSDS WAS AVAILABLE FROM MANUFACTURER. THIS MSDS WAS PREPARED BY THE PROFESSIONALS OF DGSC-SSH WITHOUT ANY WARRANTY. MR JOHN B. MILES (OSHA, WASHINGTON, DC) IN A LETTER TO MR. RON ROBERSON FROM SENS IDYNE, INC. HAS STATED THE DETECTOR TUBE IS AN "ARTICLE" AND IS EXEMPT FROM REQUIREMENTS OF THE HAZARD COMMUNICATION STD

===== Physical/Chemical Properties =====

HCC:N1

NRC/State Lic Num:NOT RELEVANT

Decomp Temp:Decomp Text:NOT KNOWN

Spec Gravity:NOT RELEVANT

Viscosity:NOT RELEVANT

Evaporation Rate & Reference:NOT RELEVANT

Solubility in Water:NOT RELEVANT

Appearance and Odor:PRODUCT IS AN ARTICLE. A CHLORINE GAS OR VAPOR DETECTION TUBE WITH ABSORBENT.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
NOT KNOWN

Stability Condition to Avoid:EXCESSIVE HEAT

Hazardous Decomposition Products:NOT KNOWN

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF IN ACCORDANCE WITH ALL LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defens

e. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.