View NSN Online: https://aerobasegroup.ae/nsn/6685-01-254-0469

UNION CARBIDE CORP LINDE DIV -- NITROGEN (FOR 41GP-YOOG-F50Y THERMOMETER) · 6685-01-254-0469

Product ID:NITROGEN (FOR 41GP-YOOG-F50Y THERMOMETER) MSDS Date:08/01/1985 FSC:6685 NIIN:01-254-0469 **MSDS Number: BRDLK** === Responsible Party === Company Name: UNION CARBIDE CORP LINDE DIV Address:39 OLD RIDGEBURY RD City:DANBURY State:CT ZIP:06817-0001 Country:US Info Pho ne Num:304-744-3487 Emergency Phone Num:800-822-4357 CAGE:36346 === Contractor Identification === Company Name: DRESSER INDUTRIES INC, WEKSLER INSTRUMENTS OPN Address:250 E MAIN ST Box:City:STRATFORD State:CT ZIP:06497-5145 Country:US Phone:203-385-0490 CAGE:049X3 Company Name: UNION CARBIDE CORP LINDE DIV Address:39 OLD RIDGEBURY RD Box:City:DANBURY State:CT ZIP:06817-0001 Country:US Phone:800-822-4357; 304-744-3487 CAGE:36346 Company Name: WEKSLERIGLASS THERMOMETER CORP Address:80 MILL ROAD Box

:City:FREEPORT State:NY ZIP:11520 Country:US Phone:516-623-0100 CAGE:64467

Ingred Name:NITROGEN CAS:7727-37-9 RTECS #:QW9700000 Fraction by Wt: 100% Other REC Limits:NONE RECOMMENDED ACGIH TLV:ASPHYXIANT; 9293

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE: ASPHYXIATION. CHRONIC: NONE. Explanation of Carcinogenicity:NONE Effects of Overexposure:INHALATION: SHORTNESS OF BREATH, DIFFICULTY BREATHING, UNCONSCIOUSNESS.

Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

First Aid:INHALATION: REMOVE TO FRESH AIR. RESUSCITATE IF NEEDED.

Flash Point:NONE

Extinguishing Media: USE MEDIA FOR SURROUND

ING FIRE.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR. COOL CONTAINERS WITH FLOODING AMOUNTS OF WATER UNTIL WELL AFTER FIRE IS OUT.

Unusual Fire/Explosion Hazard: GAS UNDER PRESSURE. CONTAINER MAY EXPLODE IF EXPOSED TO FIRE OR HIGH TEMPERATURES.

Spill Release Procedures: TRY TO STOP LEAK IF IT CAN BE DONE AT NO RISK. VENTILATE AREA. DISPELL VAPORS WITH WATER. Neutrali zing Agent:NONE

Handling and Storage Precautions:STORE IN A COOL, DRY AREA. Other Precautions:NONE

Respiratory Protection:NONE NORMALLY REQUIRED. IF IDLH CONDITIONS ARE PRESENT WEAR SELF-CONTAINED BREATHING APPARATUS. Ventilation:USE ADEQUATE MECHANICAL VENTILATION. Protective Gloves:LEATHER Eye Protection:SAFETY GLASSES/CHEMICAL SPLASH GOGGLES Other Pro tective Equipment:NONE Work Hygienic Practices:WASH HANDS AFTER USE AND BEFORE EATING, DRINKING, OR SMOKING. Supplemental Safety and Health

HCC:G3

Boiling Pt:B.P. Text:-320F,-196C Melt/Freeze Pt:M.P/F.P Text:-346F,-210C Vapor Density:< 1(AIR=1) Spec Gravity:0.8 Appearance and Odor:COLORLESS, ODORLESS GAS AT NORMAL TEMPERATURE AND PRESSURE Percent Volatiles by Volume:100

========= Stability and Reactivity Dat

a =======

Stability Indicator/Materials to Avoid:YES UNDER CERTAIN CONDITIONS; LITHIUM, NEODYMIUM, TITANIUM, OZONE. Stability Condition to Avoid:HIGH TEMPERATURES, OPEN FLAME. Hazardous Decomposition Products:OXIDES OF NITROGEN

Waste Disposal Methods:CONTACT LOCAL ENVIRONMENTAL MANAGER. DISPOSE OF IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

Disclaimer (provided with this information by the compil

ing agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.