View NSN Online: https://aerobasegroup.ae/nsn/6505-00-400-5014

FUJISAWA PHARMACEUTICAL CO -- WATER FOR INJECTION, STERILE -- 6505-00-400-5014

Product ID:WATER FOR INJECTION, STERILE MSDS Date:01/01/1994 FSC:6505 NIIN:00-400-5014 **MSDS Number: BRFNL** === Responsible Party === Company Name: FUJISAWA PHARMACEUTICAL CO Address: PARKWAY NORTH CENTER, 3 PARKWAY N City:DEERFIELD State:IL ZIP:60015-2548 Country:US Info Phone Num:708-317 -0800 Emergency Phone Num:800-888-7704 CAGE:EO410 === Contractor Identification === Company Name: FUJISAWA PHARMACEUTICAL CO Address: PARKWAY NORTH CENTER, 3 PARKWAY N Box:City:DEERFIELD State:IL ZIP:60015-2548 Country:US Phone:708-317-0800 CAGE:EO410 Company Name: FUJISAWA USA, INC Address:3 PKY N Box:City:DEERFIELD State:IL ZIP:60015-2548 Country:US Phone:847-317-1256 CAGE:39832 Company Name: FUJISAWA USA, INC. Address:3 PARKWAY NORTH Box:City:DEERFIELD State:IL ZIP:60015-2548 Country:US Phone:708

-317-0800 OR 800-888-7704 CAGE:0K706

Ingred Name:WATER CAS:7732-18-5 RTECS #: ZC0110000 Other REC Limits:NONE RECOMMENDED Routes of Entry: Inhalation:NO Skin:NO Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:NONE KNOWN. THIS PRODUCT IS INTENDED FOR THERAPEUTIC USE ONLY. THERE ARE NO HEALTH HAZARDS OTH **ER THAN** THOSE FOR STANDARD DRINKING WATER. Explanation of Carcinogenicity:NONE Effects of Overexposure: NONE OTHER THAN THOSE FOR ORDINARY DRINKING WATER. Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER. First Aid:NONE REQUIRED. Flash Point:NON-FLAMMABLE Autoignition Temp:Autoignition Temp Text:NE Lower Limits:NONE **Upper Limits:NO** NE Extinguishing Media:NON-FLAMMABLE WILL NOT BURN. USE MEDIA APPROPRIATE FOR SURROUNDING FIRE. Fire Fighting Procedures:NONE. Unusual Fire/Explosion Hazard:NONE. Spill Release Procedures:NONE REQUIRED. Handling and Storage Precautions:STORE AWAY FROM EXCESSIVE HEAT. KEEP FROM FREEZING. Other Precautions:NONE. ======= Exposure Controls/Person

al Protection =========

Respiratory Protection:NOT REQUIRED. Ventilation:NORMAL WORKPLACE VENTILATION IS SATISFACTORY. Protective Gloves:NOT REQUIRED. Eye Protection:NOT REQUIRED. Other Protective Equipment:NONE REQUIRED. Work Hygienic Practices: NORMAL WORKPLACE HYGIENIC PRACTICE IS SATIFACTORY. Supplemental Safety and Health PRODUCT IS INTENDED FOR THERAPEUTIC USE ONLY. MANUFACTURER'S MSDS EDITED BY DSCR-VBA TO REFLECT THAT PRODUCT IS STERILIZED DISTILLED WATER AND NOT AS HAZA RDOUS AS MANUFACTURER'S MSDS INDICATES. MANUFA CTURER'S REPRESENTATIVE STATED IN TELEPHONE CONVERSTATION THAT THEIR MSDS IS BEING REVISED ACCORDINGLY. HCC:N1 Boiling Pt:B.P. Text:WATER Melt/Freeze Pt:M.P/F.P Text:WATER Vapor Pres:WATER Vapor Density:WATER Spec Gravity:1.0

pH:4.5-7

Viscosity:NE Evaporation Rate & amp; Reference:WATER Solubility in Water:PRODUCT IS WATER. Appearance and Odor:CLEAR, COLORLESS, ODORLESS, D

ISTILLED WATER.

Percent Volatiles by Volume:100

Stability Indicator/Materials to Avoid:YES NONE.

Stability Condition to Avoid:EXCESSIVE TEMPERATURES AND FREEZING TEMPERATURES.

Hazardous Decomposition Products:NONE.

Waste Disposal Methods:DISCHARGE DOWN DRAIN.

Disclaimer (provided with this information by the compiling agencies): This information is fo

rmulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.