View NSN Online: https://aerobasegroup.ae/nsn/8030-00-081-2331

Product ID: ANAEROBIC ADHESIVE/SEALANT GRADE CV MSDS Date:05/01/1993 FSC:8030 NIIN:00-081-2331 **MSDS Number: BRJZS** === Responsible Party === Company Name:SAF-T-LOK CHEMICAL CORPORATION Address:300 EISENHOWER LANE NORTH City:LOMBARD State:IL ZIP:60148 Country:US Info Phone Num: 708-971-2001 Emergency Phone Num:708-971-2001 Preparer's Name: ENVIRON. HEALTH & SAFETY CAGE:4Z400 === Contractor Identification === Company Name:SAF-T-LOK CHEMICAL CORPORATION Address:300 EISENHOWER LANE NORTH City:LOMBARD State:IL ZIP:60148 Country:US Phone:708-971-2001 CAGE:4Z400

Ingred Name:"NOT HAZARDOUS" Other REC Limits:NONE SPECIFIED

Routes of Entry

: Inhalation:UNKNOWN Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ORGANIC PEROXIDE HAS BEEN REPORTED TO CAUSE TUMORS IN EXPERIMENTAL ANIMALS WHEN INJECTED UNDER THE SKIN. THE LOW CONCENTRATION (250F,>121C Autoignition Temp:Autoignition Temp Text:> 350F Extinguishing Media:CO2, FOAM, DRY CHEMICALS Fire Fighting Procedures:AIR MASK AND PROCEDURES FOR FIGHTING CHEMICAL FIRES Unusual Fire/Explosion Hazard:CONTAINS ORGANIC PEROXIDE
======================================
Spill Release Procedures: PROVIDE GOOD VENTILATION. AVOID EYE AND SKIN CONTACT. SOAK UP SPILL WITH EARTH, SAND, OR ABSORBENT PRODUCT (ZORBAL). RECOVER IN CONTAINER.
======================================
Handling and Storage Precautions:STORE BELOW 80F FOR PROLONGED SHELF LIFE. STORE IN ORIGINAL CONTAINER. Other Precautions:AVOID PROLONGED SKIN CONTACT
======== Exposure Controls/Personal Protection ====================================
Respiratory Protection:NOT NORMALLY NECESSARY, BUT PRODUCT SHOULD BE USED IN AREAS OF GOOD VENTILATION. Ventilation:LOCAL EXHAUST Protective Gloves:RECOMMENDED Eye Protection:RECOMMENDED Work Hygienic Practices:WASH HANDS THOROUGHLY AFTER USE. Supplemental Safety and Health
======================================
HCC:N1

HCC:N1 Boiling Pt:B.P. Text:>300F,>149C Decomp Temp:Decomp Text:>350F,>177C Vapor Pres:< 5 @ 30 F Spec G ravity:1.1 Viscosity:200 CPS Solubility in Water:PARTIAL Appearance and Odor:BLUE LIQUID, LOW ODOR

Stability Indicator/Materials to Avoid:YES OXIDIZING AND REDUCING AGENTS Hazardous Decomposition Products:CO, CO2, NITROUS OXIDES Conditions to Avoid Polymerization:TEMPERATURES OVER 120F

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH LOCAL, STATE & FEDE

RAL ANTI-POLLUTION AND WASTE DISPOSAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitabil ity of this information to their particular situation.