View NSN Online: https://aerobasegroup.ae/nsn/6140-01-340-6660

SAFT AMERICA INC,PORTABLE BATTERY DIVISION -- NICKEL-CADMIUM SEALED CELL BATTERY -- 6140-01-340-6660

Product ID:NICKEL-CADMIUM SEALED CELL BATTERY

MSDS Date:02/28/1991

FSC:6140

NIIN:01-340-6660

MSDS Number: BRKVN === Responsible Party ===

Company Name: SAFT AMERICA INC, PORTABLE BATTERY DIVISION

Address:711 INDUSTRIAL BLVD

Box:1886

City: VALDOSTA

State:GA ZIP:31602 Country:US

Info Phone Num:912-247-2331

Emergency Phone Num:912-247-2331

CAGE:67237

=== Contractor Identification ===

Company Name: SAFT AMERICA INC PORTABLE BATTERY DIVISION

Address:711 INDUSTRIAL BLVD

Box:1886

City: VALDOSTA

State:GA ZIP:31601 Country:US

Phone:912-247-2331

CAGE:67237

======= Composition/Information on Ingredients ========

Ingred Name: CADMIUM (SARA III)

CAS:7440-43-9

RTECS #:EU9800000 Fraction by Wt: 8-20%

Other REC Limits: NONE SPECIFIED

OSHA PEL:SEE 1910.1027

**ACGIH** 

TLV:0.01 MG/M3 DUST;9394

EPA Rpt Qty:10 LBS DOT Rpt Qty:10 LBS

Ingred Name: CADMIUM OXIDE (SARA III)

CAS:1306-19-0

RTECS #:EV1925000 Fraction by Wt: 35%

Other REC Limits: NONE SPECIFIED

OSHA PEL:1 MG NI/M3 DUST

ACGIH TLV:1 MG NI/M3 DUST 9293

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Health Hazards Acute and Chronic:PRODUCT IS A SEALED UNIT. HAZARDS ARE

BASED ON BROKEN AND LEAKING CELLS. INHALATION: DUST AND FUMES MAY CAUSE RESPIRATORY TRACT IRRITATION, CHEST PAIN, LUNG INJURY, KIDNEY DISFUNCTION, BONE LESIONS, LUNG CANCER, DEATH FROM PULMONARY EDEMA.INGESTION: NAUSEA, VOMITING, DIARRHEA, ABDOMINAL CRAMPS, INTESTINAL DISORDERS.

Explanation of Carcinogenicity:NICKEL AND CADMIUM AND THEIR COMPOUNDS ARE LISTED AS CARCINOGENS OR POTENTIAL CARCINOGENS BY NTP, IARC, AND OSHA.

Effects of Overexposure: SKIN: LOCAL DERMATITIS.

INHALATION: IRRITATION

OF NOSE AND THROAT, COUGHING, CHEST PAIN, SHORTNESS OF BREATH, WEAKNESS, SWEATING CHILLS, EMPHYSEMA, KIDNEY DISFUNCTION (PROTEINURIA), BONE LESIONS CHARA CTERIZED BY PAIN IN THE BACK AND EXTREMITIES, CANCER, DEATH. INGESTION: NAUSEA, VOMITING, DIARRHEA, ABDOMINAL CRAMPS.

Medical Cond Aggravated by Exposure:PRE-EXISTING SKIN AND RESPIRATORY DISORDERS, PROSTRATE DISORDERS, LIVER AND KIDNEY DISORDERS.

 First Aid Measures	=====

First Aid:EYES: FLUSH WITH LARGE AMOUNTS OF WATER. IF SYMPTOMS PERSIST GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. IF SYMPTOMS PERSIST GET MEDICAL ATTENTION. INHALATION: MOVE TO FRESH AIR. IF NOT BRE ATHING GIVE CPR. GET MEDICAL ATTENTION.INGESTION: IF CONSCIOUS, INDUCE VOMITING. GET MEDICAL ATTENTION.

Extinguishing Media: USE MEDIA APPROPRIATE FOR SURROUNDING FIRE. DRY CHEMIC

AL, CARBON DIOXIDE, WATER. Fire Fighting Procedures:USE NIOSH/MSHA APPROVED SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE GEAR IF INVOLVED IN A FIRE. Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.
======== Accidental Release Measures =========
Spill Release Procedures:CONTAIN SPILL. COLLECT SPILLED MATERIAL AND PLACE IN A PLASTIC-LINED CONTAINER FOR DISPOSAL. HEPA VACUUMING OF DUST IS PREFERED. FLUSH SPILL AREA WITH WATER.  Neutralizing A gent:NONE
========== Handling and Storage ===========
Handling and Storage Precautions:NOT NORMALLY A PROBLEM. HOWEVER FOR HANDLING BROKEN OR LEAKING CELLS WEAR PROPER PROTECTIVE CLOTHING AND AVOID CONTACT WITH AND BREATHING OF DUST.  Other Precautions:AVOID GENERATING DUST WHEN HANDLING BROKEN OR LEAKING CELLS.
====== Exposure Controls/Personal Protection ========
Respiratory Protection:NOT NORMALLY REQUIRED. USE NIOSH/MSHA APPROVED RESPI
RATOR FOR DUST IF DUST FROM LEAKING CELLS IS BEING GENERATED. Ventilation:NORMAL WORK AREA VENTILATION IS ADEQUATE FOR NORMAL HANDLING OF PRODUCT.
Protective Gloves: IMPERVIOUS GLOVES WHEN HANDLING LEAKERS.
Eye Protection:SAFETY GLASSES/GOGGLES FOR LEAKERS.  Other Protective Equipment:EYE WASH STATION. SHOWER AND CHANGE OR WEAR  COVERALLS IF HANDLING LEAKERS.
Work Hygienic Practices:WASH AFTER HANDLING BROKEN CELLS AND BEFORE EATING, DRINKING, OR SMOKING. LAUNDER CONTAMINATED CLOTHING B
EFORE REUSE.
Supplemental Safety and Health DO NOT WEAR CONTAMINATED CLOTHING HOME. KEEP FOOD AND TOBACCO AWAY FROM WORK AREA. HEALTH AND OTHER SAFETY PRECAUTIONS ARE GENERALLY FOR THE METAL DUSTS OF THE INGREDIENTS FROM BROKEN OR LEAKING CELLS. IN NORMAL USE, DUSTS ARE NOT GENERATED.
========= Physical/Chemical Properties =========

Spec Gravity:1.6
Solubility in Water:INSOLUBLE
Appearance and Odor:STORAGE BATTERY CONSISTING OF 4 CELLS; 1.30 IN WIDE

HCC:N1

## X 5.21 IN LONG X 3.57 IN HI

	Stability	/ and	Reactivity	/ Data	
--	-----------	-------	------------	--------	--

Stability Indicator/Materials to Avoid:YES

NONE SPECIFIED BY MANUFACTURER.

Stability Condition to Avoid:GENERAL STORAGE PROCEDURES FOR HAZARDOUS MATERIALS ARE ACCEPTABLE.

Hazardous Decomposition Products:METAL OXIDE FUMES MAY BE EVOLVED AT TEMPERATURES ABOVE MELTING POINT.

Conditions to Avoid Polymerization: WILL NOT OCCUR.

 Disposal Considerations	

Waste Disposal Methods:DISPOSE OF WASTE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. IF DISCARDED, TREAT AS HAZARDOUS WASTE.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document

should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.