

SPRAYON PRODUCTS, DIV OF THE SHERWIN-WILLIAMS CO -- 00405 SILICON LUBE --
9150-00-823-7860

=====
Product Identification
=====

Product ID:00405 SILICON LUBE

MSDS Date:07/01/1994

FSC:9150

NIIN:00-823-7860

MSDS Number: BRLYV

=== Responsible Party ===

Company Name:SPRAYON PRODUCTS, DIV OF THE SHERWIN-WILLIAMS CO

Address:31500 SOLON ROAD

City:SOLON

State:OH

ZIP:44139

Country:US

Info Phone Num:216-292-

7400

Emergency Phone Num:216-292-7400

CAGE:DO662

=== Contractor Identification ===

Company Name:EMPIRE MACHINERY AND SUPPLY CORP

Address:3550 VIRGINIA BEACH BLVD

Box:27

City:NORFOLK

State:VA

ZIP:23501

Country:US

CAGE:85953

Company Name:SPRAYON PRODUCTS; SHERWIN WILLIAMS

Address:26300 FARGO AVENUE

City:BEDFORD HEIGHTS

State:OH

ZIP:44146

Phone:216-292-7400

CAGE:DO662

=====
Composition/Information on Ingredients
=====

Ingred Name:PROPANE (PROPELLANT)

CAS:74-98-6

RTECS #:TX227500

0
Fraction by Wt: 16%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:1000 PPM
ACGIH TLV:ASPHYXIAN; 9293

Ingred Name:METHYLENE CHLORIDE (SARA III)
CAS:75-09-2
RTECS #:PA8050000
Fraction by Wt: 79%
Other REC Limits:NONE RECOMMENDED
OSHA PEL:500 PPM/C,1000; Z2
ACGIH TLV:50 PPM, A2; 9293
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

=====
Hazards Identification
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO
Reports of Carcinogenicity:NTP:YES IARC:YES
OSHA:NO
Health Hazards Acute and Chronic:ACUTE: EYE, SKIN AND RESPIRATORY TRACT IRRITATION, CENTRAL NERVOUS SYSTEM EFFECTS. EXTREME OVEREXPOSURE MAY RESULT IN UNCONSCIOUSNESS AND POSSIBLE DEATH. OVEREXPOSURE TO METHYLENE CHLORIDE CAN RAISE THE LEVEL OF CARBON MONOXIDE IN THE BLOOD. CHRONIC: METHYLENE CHLORIDE IS A SUSPECTED HUMAN CARCINOGEN.
Explanation of Carcinogenicity:METHYLENE CHLORIDE IS LISTED BY IARC AND NTP AS A SUSPECTED HUMAN CARCINOGEN.
Effects of Overexposure:EY
ES/SKIN: REDNESS, ITCHING, BURNING SENSATION.
INHALATION: HEADACHE, DIZZINESS, NAUSEA, LOSS OF COORDINATION.
Medical Cond Aggravated by Exposure:CARDIOVASCULAR PROBLEMS MAY BE AGGRAVATED BY OVEREXPOSURE TO METHYLENE CHLORIDE.

=====
First Aid Measures
=====

First Aid:EYES: FLUSH WITH PLENTY OF WATER FOR 15 MINUTES. IF IRRITATION PERSISTS, SEE DOCTOR. SKIN: WASH WITH SOAP AND WATER WHILE REMOVING CONTAMINATED CLOTHING AND SHOES. IF IRRITATION PERSISTS, SEE DOCTOR. INHALATION: REMOVE TO FRESH AIR. GIVE OXYGEN/CPR IF NEEDED, SEE DOCTOR. INGESTION: GIVE SEVERAL GLASSES OF WATER IF CONSCIOUS. DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION.

=====
Fire Fighting Measures
=====

Flash Point Method:PMCC
Flash Point:1 (ETHER = 1)
Appearance and Odor:SILICONE LUBE IN AEROSOL CAN.
Percent Volatiles by Volume:16

=====
Stability and Reactivity Data
=====

Stability Ind

icator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS

Stability Condition to Avoid: HIGH HEAT, OPEN FLAMES AND OTHER SOURCES OF IGNITION

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE, OXIDES OF METALS.

===== Disposal Considerations =====

Waste Disposal Methods: CONTACT YOUR LOCAL ENVIRONMENTAL OFFICER. DO NOT PUNCTURE OR INCINERATE CONTAINER. GIVE TO DISPOSAL SERVICE. DISPOSE OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL ENVIRONMENTAL REGULATIONS. FULL OR PARTIALLY FILLED CONTAINERS ARE CONSIDERED HAZARDOUS

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their particular situation.