Product ID:FP-903 PENETRANT MSDS Date:01/01/1997 FSC:6850 NIIN:01-263-2263 MSDS Number: BRNSW === Responsible Party === Company Name: MET-L-CHEK COMPANY Address:1639 EUCLID ST **City:SANTA MONICA** State:CA ZIP:90404-3770 Country:US Info Phone Num:310-450-1111 Emergency Phone Num:310-450-1111 Chemtrec Ind/Pho ne:(800)424-9300 CAGE:98733 === Contractor Identification === Company Name:MET-L-CHEK COMPANY Address:1639 EUCLID ST Box:00000 **City:SANTA MONICA** State:CA ZIP:90404 Country:US Phone:310-450-1111/FAX 310452-4046 Contract Num:SP0450-00-M-D076 CAGE:98733 Company Name:MET-L-CHEK COMPANY Address:1639 EUCLID ST Box:00000 **City:SANTA MONICA** State:CA ZIP:90404 Country:US Phone:310-450-1111/FAX 310452-4046 Contract Num:SP0450-99-M-C542 CAGE:98733

====== Composition/Information on Ingredients ====

Ingred Name:PETROLEUM HYDROCARBON, SEVERELY HYDROTREATED MIDDLE DISTILLATE CAS:64742-46-7 Code:F RTECS #:JN9379645 OSHA PEL:5 MG/M3 ACGIH TLV:5 MG/M3

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic: EYE CONTACT-PRESUMED NON-IRRITATING. SKIN CONTACT-SLIGHTLY IRRITATING. INHALATION-VAPORS OR OIL MIST MAY CAUSE MI LD IRRITATION OF UPPER RESPIRATORY TRACT. INGESTION-MAY RESULT IN VOMITING, ASPIRATION MUST BE AVOIDED. Effects of Overexposure: SKIN CONTACT-IRRITATION. INGESTION-POSSIBLE VOMITING. Medical Cond Aggravated by Exposure: PRE-EXISTING SKIN AND RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT. First Aid:EYE CONTACT-FLUSH WITH WATER. SKIN CONTACT- FLUSH WITH WATER, WASH WITH SOAP AND WATER. INHAL ATION-REMOVE TO FRESH AIR. PROVIDE OXYGEN IF BREATHING IS DIFFICULT. INGESTION-DO NOT INDUCE VOMITING. GET MEDICAL ATTENTION.

Flash Point Method:COC

Flash Point:=98.9C, 210.F

Extinguishing Media:USE WATER FOG, FOAM, DRY CHEMICAL OR CARBON DIOXIDE. DO NOT USE DIRECT STREAM OF WATER.

Fire Fighting Procedures:MATERIAL WILL NOT BURN UNLESS PREHEATED. DO NOT ENTER CONFINED FIRE-SPACE WITHOUT FULL BUNKER GEAR, INCL

| UDING A | |
|--|----------|
| POSITIVE PRESSURE NIOSH APPROVED SELF-CONTAINED BR | REATHING |
| APPARATUS. | |

Unusual Fire/Explosion Hazard:NONE.

Spill Release Procedures:SOAK UP WITH AN ABSORBENT SUCH AS CLAY, SAND OR OTHER SUITABLE MATERIAL. DISPOSE OF IN ACCORDANCE WITH FEDERAL AND STATE REGULATIONS FOR OIL RESIDUE.

Handling and Storage Precautions: KEEP AWAY FROM HEAT, OP EN FLAMES AND OXIDIZING MATERIALS. Other Precautions: NONE.

Respiratory Protection: IF EXPOSURE EXCEEDS TLV, USE NIOSH APPROVED RESPIRATOR TO PREVENT OVEREXPOSURE.

Ventilation:LOCAL EXHAUST AND MECHANICAL VENTILATION: TO MAINTAIN TLV. SPECIAL & OTHER: NONE.

Protective Gloves: CHEMICAL RESISTANT TO MINIMIZE CONTACT.

Eye Protection: NO SPECIAL PROTECTION REQUIRED.

Other Protective Equipment: AS REQUIRED TO MINIMIZE SKIN C ONTACT.

Work Hygienic Practices:MINIMIZE SKIN CONTACT. WASH WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET. Supplemental Safety and Health

HCC:N1 Boiling Pt:>204.4C, 400.F Melt/Freeze Pt:=-59.4C, -75.F Spec Gravity:ABOUT 0.93 Solubility in Water:INSOLUBLE / EMULSIFIABLE Appearance and Odor:YELLOW-GREEN LIQUID. SLIGHT HYDROCARBON ODOR.

Stability Indicator/Materials to Avoid:YES
OXIDIZING MATERIALS.
Stability Condition to Avoid:HEAT, OPEN FLAMES AND OXIDIZING MATERIALS.
Hazardous Decomposition Products:CAN PRODUCE CARBON MONOXIDE & OTHER UNIDENTIFIED ORGANIC COMPOUNDS.
Conditions to Avoid Polymerization:HEAT, OPEN FLAMES AND OXIDIZING MATERIALS.

Waste Disposal Methods:PLACE IN APPROPIATE DISPOSAL FACILITY IN COMPLIANCE WITH LOCAL REGULATIONS.

SARA Title III Information:SARA SECTION 313 SUPPLIER NOTIFICATION: THIS PRODUCT CONTAINS THE FOLLOWING TOXIC CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF THE EMERGENCY PLANNING AND COMMUNITY RIGHT TO KNOW A CT OF 1986 AND OF 40 CFR 372: NONE.
State Regulatory Information:CALIFORNIA PROPOSITION 65 NOTICE-DETECTABLE AMOUNTS OF SOME CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BI
RTH DEFECTS OR OTHER REPRODUCTIVE HARM MAY BE FOUND IN VARIOUS PRODUCTS PURCHASED FROM MET-L-CHEK, IN THEIR VAPORS OR MAY RESULT FROM THEIR USE. READ & FOLLOW LABEL DIRECTIONS & INFORMATION GIVEN ON MATERIAL SAFETY DATA SHEETS & USE CARE WHEN HANDLING OR USING ALL NON-DEST RUCTIVE TEST CHEMICAL PRODUCTS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The Unite

d States of America in no manner whatsoever,

==

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.