

PRODUCTS RESEARCH & CHEMICAL CORPORATION -- PR-1826 A-1 BLACK, PART B --
8030-01-329-9998

===== Product Identification =====

Product ID:PR-1826 A-1 BLACK, PART B

MSDS Date:01/09/1989

FSC:8030

NIIN:01-329-9998

Kit Part:Y

MSDS Number: BRNWY

=== Responsible Party ===

Company Name:PRODUCTS RESEARCH & CHEMICAL CORPORATION

Address:5430 SAN FERNANDO ROAD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country

:US

Info Phone Num:818-240-2060

Emergency Phone Num:800-228-5635/800-424-9300(CHEMTREC)

Preparer's Name:DJ

CAGE:DO563

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

Company Name:PRODUCTS RESEARCH & CHEMICAL

Address:NOW DBA COURTAULDS AEROSPACE

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Phone:818-240-2060

CAGE:DO563

=====

Composition/Information on Ingredients =====

Ingred Name:METHYL ETHYL KETONE (2-BUTANONE)

CAS:78-93-3

RTECS #:EL6475000

Fraction by Wt: 10%

Other REC Limits:NONE SPECIFIED

OSHA PEL:200 PPM;STEL 300 PPM

ACGIH TLV:200 PPM;STEL 300 PPM

EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

Ingred Name:VOC: 153 G/L (MIXED)

RTECS #:9999999VO

Other REC Limits:NONE SPECIFIED

===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Effects

of Overexposure:EYES: IRRITATION. SKIN: LOCAL IRRITATION.

INHALATION: IRRITATION TO NOSE AND THROAT. PROLONGED EXPOSURE ABOVE PEL MAY CAUSE HEADACHE, DIZZINESS, AND UNCONSCIOUSNESS. INGESTION: MAY CAUSE NAUSEA, VOMITING, LIVER AND KIDNEY DAMAGE.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH LUKE WARM WATER FOR 15 MINUTES. IF SYMPTOMS PERSIST, CONSULT A PHYSICIAN. SKIN: WASH THOROUGHLY WITH SOAP & WATER. IF SYMPTOMS PERSIST,

CONSULT A PHYSICIAN. INHALATION:

REMOVE TO FRESH AIR. IF SYMPTOMS ARE PRESENT CONSULT A PHYSICIAN.

INGESTION: DO NOT INDUCE VOMITING.

===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:25.0F,-3.9C

Lower Limits:1.8 %

Upper Limits:11 %

Extinguishing Media:CO2, DRY CHEMICAL, FOAM, WATER FOG

Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR. USE WATER TO COOL HEAT EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard:HIGH TEMPERATURE

TEMPERATURES MAY CAUSE PRESSURE
BUILDUP IN CLOSED CONTAINERS.

===== Accidental Release Measures =====

Spill Release Procedures: REMOVE ALL SOURCES OF IGNITION. WEAR
AIR-SUPPLIED RESPIRATOR FOR MAJOR UNVENTILATED SPILL. COVER WITH
ABSORBENT. SCOOP INTO CONTAINERS. CLEAN-UP RESIDUE WITH
1,1,1-TRICHLOROETHANE.

===== Handling and Storage =====

Handling and Storage Precautions: WASH THOROUGHLY AFTER HANDLING AND
BEFORE
SMOKING OR EATING. AVOID INGESTION.

Other Precautions: THIS PRODUCT CONTAINS A TOXIC CHEMICAL OR CHEMICALS
SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III
OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40
CFR PART 372.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: WHEN SPRAYING, APPLYING IN CONFINED AREAS, OR IN
OTHER CIRCUMSTANCES LIKELY TO PRODUCE AIRBORNE LEVELS OF SOLVENT IN
EXCESS OF PEL, USE
AN ORGANIC VAPOR CARTRIDGE RESPIRATOR OR
AIR-SUPPLIED RESPIRATOR .

Ventilation: GENERAL VENTILATION TO MAINTAIN VAPORS BELOW PEL.

Protective Gloves: SOLVENT RESISTANT GLOVES

Eye Protection: SAFETY GLASSES

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Vapor Density: 2.5 (MEK)

Spec Gravity: 1.33

Evaporation Rate & Reference: 3.2 (MEK)

Solubility in Water: SLIGHT

===== Stability and Reactivity Data =====

Stability

ty Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS

Hazardous Decomposition Products: OXIDES OF CARBON, SO₂, TRACES OF H₂S

===== Disposal Considerations =====

Waste Disposal Methods: EPA WASTE NO. D-001 AND D-035. DISPOSE OF SPILLAGE IN COMPLIANCE WITH FEDERAL AND STATE REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States

of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and

disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and

assume responsibility for the suitability of this information to their

particular situation.