

TEXACO INC -- 01657 RANDO OIL HD 32 -- 4470-01-068-9991

===== Product Identification =====

Product ID:01657 RANDO OIL HD 32

MSDS Date:09/07/1989

FSC:4470

NIIN:01-068-9991

MSDS Number: BRPGD

=== Responsible Party ===

Company Name:TEXACO INC

Box:509

City:BEACON

State:NY

ZIP:12508

Info Phone Num:914-831-3400 EXT 204

Emergency Phone Num:914-831-3400 EXT 204

Preparer's Name:M.J. VON ALLMEN

CAGE:7B131

=

== Contractor Identification ==

Company Name:TEXACO INC

Box:509

City:BEACON

State:NY

ZIP:12508-0509

Country:US

Phone:914-831-3400

CAGE:7B131

===== Composition/Information on Ingredients =====

Ingred Name:MINERAL OIL, PETROLEUM DISTILLATES, SOLVENT-DEWAXED HEAVY  
PARAFFINIC

CAS:64742-65-0

RTECS #:PY8038500

Fraction by Wt: 95-99.9%

Other REC Limits:NONE RECOMMENDED

ACGIH TLV:5 MG/M3 (OIL MIST)

===== Hazards Identification =====

LD50 LC50

Mixture:NONE SPECIFIED BY MANUFACTURER.  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EYES: CAUSES MINIMAL EYE IRRITATION.  
TRANSIENT MINOR IRRITATION MAY BE NOTED FOLLOWING INITIAL CONTACT.  
SKIN: SLIGHTLY IRRITATING WITH POSSIBLE REDNESS, EDEMA, OR DRYING  
OF THE SKIN. INHALATION: VAPOR S OR MIST IN EXCESS OF PERMISSIBLE  
CONCENTRATIONS MAY CAUSE IRRITATION (NOSE/THROAT), HEADACHE,  
NAUSEA, DROWSINESS.  
Explanation of Carcinogenicity:NONE  
Effects of Overexposure:SEE HEALTH HAZARDS  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES: AS WITH MOST FOREIGN MATERIALS, SHOULD EYE CONTACT  
OCCUR, FLUSH EYES WITH PLENTY OF WATER. SKIN: WASH EXPOSED AREAS  
WITH SOAP AND WATER. INHALATION: IF IRRITATION OR DROWSINESS  
OCCURS, REMOVE TO FRESH AIR. INGESTION: NONE CONSIDERED NECESSARY.

===== Fire Fighting Measures =====

Flash Point Method:COC  
Flash Point:385F,196C  
Extinguishing Media:USE WATER SPRAY,DRY CHEMICAL,FOAM,OR CARBON  
DIOXIDE.  
Fire Fighting Procedures:WATER OR FOAM MAY CAUSE FROTHING.USE WATER TO  
COOL FIRE-EXPOSED CONTAINERS. IF A LEAK OR SPILL HAS NOT IGNITED,  
USE WATER SPRAY TO DISPERSE THE VAPORS.  
Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL IF POSSIBLE. WIPE UP OR ABSORB  
ON SUITABLE MATERIAL AND SHOVEL UP.  
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

===== Handling and Storage =====

Handling and Storage Precautions:MINIMUM FEASIBLE HANDLING TEMPERATURES  
SHOULD BE MAINTAINED.PERIODS OF EXPOSURE TO HIGH TEMPS SHOULD BE  
MINIMIZED. WATER CONTAMINATION BE AVOIDED.  
Other Precautions:EMPTY CONTAINERS CAN BE HAZARDOUS IF USED TO STORE  
TOXIC,FLAMMABLE, OR REACTIVE MATERIALS. CUTT

ING/WELDING OF EMPTY  
CONTAINERS MIGHT CAUSE FIRE, EXPLOSION,OR TOXIC FUMES FROM  
RESIDUES.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:IF VAPOR, MIST OR DUST IS GENERATED IN EXCESS OF  
PERMISSIBLE CONCENTRATIONS USE RESPIRATOR APPROVED BY MSHA OR  
NIOSH.

Ventilation:ADEQUATE TO MEET COMPONENT PERMISSIBLE CONCENTRATIONS.

Protective Gloves:NONE SPECIFIED BY MANUFACTURER.

Eye Protection:CHEMICAL TYPE GOGGLES

Other Protective Equipment:NO

NE SPECIFIED BY MANUFACTURER.

Work Hygienic Practices:WASH EXPOSED SKIN AREAS SEVERAL TIMES DAILY  
WITH SOAP AND WATER.

Supplemental Safety and Health

WASTE CLASSIFICATION: PRODUCT HAS BEEN EVALUATED FOR RCRA  
CHARACTERISTICS AND DOES NOT MEET CRITERIA OF A HAZARDOUS WASTE IF  
DISCARDED IN ITS PURCHASED FORM.

===== Physical/Chemical Properties =====

HCC:N1

Spec Gravity:0.8681(WATER=1)

Appearance and Odor:PALE LIQUID

===== Stability and Reactiv  
ity Data =====

STRONG OXIDIZERS.

Stability Condition to Avoid:NONE SPECIFIED BY MANUFACTURER.

Hazardous Decomposition Products:CARBON MONOXIDE,CARBON  
DIOXIDE,ALDEHYDES AND KETONES,COMBUSTION PRODUCTS OF NITROGEN,  
ZINC, PHOSPHORUS,CALCIUM,& SULFUR.

===== Disposal Considerations =====

Waste Disposal Methods:UNDER RCRA, IT IS THE RESPONSIBILITY OF THE USER  
OF PRODUCTS TO DETERMINE, AT THE TIME OF DISPOSAL, WHETHER PRODUCT  
MEETS RCRA CR

ITERIA FOR HAZARDOUS WASTE. THIS IS BECAUSE PRODUCT  
USES, TRANSFORMATIO NS, MIXTURE, ETC. MAY RENDER MATERIAL  
HAZARDOUS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek compe  
tent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.